

Strong like a bull

LR 1800-1.0

Crawler crane
Grue sur chenilles

LIEBHERR

Mobile and crawler cranes



880 US t



591 ft



354 ft +
335 ft



Technical data

Caractéristiques technique

Technical description

Description techniques 4-5

Dimensions

Encombrement 6-9

M-Wagon® 10

Crane data

Dates de la grue 11

Transportation plan

Plan de transport 12

Economic transport worldwide

Un transport économique partout dans le monde 13

Suspended ballast V-frame®

V-frame® de contrepoids suspendu..... 14

Boom/jib combinations

Configurations de flèche 15-17

SL 18-19

HSLDB/HSLDBV 20-23

S 24-25

HSDB/HSDBV 26-28

H2DB/H2DBV/H2DBW 29-31

SW1 32-38

HSDWB/HSDWBV 39-64

SLF 65-75

HSL3AF 76-79

HSL2AZDFBV 80-83


Description of symbols

Explication des symboles 84


Remarks

Remarques 85

LR 1800-1.0




663 ft



499 ft




507,100 lb



286,600 lb




881,850 lb



29 ft 6 in



455 kW (619 h.p.)




WindSpeed


load charts



M-Wagon®



VarioTray



V-Frame®



Equipment

Max. capacity	1763 kip at 30 ft radius H2DBV – System with H2 187 ft and D 108 ft.
Max. load moment	82,475,000 – 1369 kip at 66 ft radius. HSDBV – System with HS 138 ft and D 108 ft.

Crawler travel gear

Crawler chassis	Liebherr crawler chassis consisting of one centre section and two crawler carriers with crawler plates 6'7" (optional 4'11", 7'10") and quadruple drive.
Central ballast	2 brackets 11,025 lb each. Total central ballast 154,300 lb. 6 ballast plates 22,050 lb each (option).

Crane superstructure

Superstructure frame	Liebherr-slewing platform frame, consisting of slewing platform with winch IV and removable A-frame, connected to the centre section by a roller slewing bearing.
Crane engine with sound insulation	8-cylinder diesel engine, make Liebherr, water cooled, rated power 455 kW (619 h.p.), max torque 2083 lb-ft. Fuel tank approx. 291 gallons, exhaust emissions acc. to (EU) 2016/1628, EPA/CARB or ECE-R.96.
Winch I	Standard hoist winch, hydraulically driven with variable axial piston motor with integrated planetary gear.
Winch IV	Boom hoist.
Reeving winch	Auxiliary winch for the reeving of ropes.
Slewing gear	2 slewing gears with integrated planetary gear hydraulically driven by axial piston variable motor.
Crane cabin	Air conditioned crane cabin tiltable to the rear with safety glazing, heat insulating glass, roof window with bullet proof glass, standardized control units ergonomically positioned. Additional thermostatically controlled hot water heating.
Crane control	Setting of configuration data by convenient interactive functions. All crane movements are initiated by means of three 4-way joystick hand levers and two 2-way hand/foot levers. All working movements are independently controllable.
Safety devices	Hoist limit switch. Safety valves against hose and pipe rupture. Drum switch limit at 3 rest layers. Wind speed gauge. Electronic inclination indicator. Aircraft warning control light.
Camera observation	2 colour monitors, 4 cameras for winches, slewing platform side and rear.
Counterweight	2 brackets 33,075 lb each. Total counterweight at superstructure 507,000 lb. 20 ballast plates 22,050 lb each.

Boom system

Main boom HS	System 3330/2724 with head section for max. 1433 kip load capacity. Boom length HS 118 ft – 295 ft. Boom length HSDB 118 ft – 295 ft with derrick system.
Main boom (H) SL	System 3330/2724/2420 with head section for max. 992 kip load capacity. Boom length SL 98 ft – 374 ft. Boom length HSLDB 118 ft – 591 ft.
Lattice type luffing fly jib W	System 2724/2420 with head section for max. 992 kip load capacity. Luffing jib lengths W 59 ft – 335 ft. Winch V is needed for all luffing jib operations.
Derrick system D	System 2524 including guy rods. Winch III is needed for all derrick operations. Length 108 ft / 128 ft.
Counterweight frame B	For max. derrick counterweight of 881 kip, for infinitely variable radius from 36 ft – 59 ft.
Derrick-Counterweight	Plates for a total of 881 kip.
Winch II	Second hoist winch.
Winch III	Reeving main boom / Derrick operation.
Winch V	Luffing for W-jib configuration.
Winch VI	Auxiliary hoist gear.
Whip line	55 kip for attaching to the S or L head.

Additional equipment

Mechanical outriggers	For erection of long boom combinations without derrick-counterweight.
Hydraulic assembly jacks	Lifting of the basic machine for assembly/disassembly. Consisting of 4 support cylinders including support plates, mounted on central ballast consoles.
Hydraulic assembly cylinder	For assembly/disassembly of the crawler carrier by the crane itself.
Pin pulling device	Including mobile hydraulic aggregate. For assembly/disassembly of the pins at S and L intermediate sections.

Other items of equipment available on request.

Équipement

Capacité max.	1763 kip pour une portée de 30 ft. Système H2DBV avec H2 187 ft et D 108 ft.
Couple de charge max.	82,475,000 lb-ft – 1369 kip pour une portée de 66 ft. Système HSDBV avec HS 138 ft et D 108 ft.

Train de chenilles

Mécanisme de translation	Le train de chenilles Liebherr est composé d'une partie centrale et de deux longerons avec patins de chenilles 6'7" (en option 4'11", 7'10") et un entraînement à 4 positions.
Contrepoids central	2 consoles de 11,025 lb. Contrepoids central total 154,300 lb. 6 plaques de lest de 22,050 lb (option).



Partie tournante

Cadre de la partie tournante	Le cadre de la partie tournante Liebherr est composé de la partie tournante avec treuil IV et du chevalet démontable A, il est relié à la partie centrale du train de roulement par une couronne d'orientation à rouleaux.
Moteur de la grue avec isolation phonique	Diesel Liebherr 8 cylindres, refroidissement par eau, puissance 455 kW (619 ch), couple de rotation max. 2083 lb-ft. Réservoir de carburant: env. 291 gallons. Emissions des gaz d'échappement conformes au directive (EU) 2016/1628, EPA/CARB ou ECE-R.96.
Treuil I	Treuil de levage standard, commande hydraulique avec moteurs à cylindrée variable et pistons axiaux, réducteur planétaire intégré.
Treuil IV	Mécanisme de relevage.
Treuil de mouflage	Treuil auxiliaire pour le mouflage des câbles.
Mécanisme d'orientation	2 mécanismes d'orientation avec réducteur planétaire intégré, entraînés par un moteur à cylindrée variable et pistons axiaux.
Cabine du grutier	La cabine du grutier est climatisée, inclinable vers l'arrière, possède un vitrage de sécurité, un vitrage isolant thermiquement, une fenêtre de toit en verre blindé, des unités de commande normalisées disposées de façon ergonomique. Chauffage d'appoint et chauffage de l'eau régulé thermostatiquement.
Commande de la grue	Entrée des données de configuration par des fonctions interactives simples. Tous les mouvements de la grue sont commandés par deux manipulateurs à 4 voies et deux pédale/levier à 2 voies. Tous les mouvements de travail peuvent être commandés indépendamment.
Dispositifs de sécurité	Interrupteur de fin de course. Clapets de sécurité contre les ruptures de tuyaux et de flexibles. Coupure de fin de course du tambour avec 3 enroulements de sécurité. Anémomètre de sécurité. Inclinomètre électronique. Balise aérienne.
Surveillance vidéo	2 écrans couleur, 4 caméras dédiées aux treuils, ainsi qu'aux parties latérales et arrière de la partie tournante.
Contrepoids	2 consoles de 33,075 lb chacune. Contrepoids total 507,000 lb. 20 plaques de lest à 22,050 lb (option).



Système de flèche

Flèche principale HS	Système 3330/2724 avec élément de tête pour une capacité max. de 1433 kip. Longueur de la flèche HS 118 ft – 295 ft. Longueur de la flèche HSDB 118 ft – 295 ft avec système derrick.
Flèche principale (H)SL	Système 3330/2724/2420 avec élément de tête pour une capacité max. de 992 kip. Longueur de la flèche SL 98 ft – 374 ft. Longueur de la flèche HSLDB 118 ft – 591 ft.
Fléchette treillis à volée variable W	Système 2724/2420 avec élément de tête pour une capacité max. de 992 kip. Longueurs de flèche treillis 59 ft – 335 ft. Le treuil V est nécessaire pour fonctionnement fléchette treillis.
Système derrick D	Le système 2524 comprend des tirants. Le treuil III est nécessaire au mode derrick. Longueur 108 ft / 128 ft.
Palette de lest B	Pour un contrepoids derrick max. de 881 kip et rayons variables progressivement de 36 ft – 59 ft.
Contrepoids derrick	Plaques de poids total de 881 kip.
Treuil II	2. treuil de levage.
Treuil III	Réglage flèche principale/mode derrick.
Treuil V	Réglage fléchette treillis à volée variable.
Treuil VI	Treuil de levage auxiliaire.
Poulie en extrémité de mât	55 kip pour le montage sur la tête S ou L.



Équipement additionnel

Stabilisateur additionnel mécanique	Il sert au relevage de longues combinaisons de flèche sans contrepoids derrick.
Stabilisateurs hydrauliques de montage	Levage de l'engin de base pour le montage/démontage. Constitués de 4 vérins de calage dont les patins de calage, montés sur les consoles de contrepoids central.
Vérin hydraulique de montage	Pour le montage autonome/démontage du train de chenilles.
Dispositif d'extraction des axes	Il est constitué du composant hydraulique mobile. Il sert à l'insertion et l'extraction d'axes des éléments intermédiaires S et L.

D'autres équipements additionnels sont disponibles sur demande.


Dimensions

Encombrement



Dimensions

Encombrement




US272-0018-01


HSLDBV




46 ft - 75 ft 6 in



HSDWB














36 ft - 59 ft



M-Wagon® for 3 crane models

M-Wagon® pour 3 types de grues







M-Wagon®	13 ft intermediate section · pièce intermédiaire		adapter · adaptateur	crane type · type de grue
<p>One fits all Équipement unique</p>  <p>S283-0015-00</p>	+	 <p>S283-0016-00</p>	<p>826,700 lb @ 69 ft</p>  <p>S283-0017-00</p>	 <p>LR 1700-1.0 S283-0020-00</p>
	+	 <p>S283-0016-00</p>	<p>881,890 lb @ 75 ft 6 in</p>  <p>S283-0018-00</p>	 <p>LR 1800-1.0 S283-0021-00</p>
	+	 <p>S283-0016-00</p>	<p>992,100 lb @ 98 ft 5 in</p>  <p>S283-0019-00</p>	 <p>LR 11000 S283-0022-00</p>

Crane data

Dates de la grue







Winches · Treuils

	V _{ft/min}	 F	 Ø	
1	0 - 374 ft/min	44,960 lb	30 mm	4265 ft
2	0 - 374 ft/min	44,960 lb	30 mm	4265 ft
3	0 - 410 ft/min	-	-	-
4	0 - 2 x 246 ft/min	-	-	-
5	0 - 443 ft/min	-	-	-
6	0 - 450 ft/min	28,100 lb	25 mm	1970 ft

Working speeds Vitesses · Velocità

	Slewing speeds · Vitesses d'orientation	0 - 0.67 rpm
	Travel speeds · Vitesses de translation	0 - 0.9 mph

Hook blocks · Moufles à crochet


	 max				
1,543,200 / 771,600 lb	1,763,700 / 881,850 lb	30 mm	2 x 9	2 x 19	35,275 - 57,300 / 26,450 - 48,500 lb
1,234,600 / 617,300 lb	1,433,000 / 716,500 lb	30 mm	2 x 7	2 x 15	30,850 - 48,500 / 22,050 - 39,700 lb
595,250 / 297,600 lb	705,500 / 352,750 lb	30 mm	2 x 3	2 x 7	10,400 - 28,000 / 7,500 - 25,100 lb
463,000 lb	551,150 lb	30 mm	5	11	6,600 - 24,250 lb
297,600 lb	352,750 lb	30 mm	3	7	5,500 - 18,700 lb
132,300 lb	176,400 lb	30 mm	1	3	5,500 - 9,900 lb
44,100 lb	55,100 lb	30 mm	-	1	3,300 lb

Transportation plan

Plan de transport


Part - Partie

Winches 1 and 2
Treuils 1 et 2



24.25 kip+
24.25 kip

SA-frame, winch 4 incl. rope and pulley block - Chevalet SA, treuil 4 incl. câble et bloc de poulies




1

US272-0024-01

44.1 kip
+ 3.5 kip
Transport
bracket
Support de
transport

1

Superstructure with quick connection - Partie tournante avec quick connection



2

2


US272-0021-01

101.4 kip
(incl. QC)

+3.7 kip
Transport
bracket
Support de
transport

2

Middle section
Partie centrale



3

3


US272-0022-01

66.1 kip
+2 kip
Transport
bracket
Support de
transport

3

Crawler track (4-fold, 6 ft 7 in pads)
(*optional)

Longeron (4 positions, plaques de
6 ft 7 in) (*en option)



US272-0023-01

4'11"*	6'7"	7'10"*
110 kip	132.3 kip	147.7 kip

2 x 132.3
kip

Total - total

524.7 kip

145.5 kip

149.5 kip


211.6 kip

194 kip


+Transport bracket
+Support de transport

Economic transport worldwide


Un transport économique partout dans le monde



S272-0002-00




S272-0003-00




S272-0004-00

3x HSL 39 ft




S272-0004-00

HSL 20 ft



S272-0005-00



S272-0007-00

HS-reduction section incl. SL-reduction section
Élément réducteur HS incl. élément réducteur SL

Suspended ballast V-frame®

V-frame® de contrepoids suspendu


- Adjustment distance 46 ft – 75 ft
- Automated tracking of the derrick cylinders (one control movement only)
- Interpolated load chart tables
- Distance de réglage de 46 ft – 75 ft
- Guidage automatique des vérins de derrick (une seule manœuvre de commande)
- Interpolation des tableaux de charge



Boom/jib combinations


Configurations de flèche

S/HS	Main boom, heavy • Flèche principale, lourde
(H)SL/2/3	Main boom, heavy/light • Flèche principale, lourde/légère
D	Derrick • Flèche derrick
W	Luffin fly jib, heavy • Fléchette, lourde
W1	Luffin fly jib, light • Fléchette, légère
A	Adapter • Pièce d'adaptateur
F	Fixed lattice jib • Fléchette à treillis fixe
B	Suspended ballast • Lest suspendu
BV	Suspended ballast V-frame® • V-frame® de contrepoids suspendu
BW	Counterweight trailer M-Wagon • Remorque à contrepoids M-Wagon



Boom/jib combinations

Configurations de flèche



H2DB
H2DBV/BW

HS 108 ft - 226 ft
D 128 ft

SW1

S 118 ft - 217 ft
W1 59 ft - 335 ft

HSDWB
HSDWBV






HS 138 ft - 354 ft
W 59 ft - 335 ft
D 128 ft

SLF

SL 177 ft - 354 ft
F 39 ft - 128 ft

Boom/jib combinations

Configurations de flèche



HSLDFB/BV

HSL 315 ft - 591 ft
 F 39 ft - 128 ft
 D 128 ft

HSL3AF


HSL3 177 ft - 335 ft
 F 39 ft - 128 ft

HSL2AZDFBV

HSL2 197 ft - 571 ft
 F 39 ft - 128 ft
 D 128 ft

SL

SL 98 - 374 ft




ft	SL 98 - 374 ft														ft	
	98 ft	118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft		374 ft
19	992															19
20	992	992														20
22	992	992	992													22
24	992	992	992	992												24
26	992	992	992	992	992											26
28	992	992	992	992	992	768										28
30	992	992	992	992	992	974	594									30
32	983	981	986	968	981	936	892	475								32
34	955	953	942	935	922	875	836	798	430							34
36	906	903	890	891	864	823	784	752	723	386						36
38	850	846	840	842	811	774	740	709	689	643	352					38
40	801	798	796	792	764	731	698	671	653	622	537					40
45	702	697	694	691	667	639	613	590	576	556	516	481	418	339		45
50	619	615	614	609	589	566	544	524	513	497	485	465	410	330	278	50
55	555	551	549	545	526	506	487	470	462	448	438	424	399	322	270	55
60	500	497	495	490	475	457	440	425	419	406	398	386	377	313	262	60
65	453	450	448	444	431	415	400	387	382	370	364	352	345	304	255	65
70	408	408	406	402	394	379	366	353	350	339	334	324	317	294	248	70
75	371	370	368	364	361	349	336	324	322	312	308	298	292	280	241	75
80	337	337	335	332	328	322	310	299	298	289	285	276	270	262	234	80
85	308	308	306	303	300	296	287	277	276	267	264	256	251	243	226	85
90	283	282	283	278	276	270	266	257	257	248	246	238	234	226	218	90
95		261	260	257	254	250	245	240	239	231	229	222	218	211	207	95
100		242	242	238	235	231	226	223	224	216	214	208	204	197	194	100
105		225	224	221	218	214	209	205	209	202	201	194	190	184	181	105
110			209	206	204	198	194	191	195	190	188	182	178	172	170	110
115			196	192	190	185	181	178	180	177	177	171	167	162	159	115
120			184	180	177	173	168	165	169	165	166	161	157	152	150	120
125				169	166	162	157	154	158	154	156	151	148	142	140	125
130				159	156	151	147	144	147	144	146	142	140	134	132	130
135				150	147	142	139	135	138	135	137	133	131	126	124	135
140				141	138	134	130	126	129	126	128	125	124	119	117	140
145					130	126	122	119	122	118	120	118	116	112	110	145
150					123	119	115	112	115	111	113	110	109	105	104	150
155					116	112	108	104	108	104	106	103	103	99.2	98	155
160						106	102	98.2	102	98.2	99.6	96.9	96.3	93.6	92.2	160
165						100	96.4	92.5	95.8	92.3	93.8	90.9	90.1	88	86.9	165
170						95.1	90.9	86.8	90.3	87	88.4	85.4	84.5	82.5	81.9	170
175							85.7	81.7	85.1	81.7	83.1	80.1	79.1	77	76.9	175
180							81.1	77.2	80.3	76.5	78.6	75.2	74.3	72.2	72.1	180
185							76.7	72.8	75.5	71.9	74	70.4	69.7	67.5	67.3	185
190							72.6	68.5	71.3	67.8	69.4	66.4	65.4	63.3	63.1	190
195								64.7	67.5	63.8	65.3	62.5	61.3	59.2	58.9	195
200								60.9	63.7	59.7	61.5	58.5	57.6	55.3	55.1	200
205								57.4	60.1	56.3	57.9	54.8	54	51.6	51.4	205
210									56.9	53	54.4	51.3	50.4	48.1	47.9	210
215									53.7	49.7	51.1	48.1	46.8	45	44.6	215
220									50.6	46.6	48.1	44.9	43.7	41.8	41.4	220
225										43.8	45.3	41.8	40.6	38.6	38.7	225
230										41.1	42.5	39	38	35.7	35.9	230
235										38.5	39.7	36.3	35.3	32.9	33.1	235
240										36.1	37.3	33.9	32.6	30.3	30.3	240
245											34.9	31.5	30.2	27.9	27.8	245
250											32.6	29.1	27.9	25.5	25.3	250
255											30.5	27	25.6	23.1	23.1	255
260												24.9	23.4	21.1	20.9	260
265												22.8	21.2	19	18.7	265
270												20.8	19.3	17.1	16.6	270
275													17.5	15.2	14.7	275
280													15.6	13.2	12.8	280
285													13.8	11.6	11	285
290													12.2			290

Lifting heights

Hauteurs de levage

SL



HSLDB/HSLDBV


HSL 118 - 591 ft

118 - 591 ft	128 ft	154,300 lb	374,800 lb - 463,000 lb	661,400 - 881,850 lb 330,700 - 659,200 lb 110,000 - 328,500 lb
--------------	--------	------------	-------------------------	--

		HSL 118 - 591 ft																											
ft		118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft	532 ft	551 ft	571 ft	591 ft			
22	Ot	992																											
	B	992																											
	BV	992																											
24	Ot	992																											
	B	992																											
	BV	992																											
26	Ot	992	992																										
	B	992	992																										
	BV	992	992																										
28	Ot	992	992	992																									
	B	992	992	992																									
	BV	992	992	992																									
30	Ot	992	992	992	992																								
	B	992	992	992	992																								
	BV	992	992	992	992																								
32	Ot	991	985	974	924	903																							
	B	992	992	992	992	992																							
	BV	992	992	992	992	992																							
34	Ot	939	931	907	862	841	802																						
	B	992	992	992	992	992	992																						
	BV	992	992	992	992	992	992																						
36	Ot	879	873	847	807	791	752	718																					
	B	992	992	992	992	992	992	992																					
	BV	992	992	992	992	992	992	992																					
38	Ot	827	821	793	756	743	709	676	647																				
	B	992	992	992	992	992	992	992	992																				
	BV	992	992	992	992	992	992	992	992																				
40	Ot	780	773	745	713	701	668	640	612	663																			
	B	992	992	992	992	992	992	992	992	992																			
	BV	992	992	992	992	992	992	992	992	992																			
45	Ot	681	673	647	621	612	586	561	538	585	564	547	524																
	B	992	992	992	992	992	992	992	992	992	927	834	748																
	BV	992	992	992	992	992	992	992	992	992	948	850																	
50	Ot	604	594	569	547	541	519	497	477	522	504	488	471	458	439														
	B	992	992	992	992	992	992	992	992	992	925	831	749	673	604														
	BV	992	992	992	992	992	992	992	992	992	950	851	762	682	610														
55	Ot	540	528	507	488	483	463	444	427	469	453	440	424	413	396	392	380	359											
	B	992	992	992	992	992	992	992	992	992	924	829	746	672	603	536	481	400											
	BV	992	992	992	992	992	992	992	992	992	953	851	763	682	611	515	474												
60	Ot	486	475	456	439	435	418	401	386	424	410	398	385	374	360	356	345	343	330	315									
	B	992	992	990	989	992	992	992	992	991	922	828	742	671	602	534	480	405	367	319									
	BV	992	992	992	992	992	992	992	992	992	954	851	764	683	611	515	474	389	370	294									
65	Ot	439	430	413	398	394	379	364	350	386	373	363	350	341	328	325	316	314	301	296	272	233	222						
	B	981	966	953	959	990	992	990	975	970	914	825	736	669	601	531	479	404	365	317	273	234	223						
	BV	992	992	992	992	992	992	992	992	992	934	850	764	683	611	516	474	389	369	294	253	221							
70	Ot	393	391	377	363	360	346	331	319	353	341	332	320	312	300	298	289	287	277	272	263	231	220	193					
	B	910	903	897	891	967	964	950	930	929	886	823	719	667	600	529	476	401	363	315	270	232	221	194					
	BV	992	992	992	992	992	992	992	992	970	895	832	759	683	611	518	474	389	368	295	254	221	223	187	160				
75	Ot	356	352	345	333	330	317	303	291	324	313	304	294	287	274	274	265	265	254	250	243	228	216	191					
	B	848	841	835	830	911	900	889	877	880	853	811	706	664	599	527	472	397	360	312	268	229	218	192					
	BV	992	992	992	992	990	992	991	967	927	857	795	752	683	611	520	475	389	366	295	254	221	221	188	160	129			
80	Ot	325	320	317	307	304	291	279	268	298	288	280	270	264	253	252	245	245	234	231	224	219	209	189					
	B	794	786	781	775	853	844	833	823	827	810	781	691	658	596	520	468	393	356	308	265	227	216	190					
	BV	955	986	984	982	966	962	943	923	887	821	765	741	679	611	523	476	389	363	295	253	221	219	188	161	130			
85	Ot	297	293	289	283	281	269	257	247	275	266	259	249	243	233	232	226	226	217	213	207	205	194	183					
	B	744	738	733	727	800	794	783	774	780	763	744	674	647	590	510	463	388	352	305	261	224	213	188					
	BV	895	950	948	941	925	915	897	880	851	788	737	724	666	609	526	477	389	360	294	252	220	217	188	161	130			
90	Ot	273	270	265	262	260	249	238	228	255	247	240	231	225	215	215	209	210	200	197	191	189	179	173					
	B	700	696	689	684	751	747	738	729	737	720	705	661	637	582	502	457	383	347	303	258	221	211	186					
	BV	819	892	893	888	874	868	854	838	817	759	710	697	644	600	528	477	389	357	293	252	220	215	188	161	131			
95	Ot	253	248	244	241	242	232	221	211	237	229	222	214	208	199	200	193	194	185	183	177	176	165	160					
	B	662	657	651	645	710	705	698	690	696	683	668	641	620	572	495	451	378	342	299	254	218	208	184					
	BV	755	832	845	839	828	821	812	799	784	733	685	674	625	583	527	476	388	353	292	252	219	212	187	159	131			
100	Ot	234	230	226	222	225	216	205	196	220	213	207	198	193	184	185	179	180	172	169	164	163	153	148					
	B	627	622	617	610	672	667	660	654	661	648	635	615	599	562	488	445	373	337	295	251	215	206	182					
	BV	694	775	802	794	785	777	770	761	749	709	664	655	605	565	525	472	388	349	292	251	219	209	185	157	131			
105																													

HSLDB/HSLDBV

HSL 118 - 591 ft



		HSL 118 - 591 ft																									
ft		118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft	532 ft	551 ft	571 ft	591 ft	
115	Ot		185	181	179	180	175	166	158	179	173	167	160	155	147	149	143	145	137	136	131	130	120	116			
	B		534	529	525	578	572	565	559	567	560	550	535	525	506	456	426	357	321	284	242	206	196	175			
	BV		624	674	687	676	669	663	655	651	638	607	596	557	519	493	457	376	336	292	248	211	200	178	152	131	
120	Ot		173	169	167	168	163	155	147	168	161	156	149	144	136	138	133	135	128	126	121	121	111	107			
	B		509	504	500	551	545	539	534	540	533	525	512	501	486	448	415	351	317	280	239	203	193	172			
	BV		578	633	654	645	639	632	627	621	613	589	577	542	507	482	451	371	331	290	245	208	197	176	150	130	
125	Ot		159	156	157	152	146	138	157	151	146	139	134	126	128	123	126	118	117	113	112	103	98.5				
	B		482	478	527	521	514	510	516	509	502	490	481	466	441	408	345	312	276	235	200	190	169				
	BV		596	622	617	611	604	599	593	586	570	559	529	494	471	443	366	327	288	242	205	195	173	147	128		
130	Ot		149	146	146	142	136	128	147	141	136	130	125	117	120	115	117	110	109	104	104	94.4	90.7				
	B		461	457	503	499	492	487	493	485	479	469	461	448	434	402	338	307	272	231	197	187	167				
	BV		559	590	589	585	578	572	568	559	549	540	515	483	460	433	361	322	285	239	202	192	171	145	127		
135	Ot		140	137	137	133	127	120	138	132	128	120	117	109	111	107	109	102	101	96.5	96.3	87.1	83.2				
	B		442	438	483	479	471	466	472	465	457	448	442	431	422	396	330	302	268	228	194	184	164				
	BV		524	560	564	560	553	547	544	537	528	521	501	472	450	424	355	318	281	235	199	189	168	143	125		
140	Ot		132	128	128	125	119	112	130	124	119	113	109	101	104	98.9	102	94.6	93.5	89.3	89.2	79.9	76.3				
	B		424	420	464	459	452	446	452	445	438	430	423	414	408	388	325	296	264	224	190	181	162				
	BV		489	531	540	535	530	524	521	514	508	500	486	460	440	415	350	313	277	232	195	186	166	140	123		
145	Ot		120	120	117	111	105	122	116	112	105	101	94	96.3	91.6	94.7	87.7	86.7	82.4	82.4	76.2	76.2	67.1	63.5			
	B		403	445	440	435	428	433	427	420	411	406	397	393	378	319	291	260	221	187	178	159					
	BV		502	516	512	508	502	498	493	488	479	470	448	430	406	345	308	274	229	192	183	163	138	121			
150	Ot		113	113	109	104	98.5	115	109	104	98	94.5	86.8	89.8	84.9	88	81	80.2	76.2	76.2	67.1	67.1	57.7	54.7			
	B		388	428	424	418	412	415	409	403	395	390	380	379	366	312	285	257	217	184	175	157					
	BV		474	496	492	487	482	477	473	469	461	453	436	420	398	339	304	270	225	189	180	161	136	119			
155	Ot		107	106	102	96.7	92.3	108	102	97.7	91.2	87.7	80.6	83.3	78.8	81.8	74.9	74.1	70.1	70.3	61.1	57.7					
	B		373	413	407	401	396	398	393	387	379	374	366	365	355	304	280	253	214	181	172	154					
	BV		446	477	472	466	463	458	453	451	443	436	423	410	389	334	299	266	221	186	177	158	134	117			
160	Ot				100	95.6	90.4	86.3	102	95.6	91.4	85.1	81.7	74.4	77.3	72.9	76	69.1	68.4	64.4	64.6	55.6	52.1				
	B				397	392	386	382	382	377	372	365	360	351	351	343	298	275	247	211	178	169	151				
	BV				459	454	449	445	441	435	433	426	421	409	400	381	329	294	262	218	183	174	156	131	116		
165	Ot				94.5	90.2	84.7	80.2	95.4	89.5	85.5	79.1	75.7	68.7	71.6	67	70.6	63.6	62.9	59.1	59.4	50.2	46.9				
	B				384	378	372	367	367	362	358	350	346	337	338	331	294	271	242	206	174	166	149				
	BV				442	437	433	427	424	418	410	405	396	390	372	324	290	259	215	180	171	153	129	114			
170	Ot				89.1	84.9	79	74.5	89.6	84	79.9	73.7	70.4	63.3	66	61.9	65.2	58.7	57.7	53.9	54.3	45.3	41.9				
	B				370	365	359	354	354	349	345	338	333	325	325	319	289	265	238	202	171	163	146				
	BV				426	421	416	411	409	403	395	391	382	380	364	320	285	255	211	176	168	150	127	112			
175	Ot				79.8	73.8	69.3	63.9	83.9	78.6	74.6	68.4	65.1	58.1	61.2	56.8	60.2	53.7	53	49.2	49.5	40.5	37.3				
	B				353	346	342	340	335	332	325	320	313	314	307	285	259	234	197	169	161	144					
	BV				406	401	397	394	388	387	381	377	369	368	356	315	281	252	208	174	165	148	125	110			
180	Ot				75.2	69.2	64.6	58.3	78.3	73.7	69.7	63.5	60.3	53.4	56.3	52	55.6	48.8	48.5	44.6	45	36	32.7				
	B				341	335	330	327	323	320	314	309	302	303	296	281	254	230	194	166	158	141					
	BV				393	387	383	379	374	373	367	364	356	356	347	310	277	248	205	171	162	145	122	108			
185	Ot				70.7	64.8	59.9	53.2	73.2	69	64.9	58.8	55.6	48.6	51.8	47.6	50.9	44.6	43.9	40.4	40.7	31.7	28.5				
	B				329	323	318	315	312	309	303	298	290	292	286	277	250	226	190	163	155	138					
	BV				380	374	368	366	361	360	354	351	343	345	336	306	273	245	202	168	160	143	120	106			
190	Ot				66.5	60.6	55.8	48.5	68.5	64.5	60.5	54.5	51.2	44.4	47.5	43.1	46.8	40.3	39.8	36.2	36.8	27.6	24.4				
	B				318	312	308	304	300	298	292	288	280	282	276	270	247	222	187	160	153	136					
	BV				367	361	356	354	348	348	341	339	332	333	326	301	269	242	199	165	157	140	118	105			
195	Ot							56.7	52	64	60.1	56.2	50.2	47	40.2	43.2	39.1	42.7	36.2	35.8	32.1	32.9	23.8	20.6			
	B							302	297	294	290	288	282	278	270	272	266	263	243	218	184	157	150	134			
	BV							349	345	341	336	336	327	328	320	322	316	297	265	238	196	162	155	138	116	103	
200	Ot							52.9	48.3	59.3	55.8	52.3	46.3	43.1													

HSLDB/HSLDBV

HSL 118 - 591 ft


118 - 591 ft HSL	128 ft D	154,300 lb	374,800 lb - 463,000 lb	661,400 - 881,850 lb 330,700 - 659,200 lb B BV 110,000 - 328,500 lb
---------------------	-------------	------------	----------------------------	---

		HSL 118 - 591 ft																									
ft		118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft	532 ft	551 ft	571 ft	591 ft	
270	Ot											12.6															
	B											177	172	170	165	168	164	166	160	159	145	121	116	100			
	BV											211	189	204	199	203	200	203	196	193	158	128	123	107	89.2	80.4	
280	Ot																										
	B												162	160	155	158	154	156	150	149	140	116	112	97.5			
	BV												181	193	188	191	188	191	185	184	154	125	119	104	86.3	77.9	
290	Ot																										
	B												153	150	145	148	145	147	141	140	134	113	109	94			
	BV												174	182	177	181	177	181	175	174	150	121	116	100	83.5	75.4	
300	Ot																										
	B												142	137	140	136	139	133	132	127	110	106	90.5				
	BV												172	167	171	167	171	165	164	146	118	113	97.4	80.9	73.1		
310	Ot																										
	B												129	131	128	130	125	124	120	108	103	88.1					
	BV												158	161	158	161	156	156	143	115	110	94.6	78.4	70.8			
320	Ot																										
	B												121	124	120	123	118	117	113	105	98.9	85.9					
	BV												150	153	149	153	147	147	138	112	107	91.9	76.2	68.6			
330	Ot																										
	B												116	113	116	111	110	107	102	94.9	83.9						
	BV												145	141	144	139	139	134	109	105	89.4	73.9	66.6				
340	Ot																										
	B												110	106	109	104	103	100	97.7	90.7	81.6						
	BV												137	133	136	132	131	129	106	102	86.9	71.9	64.5				
350	Ot																										
	B												99.7	103	97.7	96.8	93.8	92.7	86	79.3							
	BV												126	129	124	124	124	104	99.7	84.5	69.9	62.8					
360	Ot																										
	B												96.5	91.7	90.9	88.3	87.8	80.6	75.8								
	BV												122	118	117	117	101	97.7	82.3	68	61.1						
370	Ot																										
	B												90.8	86.1	85.2	82.8	82.8	75.1	71.3								
	BV												116	111	110	111	99	95.7	80.4	66	59.3						
380	Ot																										
	B												80.6	79.9	77.4	77.7	69.8	66.4									
	BV												105	104	104	96.6	93.1	78.5	64.4	57.6							
390	Ot																										
	B												75.6	74.6	72.3	72.7	65.1	61.6									
	BV												99.1	98.5	98.4	94.2	88.8	76.6	62.8	56							
400	Ot																										
	B												69.7	67.6	67.8	60.5	57.1										
	BV												93.1	92.9	91.4	83.9	74.3	61.2	54.6								
410	Ot																										
	B												63	63.3	56	52.8											
	BV												87.5	86.4	79	71.9	59.8	53.2									
420	Ot																										
	B												58.7	58.8	51.7	48.6											
	BV												82.5	81.4	74.1	69.4	58.6	51.9									
430	Ot																										
	B												54.6	47.8	44.5												
	BV												76.6	69.3	66.7	57.4	50.8										
440	Ot																										
	B												50.7	43.9	41.5												
	BV												72	64.6	62.5	56.1	49.7										
450	Ot																										
	B												40.5	38.5													
	BV												60.2	58.2	53.9	48.6											
460	Ot																										
	B												35.6	54	50.5	47.3											
	BV												54	50.5	47.3												
470	Ot																										
	B												32.9	50.1	47.1	44.9											
	BV												50.1	47.1	44.9												
480	Ot																										
	B												43.9	42.4													
	BV												43.9	42.4													
490	Ot																										
	B												41	39.9													
	BV												41	39.9													
500	Ot																										
	B												37.3														
	BV												37.3														

Lifting heights


Hauteurs de levage

HSLDB/HSLDBV



S


S 118 - 295 ft



		S 118 - 295											
ft	118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	ft		
22	1429										22		
24	1360	1367									24		
26	1275	1270	1250								26		
28	1181	1175	1164	1140							28		
30	1097	1090	1078	1050	999						30		
32	1021	1007	1007	974	928	884					32		
34	950	945	939	908	867	826	792				34		
36	888	886	876	849	812	776	743	713			36		
38	835	830	828	796	762	730	702	672	638		38		
40	785	781	780	750	720	690	662	637	611	568	40		
45	684	678	676	652	627	603	582	560	538	520	45		
50	604	598	595	574	555	534	516	497	479	463	50		
55	539	533	531	512	494	477	461	445	430	415	55		
60	484	480	476	460	445	429	416	401	388	375	60		
65	438	433	431	416	403	389	377	364	352	340	65		
70	396	391	390	379	368	355	344	332	321	310	70		
75	358	353	352	347	336	325	315	304	294	284	75		
80	324	320	318	316	310	299	289	280	270	261	80		
85	295	292	290	287	285	276	267	258	248	240	85		
90	270	269	265	263	260	255	247	238	229	221	90		
95	249	246	244	241	239	235	229	221	212	205	95		
100	230	228	226	221	221	216	213	205	197	190	100		
105	214	210	209	205	203	199	197	191	183	176	105		
110		196	194	190	187	185	182	177	170	163	110		
115		182	180	177	174	171	168	164	158	152	115		
120		170	168	165	162	158	156	153	148	141	120		
125			157	154	152	148	145	142	137	132	125		
130			147	143	141	138	134	131	127	122	130		
135			138	134	132	129	125	121	118	114	135		
140			129	126	123	120	117	113	109	106	140		
145				118	115	112	109	105	101	98.2	145		
150				111	108	105	102	97.8	93.9	90.6	150		
155				104	102	97.9	94.5	91.1	87.2	83.7	155		
160					95.4	91.4	88.3	85	81	77.2	160		
165					89.9	85.9	82.6	78.8	75	71.3	165		
170					84.5	80.4	77	73.2	69.7	65.8	170		
175						75.2	71.7	68	64.5	60.4	175		
180						70.6	67.1	63.2	59.3	55.9	180		
185						66.1	62.6	58.5	54.7	51.3	185		
190						62	58.1	54.2	50.4	46.7	190		
195							54.3	50.3	46.2	42.5	195		
200							50.5	46.5	42.1	38.5	200		
205							46.9	42.7	38.6	35	205		
210								39.4	35.2	31.5	210		
215								36.2	32	28	215		
220								33	28.8	25	220		
225								30.4	26	22.2	225		
230									23.3	19.3	230		
235									20.6	16.5	235		
240									18.2	14.1	240		
245										11.7	245		


Lifting heights

Hauteurs de levage



HSDB/HSDBV

HS 36 - 126 ft




		HS 118 - 413 ft															
ft		118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft
24	Ot	1351															
	B	1432															
	BV	1432															
26	Ot	1251	1240														
	B	1432	1432														
	BV	1432	1432														
28	Ot	1152	1144	1127													
	B	1432	1432	1432													
	BV	1432	1432	1432													
30	Ot	1063	1059	1033	976												
	B	1432	1432	1432	1432												
	BV	1432	1432	1432	1432												
32	Ot	989	983	957	903	879											
	B	1432	1432	1432	1432	1432											
	BV	1432	1432	1432	1432	1432											
34	Ot	921	916	888	842	820	875										
	B	1432	1432	1432	1432	1432	1432										
	BV	1432	1432	1432	1432	1432	1432										
36	Ot	861	857	828	785	768	822	788									
	B	1432	1432	1432	1432	1432	1432	1354									
	BV	1432	1432	1432	1432	1432	1432	1396									
38	Ot	808	803	774	736	720	773	744	713								
	B	1432	1432	1432	1432	1432	1432	1351	1210								
	BV	1432	1432	1432	1432	1432	1432	1392	1245								
40	Ot	761	755	727	692	679	730	701	675	650							
	B	1432	1432	1432	1432	1432	1422	1341	1207	1076							
	BV	1432	1432	1432	1432	1432	1379	1245	1107								
45	Ot	664	656	628	599	589	636	615	593	572	552	533					
	B	1393	1385	1374	1357	1358	1349	1281	1196	1071	955	855					
	BV	1432	1432	1432	1432	1432	1391	1320	1236	1108	986	879					
50	Ot	586	575	551	527	519	563	545	526	509	491	475	461	447	428		
	B	1262	1251	1239	1227	1269	1272	1217	1154	1065	951	851	760	682	604		
	BV	1432	1432	1432	1432	1371	1319	1260	1194	1106	987	879	782	697			
55	Ot	522	509	489	468	461	502	487	470	456	440	426	415	402	386	375	363
	B	1146	1137	1130	1116	1186	1198	1156	1104	1041	945	847	756	677	604	540	481
	BV	1428	1426	1403	1352	1289	1247	1200	1145	1079	987	880	782	697	620	553	491
60	Ot	469	456	437	418	414	451	438	423	411	397	385	375	363	350	339	329
	B	1048	1042	1033	1024	1112	1123	1095	1054	1003	939	843	753	674	602	538	480
	BV	1348	1336	1307	1268	1215	1182	1144	1098	1041	967	880	783	697	620	552	491
65	Ot	422	411	395	377	373	408	397	384	373	360	349	340	330	317	308	299
	B	965	958	954	942	1033	1039	1028	1001	963	911	838	750	671	599	536	479
	BV	1242	1236	1222	1186	1148	1117	1086	1050	997	921	848	782	697	619	552	491
70	Ot	378	372	358	342	339	371	361	349	340	328	318	310	301	289	281	272
	B	893	888	882	875	959	966	957	943	920	879	827	746	669	597	534	477
	BV	1139	1147	1140	1119	1078	1057	1035	1002	948	877	810	764	696	619	551	491
75	Ot	340	336	327	313	309	339	330	319	310	300	291	283	276	264	257	248
	B	832	825	819	814	895	902	894	882	870	844	804	742	665	594	532	475
	BV	1041	1068	1061	1052	1020	999	984	957	906	838	776	734	685	619	551	490
80	Ot	309	303	299	286	283	311	303	293	285	275	267	259	253	242	235	227
	B	779	771	766	759	838	844	838	828	817	800	770	733	660	589	526	471
	BV	956	999	994	986	967	946	934	913	867	805	746	708	664	614	550	489
85	Ot	281	277	274	263	260	287	279	270	262	253	245	238	232	222	215	208
	B	729	723	718	711	784	792	786	779	769	751	732	706	653	584	519	466
	BV	877	937	933	925	913	898	886	871	832	772	718	683	639	601	549	488
90	Ot	257	254	249	243	239	265	258	249	242	233	226	220	213	204	198	191
	B	685	680	674	668	736	745	742	732	726	708	693	676	641	577	512	461
	BV	805	875	878	872	858	851	842	829	801	744	691	660	620	582	544	485
95	Ot	237	232	229	224	222	245	239	230	223	215	209	203	197	187	182	175
	B	647	640	636	629	695	702	700	693	684	671	656	642	618	569	505	455
	BV	739	813	830	823	812	804	799	788	772	719	668	639	600	563	534	482
100	Ot	218	214	211	205	205	228	222	213	207	199	193	187	182	172	167	161
	B	612	606	602	594	657	663	661	656	649	636	622	609	593	558	498	449
	BV	677	758	786	778	768	759	757	749	737	695	649	619	581	545	518	478
105	Ot	202	197	195	189	190	211	206	198	192	184	178	173	168	159	154	148
	B	579	573	570	563	622	628	625	621	616	605	591	579	566	542	490	443
	BV	615	704	744	740	729	721	717	711	702	672	629	601	564	530	503	471
110	Ot		183	180	175	176	197	192	184	178	171	165	160	155	146	142	136
	B		545	541	535	590	596	594	589	585	576	562	552	540	522	483	437
	BV		654	701	704	692	686	682	676	670	650	610	585	549	516	489	460
115	Ot		170	167	162	163	184	179	171	166	159	153	148	143	135	131	125
	B		519	514	509	561	567	565	559	556	549	537	525	516	500	474	431
	BV		606	658	671	660	652	649	643	637	626	592	569	536	503	476	447
120	Ot		159	155	149	151	171	167	160	154	147	142	137	133	124	120	115
	B		495	490	484	535	540	538	533	529	522	512	503	491	478	463	424
	BV		562	617	638	629	622	619	614	607	602	573	554	522	489	464	436
125	Ot			144	139	140	159	156	149	144	137	132	127	123	115	110	105
	B			468	462	512	515	513	508	504	497	489	481	471	457	445	416
	BV			580	606	601	593	591	586	580	575	554	540	509	477	453	427
130	Ot			134	129	130	148	146	139	134	127	122	118	113	106	102	96.5
	B			448	441	489	492	490	485	482	473	466	460	451	438	427	405
	BV			543	573	572	566	564	559	555	548	535	523	495	465	442	416
135	Ot			126	120	121	138	137	130	125	118	114	109	105	97.1	93.2	88.3
	B			428	422	468	471	468	464	461	453	445	439	432	420	410	394
	BV			507	543	547	542	539	535	531	525	515	506	482	454	432	406
140	Ot			118	112	113	129	128	121	116	110	105	101	97.1	89.3	85.3	80.6
	B			411	404	448	450	448	443	440	433	425	420	414	403	394	383
	BV			472	513	524	517	515	511	507	504	495	487	468	443	422	397

Lifting heights

Hauteurs de levage

HSDB/HSDBV



H2DB/H2DBV/H2DBW

H2 108 – 226 ft



		H2 108 – 226 ft						
ft		108 ft	128 ft	148 ft	167 ft	187 ft	207 ft	226 ft
22	B	1763						
	BV	1763						
	BW	1763						
24	B	1763	1763					
	BV	1763	1763					
	BW	1763	1763					
26	B	1763	1763	1763				
	BV	1763	1763	1763				
	BW	1763	1763	1763				
28	B	1763	1763	1763	1763			
	BV	1763	1763	1763	1763			
	BW	1763	1763	1763	1763			
30	B	1763	1763	1763	1763	1715		
	BV	1763	1763	1763	1763	1763		
	BW	1763	1763	1763	1763	1763		
32	B	1763	1763	1763	1756	1668	1610	
	BV	1763	1763	1763	1763	1762		
	BW	1763	1763	1763	1763	1763	1652	
34	B	1758	1758	1761	1712	1620		1440
	BV	1759	1763	1763	1763	1736		
	BW	1753	1763	1763	1763	1743	1621	1486
36	B	1724	1719	1704	1658	1573	1540	1433
	BV	1742	1753	1763	1759	1695	1577	
	BW	1721	1759	1763	1763	1702	1586	1479
38	B	1653	1639	1623	1596	1526	1503	1415
	BV	1708	1722	1747	1741	1654	1544	1452
	BW	1699	1745	1758	1752	1660	1552	1459
40	B	1575	1561	1547	1526	1484	1467	1389
	BV	1658	1703	1721	1702	1613	1510	1425
	BW	1680	1720	1728	1708	1618	1518	1433
45	B	1405	1393	1382	1366	1348	1378	1317
	BV	1600	1610	1630	1589	1513	1425	1359
	BW	1609	1651	1650	1593	1519	1432	1366
50	B	1267	1254	1247	1234	1219	1294	1245
	BV	1536	1548	1533	1485	1419	1344	1291
	BW	1562	1551	1535	1488	1424	1350	1297
55	B	1150	1144	1135	1123	1110	1214	1177
	BV	1468	1441	1422	1387	1332	1268	1225
	BW	1468	1443	1424	1390	1335	1273	1231
60	B	1053	1046	1041	1030	1018	1132	1111
	BV	1328	1339	1326	1297	1253	1197	1162
	BW	1327	1341	1328	1299	1255	1200	1167
65	B	969	963	958	950	940	1047	1035
	BV	1197	1241	1234	1212	1176	1129	1100
	BW	1197	1245	1237	1214	1178	1133	1105
70	B	899	892	885	880	870	975	964
	BV	1085	1152	1143	1134	1105	1065	1044
	BW	1085	1154	1146	1136	1107	1068	1048
75	B	837	829	824	818	810	906	900
	BV	987	1071	1066	1059	1042	1004	990
	BW	987	1073	1069	1061	1045	1006	993
80	B	782	775	770	763	756	850	840
	BV	899	995	998	990	981	953	936
	BW	899	995	1000	992	984	955	938
85	B	732	728	721	715	707	798	791
	BV	819	920	937	931	921	903	890
	BW	819	919	939	933	923	905	892
90	B	690	684	679	672	665	749	745
	BV	748	848	883	876	868	854	846
	BW	747	847	885	878	870	856	848
95	B	649	645	641	632	627	705	702
	BV	678	784	831	826	820	807	802
	BW	679	783	832	828	822	809	804
100	B		610	605	598	591	668	663
	BV		724	780	783	775	765	760
	BW		724	780	785	777	767	761
105	B		578	574	568	560	633	628
	BV		669	731	744	735	726	720
	BW		669	731	745	737	728	722
110	B		549	545	539	531	601	597
	BV		617	683	706	700	690	685
	BW		617	683	707	701	691	687

H2DB/H2DBV/H2DBW

H2 108 – 226 ft


108-226 ft  H2	128 ft  D	154,300 lb 	374,800 - 463,000 lb 	 661,400 - 881,850 lb 330,700 - 659,200 lb B BV BW 110,000 - 328,500 lb
---	---	---	---	--

ft	H2 108 – 226 ft						
	108 ft	128 ft	148 ft	167 ft	187 ft	207 ft	226 ft
115	B BV BW	523 566 566	519 639 639	512 669 669	506 667 669	571 656 657	567 652 654
120	B BV BW		495 598 597	488 632 632	482 638 639	544 626 627	540 622 623
125	B BV BW		472 557 557	465 595 596	459 608 609	519 597 599	515 593 595
130	B BV BW		452 517 517	445 562 563	439 579 580	497 571 572	492 566 568
135	B BV BW			426 530 530	420 550 550	474 544 546	471 541 543
140	B BV BW			409 498 498	402 522 522	453 520 522	451 518 520
145	B BV BW			392 468 467	386 497 497	434 499 500	431 496 498
150	B BV BW				371 472 471	415 478 479	412 475 476
155	B BV BW				356 447 446	398 459 460	395 456 457
160	B BV BW				343 422 421	383 441 442	379 438 440
165	B BV BW				331 398 397	368 424 425	364 421 422
170	B BV BW					354 409 410	350 405 406
175	B BV BW					341 394 395	337 391 392
180	B BV BW					329 380 381	325 376 378
185	B BV BW						313 363 365
190	B BV BW						302 351 352
195	B BV BW						292 340 341
200	B BV BW						282 329 330

Lifting heights

Hauteurs de levage

H2DB/H2DBV/H2DBW



SW1

S 118 ft



ft	S 118 ft																						ft
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 158 ft		W1 197 ft		W1 236 ft		W1 276 ft		W1 295 ft		W1 315 ft		W1 335 ft		
	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	
34	961.0	961.0																					34
36	903.0	904.0 ¹⁾																					36
38	852.0	852.0	814.0	814.0																			38
40	806.0	806.0	771.0	772.0 ¹⁾																			40
45	710.0	710.0	681.0	681.0	658.0	658.0																	45
50	634.0	634.0	609.0	609.0	589.0	589.0	570.0	570.0															50
55	571.0	571.0	551.0	551.0	534.0	534.0	517.0	517.0															55
60	517.0	517.0	502.0	502.0	487.0	487.0	473.0	473.0	444.0	444.0													60
65	471.0	471.0	461.0	461.0	448.0	448.0	435.0	435.0	409.0	409.0													65
70	432.0	432.0	426.0	426.0	414.0	414.0	402.0	402.0	378.0	378.0	360.0	360.0											70
75	393.0*	393.0	396.0	396.0	384.0	384.0	373.0	373.0	352.0	352.0	335.0	335.0											75
80		360.0 ¹⁾	370.0	370.0	359.0	359.0	348.0	348.0	329.0	329.0	313.0	313.0											80
85		328.0 ¹⁾	344.0	344.0	336.0	336.0	326.0	326.0	308.0	308.0	293.0	293.0	276.0	276.0									85
90		301.0 ¹⁾	320.0	320.0	316.0	316.0	307.0	307.0	289.0	289.0	276.0	276.0	259.0	259.0									90
95		275.0 ¹⁾	295.0*	295.0	298.0	298.0	289.0	289.0	272.0	272.0	260.0	260.0	244.0	244.0	232.0	232.0							95
100		251.0 ¹⁾		270.0 ¹⁾	281.0	281.0	273.0	273.0	257.0	257.0	245.0	245.0	231.0	231.0	219.0	219.0	212.0	212.0					100
105		230.0 ¹⁾		247.0 ¹⁾	263.0	263.0	259.0	259.0	244.0	244.0	232.0	232.0	218.0	218.0	207.0	207.0	200.0	200.0	191.0	191.0			105
110		211.0 ¹⁾		228.0 ¹⁾	247.0	247.0	246.0	246.0	231.0	231.0	220.0	220.0	207.0	207.0	196.0	196.0	189.0	189.0	181.0	181.0	174.0	174.0	110
115		193.0 ¹⁾		210.0 ¹⁾	229.0*	229.0	232.0	232.0	220.0	220.0	209.0	209.0	196.0	196.0	186.0	186.0	180.0	180.0	171.0	171.0	165.0	165.0	115
120		178.0 ¹⁾		194.0 ¹⁾	209.0 ¹⁾	209.0	219.0	219.0	209.0	209.0	199.0	199.0	186.0	186.0	177.0	177.0	170.0	170.0	162.0	162.0	156.0	156.0	120
125		163.0 ⁹⁾		179.0 ¹⁾	194.0 ¹⁾	207.0	207.0	200.0	200.0	190.0	190.0	177.0	177.0	168.0	168.0	162.0	162.0	154.0	154.0	148.0	148.0	125	
130		150.0 ⁹⁾		165.0 ¹⁾	180.0 ¹⁾	197.0	197.0	191.0	191.0	181.0	181.0	169.0	169.0	160.0	160.0	154.0	154.0	146.0	146.0	141.0	141.0	130	
135		138.0 ⁹⁾		152.0 ¹⁾	167.0 ¹⁾	183.0*	183.0	182.0	182.0	173.0	173.0	161.0	161.0	153.0	153.0	147.0	147.0	140.0	140.0	134.0	134.0	135	
140		127.0 ⁷⁾		141.0 ¹⁾	155.0 ¹⁾		167.0 ¹⁾	174.0	174.0	166.0	166.0	154.0	154.0	145.0	145.0	140.0	140.0	132.0	132.0	127.0	127.0	140	
145		117.0 ⁷⁾		130.0 ¹⁾	144.0 ¹⁾		156.0 ¹⁾	166.0	166.0	159.0	159.0	147.0	147.0	139.0	139.0	133.0	133.0	125.0	125.0	121.0	121.0	145	
150		108.0 ⁶⁾		120.0 ⁹⁾	133.0 ¹⁾		145.0 ¹⁾	158.0	158.0	152.0	152.0	141.0	141.0	133.0	133.0	127.0	127.0	120.0	120.0	115.0	115.0	150	
155				110.0 ⁹⁾	123.0 ¹⁾		135.0 ¹⁾	151.0	151.0	146.0	146.0	135.0	135.0	127.0	127.0	121.0	121.0	114.0	114.0	109.0	109.0	155	
160				102.0 ⁸⁾	114.0 ¹⁾		126.0 ¹⁾	144.0	144.0	140.0	140.0	129.0	129.0	121.0	121.0	116.0	116.0	109.0	109.0	104.0	104.0	160	
165				93.5 ⁷⁾	105.0 ¹⁾		117.0 ¹⁾	138.0	138.0	134.0	134.0	124.0	124.0	116.0	116.0	111.0	111.0	103.0	103.0	98.9	98.9	165	
170				86.0 ⁷⁾	97.2 ⁹⁾		109.0 ¹⁾	132.0	132.0	128.0	128.0	119.0	119.0	111.0	111.0	106.0	106.0	98.8	98.8	94.4	94.4	170	
175					89.3 ⁸⁾		101.0 ¹⁾	123.0*	123.0	122.0	122.0	114.0	114.0	107.0	107.0	101.0	101.0	94.2	94.2	89.8	89.8	175	
180					82.4 ⁸⁾		93.0 ¹⁾	110.0 ¹⁾	110.0	117.0	117.0	110.0	110.0	102.0	102.0	97.2	97.2	90.1	90.1	85.7	85.7	180	
185					75.6 ⁷⁾		85.7 ¹⁾		104.0 ¹⁾	112.0	112.0	105.0	105.0	98.2	98.2	93.1	93.1	85.9	85.9	81.6	81.6	185	
190					69.4 ⁷⁾		78.8 ⁹⁾		96.9 ¹⁾	107.0	107.0	101.0	101.0	94.2	94.2	89.2	89.2	82.2	82.2	77.9	77.9	190	
195							72.0 ⁸⁾		90.3 ¹⁾	103.0	103.0	96.7	96.7	90.4	90.4	85.6	85.6	78.5	78.5	74.2	74.2	195	
200							66.6 ⁸⁾		83.7 ¹⁾	98.8	98.8	92.9	92.9	86.9	86.9	82.0	82.0	75.0	75.0	70.9	70.9	200	
205									60.9 ⁷⁾	77.1 ¹⁾	77.1	71.5 ¹⁾	71.5	65.6	65.6	60.7	60.7	56.6	56.6	52.5	52.5	205	
210									55.6 ⁷⁾	71.5 ¹⁾	71.5	65.6	65.6	60.7	60.7	56.6	56.6	52.5	52.5	48.4	48.4	210	
215										66.0 ¹⁾	66.0	60.3 ¹⁾	60.3	54.4	54.4	49.5	49.5	45.4	45.4	41.3	41.3	215	
220										60.9 ¹⁾	60.9	55.0 ¹⁾	55.0	49.1	49.1	44.2	44.2	40.1	40.1	36.0	36.0	220	
225										55.9 ⁹⁾	55.9	50.0 ¹⁾	50.0	44.1	44.1	39.2	39.2	35.1	35.1	31.0	31.0	225	
230										51.3 ⁹⁾	51.3	45.4 ¹⁾	45.4	39.5	39.5	34.6	34.6	30.5	30.5	26.4	26.4	230	
235												46.1 ⁸⁾	46.1	40.2	40.2	35.3	35.3	31.2	31.2	27.1	27.1	235	
240												41.3 ⁸⁾	41.3	35.4	35.4	30.5	30.5	26.4	26.4	22.3	22.3	240	
245												37.0 ⁷⁾	37.0	31.1	31.1	26.2	26.2	22.1	22.1	18.0	18.0	245	
250														32.2	32.2	27.3	27.3	23.2	23.2	19.1	19.1	250	
255														27.4	27.4	22.5	22.5	18.6	18.6	15.1	15.1	255	
260														22.6	22.6	17.7	17.7	14.2	14.2	11.2	11.2	260	
265														17.8	17.8	12.9	12.9	10.3	10.3	8.3	8.3	265	
270														13.0	13.0	9.1	9.1	7.4	7.4	6.4	6.4	270	
275														8.2	8.2	6.2	6.2	5.5	5.5	4.8	4.8	275	
280														3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	280	
285																							285
290																							290
295																							295
300																							300
305																							305
310																							310
315																							315
320																							320
325																							325
330																							330
335																							335
340																							340
345																							345
350																							350

1) 12°; 2) 17°; 3) 22°; 4) 27°; 5) 32°; 6) 37°; 7) 42°; 8) 47°; 9) 52°; 10) 57°; 11) 62°



ft	S 158 ft																				ft				
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 158 ft		W1 197 ft		W1 236 ft		W1 276 ft		W1 295 ft		W1 315 ft			W1 335 ft			
	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax		87/85*	Wmax		
36	818.0	818.0																					36		
38	775.0	775.0																					38		
40	735.0	735.0																					40		
45	652.0	652.0	628.0	628.0																			45		
50	586.0	586.0	565.0	565.0	548.0	548.0																	50		
55	531.0	531.0	512.0	512.0	498.0	498.0	483.0	483.0															55		
60	485.0	485.0	469.0	469.0	456.0	456.0	443.0	443.0															60		
65	447.0	447.0	432.0	432.0	420.0	420.0	408.0	408.0	385.0	385.0													65		
70	415.0	415.0	400.0	400.0	389.0	389.0	379.0	379.0	357.0	357.0													70		
75	374.0*	380.0 ⁽¹⁾	372.0	372.0	362.0	362.0	352.0	352.0	333.0	333.0	315.0	315.0											75		
80	352.0*	352.0	348.0	348.0	338.0	338.0	329.0	329.0	311.0	311.0	294.0	294.0											80		
85		320.0 ⁽¹⁾	325.0	325.0	317.0	317.0	309.0	309.0	292.0	292.0	276.0	276.0	259.0	259.0									85		
90		292.0 ⁽¹⁾	305.0	305.0	299.0	299.0	291.0	291.0	274.0	274.0	260.0	260.0	244.0	244.0									90		
95		268.0 ⁽¹⁾	282.0*	283.0 ⁽¹⁾	281.0	281.0	274.0	274.0	259.0	259.0	245.0	245.0	230.0	230.0	217.0	217.0							95		
100		247.0 ⁽¹⁾		263.0 ⁽¹⁾	265.0	265.0	260.0	260.0	245.0	245.0	232.0	232.0	217.0	217.0	206.0	206.0	195.0	195.0					100		
105		226.0 ⁽¹⁾		244.0 ⁽¹⁾	251.0	251.0	245.0	245.0	232.0	232.0	219.0	219.0	206.0	206.0	195.0	195.0	188.0	188.0	178.0	178.0			105		
110		208.0 ⁽¹⁾		224.0 ⁽¹⁾	237.0	237.0	232.0	232.0	220.0	220.0	208.0	208.0	195.0	195.0	185.0	185.0	178.0	178.0	169.0	169.0	160.0	160.0	157.0	157.0	110
115		191.0 ⁽¹⁾		208.0 ⁽¹⁾	223.0*	223.0	220.0	220.0	209.0	209.0	198.0	198.0	185.0	185.0	175.0	175.0	169.0	169.0	160.0	160.0	153.0	153.0	153.0	153.0	115
120		175.0 ⁽¹⁾		192.0 ⁽¹⁾	207.0 ⁽¹⁾	210.0	210.0	200.0	200.0	188.0	188.0	176.0	176.0	167.0	167.0	160.0	160.0	152.0	152.0	146.0	146.0	146.0	146.0	120	
125		161.0 ⁽¹⁰⁾		176.0 ⁽¹⁾	192.0 ⁽¹⁾	200.0	200.0	190.0	190.0	179.0	179.0	167.0	167.0	158.0	158.0	152.0	152.0	144.0	144.0	138.0	138.0	138.0	138.0	125	
130		148.0 ⁽¹⁰⁾		163.0 ⁽¹⁾	178.0 ⁽¹⁾	190.0	190.0	181.0	181.0	171.0	171.0	159.0	159.0	151.0	151.0	145.0	145.0	137.0	137.0	131.0	131.0	131.0	131.0	130	
135		135.0 ⁽¹⁰⁾		150.0 ⁽¹⁾	165.0 ⁽¹⁾	180.0*	180.0	172.0	172.0	164.0	164.0	152.0	152.0	144.0	144.0	138.0	138.0	130.0	130.0	124.0	124.0	124.0	124.0	135	
140		125.0 ⁽¹⁰⁾		138.0 ⁽¹⁾	153.0 ⁽¹⁾		166.0 ⁽¹⁾	164.0	164.0	156.0	156.0	145.0	145.0	137.0	137.0	131.0	131.0	123.0	123.0	118.0	118.0	118.0	118.0	140	
145		114.0 ⁽¹⁰⁾		128.0 ⁽¹⁾	141.0 ⁽¹⁾		155.0 ⁽¹⁾	157.0	157.0	149.0	149.0	138.0	138.0	131.0	131.0	125.0	125.0	117.0	117.0	112.0	112.0	112.0	112.0	145	
150		105.0 ⁽⁹⁾		118.0 ⁽¹⁾	131.0 ⁽¹⁾		143.0 ⁽¹⁾	150.0	150.0	142.0	142.0	132.0	132.0	125.0	125.0	119.0	119.0	112.0	112.0	107.0	107.0	107.0	107.0	150	
155		95.9 ⁽⁸⁾		108.0 ⁽¹⁰⁾	122.0 ⁽¹⁾		134.0 ⁽¹⁾	144.0	144.0	136.0	136.0	127.0	127.0	119.0	119.0	114.0	114.0	106.0	106.0	101.0	101.0	101.0	101.0	155	
160		87.7 ⁽⁸⁾		99.3 ⁽¹⁰⁾	112.0 ⁽¹⁾		124.0 ⁽¹⁾	139.0	139.0	130.0	130.0	121.0	121.0	114.0	114.0	109.0	109.0	101.0	101.0	96.5	96.5	96.5	96.5	160	
165		80.2 ⁽⁷⁾		90.9 ⁽¹⁰⁾	104.0 ⁽¹⁾		115.0 ⁽¹⁾	133.0	133.0	125.0	125.0	116.0	116.0	108.0	108.0	104.0	104.0	96.4	96.4	91.8	91.8	91.8	91.8	165	
170		72.9 ⁽⁷⁾		83.4 ⁽⁹⁾	95.7 ⁽¹⁾		107.0 ⁽¹⁾	127.0	127.0	119.0	119.0	110.0	110.0	104.0	104.0	99.3	99.3	91.8	91.8	87.4	87.4	87.4	87.4	170	
175		66.4 ⁽⁶⁾		76.2 ⁽⁹⁾	87.6 ⁽¹⁾		99.3 ⁽¹⁾	120.0*	120.0	115.0	115.0	106.0	106.0	99.3	99.3	94.9	94.9	87.6	87.6	83.2	83.2	83.2	83.2	175	
180				69.3 ⁽⁸⁾	80.3 ⁽¹⁰⁾		91.6 ⁽¹⁾		109.0 ⁽¹⁾	110.0	110.0	101.0	101.0	94.8	94.8	90.8	90.8	83.4	83.4	79.2	79.2	79.2	79.2	180	
185				63.1 ⁽⁸⁾	73.0 ⁽¹⁰⁾		84.3 ⁽¹⁾		101.0 ⁽¹⁾	106.0	106.0	97.2	97.2	90.6	90.6	86.6	86.6	79.4	79.4	75.4	75.4	75.4	75.4	185	
190				57.0 ⁽⁷⁾	66.9 ⁽⁹⁾		76.9 ⁽¹⁾		94.4 ⁽¹⁾	102.0	102.0	93.1	93.1	86.6	86.6	82.5	82.5	75.7	75.7	71.8	71.8	71.8	71.8	190	
195				51.6 ⁽⁷⁾	61.1 ⁽⁹⁾		70.1 ⁽¹⁰⁾		87.8 ⁽¹⁾	97.9	97.9	89.0	89.0	82.6	82.6	78.6	78.6	72.3	72.3	68.3	68.3	68.3	68.3	195	
200					55.4 ⁽⁶⁾		64.6 ⁽¹⁰⁾		81.1 ⁽¹⁾	94.2	94.2	85.3	85.3	78.9	78.9	75.3	75.3	68.8	68.8	65.0	65.0	65.0	65.0	200	
205					50.0 ⁽⁸⁾		59.2 ⁽¹⁰⁾		74.9 ⁽¹⁾	91.1	91.1	81.8	81.8	75.5	75.5	72.1	72.1	65.4	65.4	61.9	61.9	61.9	61.9	205	
210					44.7 ⁽⁷⁾		53.7 ⁽⁹⁾		69.6 ⁽¹⁾	88.0	88.0	78.5	78.5	72.2	72.2	68.9	68.9	62.5	62.5	58.9	58.9	58.9	58.9	210	
215					40.1 ⁽⁷⁾		48.5 ⁽⁹⁾		64.3 ⁽¹⁾	81.5*	81.5	75.5	75.5	69.1	69.1	65.8	65.8	59.6	59.6	55.9	55.9	55.9	55.9	215	
220							43.5 ⁽⁸⁾		59.3 ⁽¹⁾	71.7 ⁽¹⁾	71.7	72.5	72.5	66.3	66.3	62.8	62.8	56.7	56.7	53.2	53.2	53.2	53.2	220	
225							39.0 ⁽⁸⁾		54.8 ⁽¹⁾	66.2 ⁽¹⁾	66.2	69.6	69.6	63.5	63.5	59.8	59.8	54.0	54.0	50.5	50.5	50.5	50.5	225	
230							34.3 ⁽⁷⁾		50.3 ⁽¹⁾	62.0 ⁽¹⁾	62.0	67.0	67.0	60.8	60.8	57.2	57.2	51.3	51.3	48.0	48.0	48.0	48.0	230	
235							30.2 ⁽⁷⁾		45.0 ⁽¹⁰⁾	57.9 ⁽¹⁾	57.9	64.6	64.6	58.2	58.2	54.8	54.8	48.8	48.8	45.5	45.5	45.5	45.5	235	
240									40.3 ⁽¹⁰⁾	53.7 ⁽¹⁾	53.7	62.3	62.3	55.8	55.8	52.5	52.5	46.3	46.3	43.3	43.3	43.3	43.3	240	
245									35.2 ⁽⁹⁾	49.3 ⁽¹⁾	49.3	60.0	60.0	53.6	53.6	50.1	50.1	44.1	44.1	41.2	41.2	41.2	41.2	245	
250									31.6 ⁽⁹⁾	44.7 ⁽¹⁾	44.7	57.7	57.7	51.5	51.5	47.7	47.7	42.2	42.2	39.1	39.1	39.1	39.1	250	
255									28.0 ⁽⁹⁾	40.2 ⁽¹⁾	40.2	54.4*	54.4	49.4	49.4	45.6	45.6	40.3	40.3	37.1	37.1	37.1	37.1	255	
260									24.0 ⁽⁸⁾	36.3 ⁽¹⁾	36.3	54.6 ⁽¹⁾	54.6	47.3	47.3	43.8	43.8	38.6	38.6	35.1	35.1	35.1	35.1	260	
265									20.4 ⁽⁸⁾	33.1 ⁽¹⁾	33.1	54.5 ⁽¹⁾	54.5	45.5	45.5	42.3	42.3	37.0	37.0	33.2	33.2	33.2	33.2	265	
270									16.6 ⁽⁷⁾	29.9 ⁽¹⁾	29.9	54.3 ⁽¹⁾	54.3	43.7	43.7	40.8	40.8	35.3	35.3	31.4	31.4	31.4	31.4	270	
275									13.3 ⁽⁷⁾	25.9 ⁽¹⁰⁾	25.9	54.0 ⁽¹⁾	54.0	42.1	42.1	39.2	39.2	33.6	33.6	29.7	29.7	29.7	29.7	275	
280										22.4 ⁽¹⁰⁾	22.4	54.0 ⁽¹⁾	54.0	40.8	40.8	37.9	37.9	31.9	31.9	28.0	28.0	28.0	28.0	280	
285										18.4 ⁽⁹⁾	18.4	54.0 ⁽¹⁾	54.0	39.5	39.5	36.6	36.6	30.3	30.3	26.4	26.4	26.4	26.4	285	
290										15.2 ⁽⁹⁾	15.2	54.0 ⁽¹⁾	54.0	38.2	38.2	35.3	35.3	28.7	28.7	24.9	24.9	24.9	24.9	290	
295										12.0 ⁽⁹⁾	12.0	54.0 ⁽¹⁾	54.0	34.4*	34.4	33.9	33.9	27.3	27.3	23.4	23.4	23.4	23.4	295	
300																25.7 ⁽¹⁾	25.7	25.9	25.9	21.9	21.9	21.9	21.9	300	
305																22.6 ⁽¹⁾	22.6	24.5	24.5	20.6	20.6	20.6	20		

SW1

S 177 ft



ft	S 177 ft																		ft
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 158 ft		W1 197 ft		W1 236 ft		W1 276 ft		W1 295 ft		
	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	
36	781.0	781.0																	36
38	741.0	741.0																	38
40	704.0	704.0																	40
45	627.0	627.0	604.0	604.0															45
50	564.0	564.0	545.0	545.0	526.0	526.0													50
55	512.0	512.0	495.0	495.0	479.0	479.0	465.0	465.0											55
60	469.0	469.0	454.0	454.0	440.0	440.0	427.0	427.0											60
65	429.0	429.0	418.0	418.0	406.0	406.0	394.0	394.0	374.0	374.0									65
70	394.0	394.0	387.0	387.0	376.0	376.0	366.0	366.0	348.0	348.0									70
75	364.0	365.0 ⁽¹¹⁾	357.0	357.0	350.0	350.0	341.0	341.0	324.0	324.0	307.0	307.0							75
80	339.0*	339.0	332.0	332.0	327.0	327.0	319.0	319.0	304.0	304.0	288.0	288.0							80
85		312.0 ⁽¹¹⁾	310.0	310.0	304.0	304.0	298.0	298.0	285.0	285.0	270.0	270.0	251.0	251.0					85
90		286.0 ⁽¹¹⁾	291.0	291.0	284.0	284.0	279.0	279.0	268.0	268.0	255.0	255.0	236.0	236.0					90
95		260.0 ⁽¹¹⁾	273.0*	274.0 ⁽¹¹⁾	266.0	266.0	263.0	263.0	253.0	253.0	240.0	240.0	223.0	223.0	203.0	203.0			95
100		240.0 ⁽¹¹⁾	260.0*	260.0	251.0	251.0	247.0	247.0	239.0	239.0	227.0	227.0	210.0	210.0	196.0	196.0	182.0	182.0	100
105		222.0 ⁽¹¹⁾		238.0 ⁽¹¹⁾	237.0*	237.0	232.0	233.0 ⁽⁷⁾	225.0	225.0	215.0	215.0	199.0	199.0	188.0	188.0	178.0	178.0	105
110		204.0 ⁽¹¹⁾		220.0 ⁽¹¹⁾	225.0*	225.0	220.0	220.0	212.0	212.0	204.0	204.0	188.0	188.0	178.0	178.0	172.0	172.0	110
115		187.0 ⁽¹¹⁾		202.0 ⁽¹¹⁾	215.0*	215.0	208.0*	209.0 ⁽⁹⁾	200.0	200.0	192.0	192.0	178.0	178.0	168.0	168.0	163.0	163.0	115
120		173.0 ⁽¹¹⁾		188.0 ⁽¹¹⁾	207.0*	207.0	199.0*	199.0	190.0	190.0	182.0	182.0	168.0	168.0	159.0	159.0	154.0	154.0	120
125		159.0 ⁽¹¹⁾		175.0 ⁽¹¹⁾		188.0 ⁽¹¹⁾	190.0*	190.0	181.0	181.0	172.0	172.0	159.0	159.0	151.0	151.0	146.0	146.0	125
130		146.0 ⁽¹⁰⁾		161.0 ⁽¹¹⁾		174.0 ⁽¹¹⁾	182.0*	182.0	172.0*	172.0	164.0	164.0	151.0	151.0	142.0	142.0	139.0	139.0	130
135		135.0 ⁽¹⁰⁾		149.0 ⁽¹¹⁾		162.0 ⁽¹¹⁾	175.0*	175.0	164.0*	164.0	156.0	156.0	143.0	143.0	135.0	135.0	131.0	131.0	135
140		123.0 ⁽¹⁰⁾		138.0 ⁽¹¹⁾		151.0 ⁽¹¹⁾	169.0*	169.0	157.0*	157.0	149.0	149.0	136.0	136.0	128.0	128.0	124.0	124.0	140
145		113.0 ⁽¹⁰⁾		126.0 ⁽¹¹⁾		140.0 ⁽¹¹⁾		152.0 ⁽¹¹⁾	151.0*	151.0	142.0	142.0	129.0	129.0	122.0	122.0	118.0	118.0	145
150		103.0 ⁽⁹⁾		116.0 ⁽¹¹⁾		129.0 ⁽¹¹⁾		141.0 ⁽¹¹⁾	145.0*	145.0	135.0*	136.0 ⁽⁴⁾	123.0	123.0	116.0	116.0	112.0	112.0	150
155		94.2 ⁽⁹⁾		107.0 ⁽¹¹⁾		120.0 ⁽¹¹⁾		131.0 ⁽¹¹⁾	139.0*	139.0	130.0*	130.0	117.0	117.0	111.0	111.0	107.0	107.0	155
160		86.1 ⁽⁹⁾		97.9 ⁽¹¹⁾		111.0 ⁽¹¹⁾		122.0 ⁽¹¹⁾	134.0*	134.0	125.0*	125.0	112.0	112.0	106.0	106.0	101.0	101.0	160
165		78.3 ⁽⁸⁾		89.5 ⁽¹⁰⁾		102.0 ⁽¹¹⁾		113.0 ⁽¹¹⁾	129.0*	129.0	120.0*	120.0	107.0	107.0	100.0	101.0 ⁽⁴⁾	96.8	96.8	165
170		70.8 ⁽⁷⁾		81.9 ⁽¹⁰⁾		93.5 ⁽¹¹⁾		104.0 ⁽¹¹⁾	125.0*	125.0	115.0*	115.0	103.0	103.0	95.7	95.7	92.3	92.3	170
175		64.3 ⁽⁷⁾		74.2 ⁽¹⁰⁾		85.7 ⁽¹¹⁾		96.7 ⁽¹¹⁾	120.0*	120.0	111.0*	111.0	98.2	98.2	91.4	91.4	87.8	87.8	175
180		57.8 ⁽⁷⁾		67.7 ⁽⁹⁾		77.8 ⁽¹¹⁾		89.1 ⁽¹¹⁾	114.0*	114.0	107.0*	107.0	93.9	93.9	87.1	87.1	83.6	83.6	180
185		52.0 ⁽⁶⁾		61.4 ⁽⁹⁾		71.1 ⁽¹⁰⁾		81.5 ⁽¹¹⁾		102.0 ⁽¹¹⁾	103.0*	103.0	90.0*	90.0	83.2*	83.4 ⁽⁵⁾	79.7	79.7	185
190		46.6 ⁽⁶⁾		55.2 ⁽⁸⁾		65.1 ⁽¹⁰⁾		75.0 ⁽¹¹⁾		94.5 ⁽¹¹⁾	99.3*	99.3	86.4*	86.4	79.6*	79.8 ⁽⁵⁾	75.9	75.9	190
195				49.8 ⁽⁸⁾		59.1 ⁽¹⁰⁾		68.9 ⁽¹¹⁾		87.8 ⁽¹¹⁾	95.8*	95.8	83.0*	83.0	76.3*	76.3	72.2	72.3 ⁽⁵⁾	195
200				44.4 ⁽⁸⁾		53.4 ⁽⁹⁾		62.8 ⁽¹¹⁾		81.2 ⁽¹¹⁾	92.7*	92.7	79.8*	79.8	73.1*	73.1	68.8	68.8	200
205				39.5 ⁽⁷⁾		48.0 ⁽⁹⁾		57.0 ⁽¹⁰⁾		74.5 ⁽¹¹⁾	89.3*	89.3	76.7*	76.7	70.0*	70.0	65.5	65.5	205
210				34.7 ⁽⁷⁾		42.7 ⁽⁸⁾		51.9 ⁽¹⁰⁾		68.5 ⁽¹¹⁾	84.5*	84.5	73.8*	73.8	67.1*	67.1	62.3	62.3	210
215						38.0 ⁽⁸⁾		46.7 ⁽¹⁰⁾		63.7 ⁽¹¹⁾	81.0*	81.0	71.0*	71.0	64.3*	64.3	59.5	59.5	215
220						33.3 ⁽⁸⁾		41.8 ⁽⁹⁾		58.9 ⁽¹¹⁾		72.3 ⁽¹¹⁾	68.4*	68.4	61.6*	61.6	56.8*	56.9 ⁽⁶⁾	220
225						28.8 ⁽⁷⁾		37.1 ⁽⁹⁾		54.1 ⁽¹¹⁾		66.7 ⁽¹¹⁾	65.9*	65.9	59.1*	59.1	54.3*	54.3	225
230						24.6 ⁽⁷⁾		32.4 ⁽⁸⁾		49.0 ⁽¹¹⁾		61.8 ⁽¹¹⁾	63.5*	63.5	56.7*	56.7	51.9*	51.9	230
235								28.3 ⁽⁸⁾		44.0 ⁽¹¹⁾		57.5 ⁽¹¹⁾	61.3*	61.3	54.3*	54.3	49.6*	49.6	235
240								24.1 ⁽⁸⁾		38.9 ⁽¹¹⁾		53.2 ⁽¹¹⁾	59.2*	59.2	52.1*	52.1	47.3*	47.3	240
245								20.1 ⁽⁷⁾		34.8 ⁽¹⁰⁾		49.0 ⁽¹¹⁾	57.1*	57.1	50.0*	50.0	45.2*	45.2	245
250								16.4 ⁽⁷⁾		31.2 ⁽¹⁰⁾		44.8 ⁽¹¹⁾	55.0*	55.0	47.9*	47.9	43.2*	43.2	250
255										27.1 ⁽⁹⁾		40.7 ⁽¹¹⁾	52.8*	52.8	46.0*	46.0	41.3*	41.3	255
260										23.4 ⁽⁹⁾		36.5 ⁽¹¹⁾		42.8 ⁽¹¹⁾	44.1*	44.1	39.4*	39.4	260
265										19.6 ⁽⁹⁾		32.5 ⁽¹¹⁾		38.5 ⁽¹¹⁾	42.3*	42.3	37.9	37.9	265
270												28.9 ⁽¹¹⁾		35.0 ⁽¹¹⁾	40.6*	40.6	36.5	36.5	270
275												25.3 ⁽¹¹⁾		31.4 ⁽¹¹⁾	39.0*	39.0	35.1	35.1	275
280												20.9 ⁽¹⁰⁾		27.9 ⁽¹¹⁾	37.5*	37.5	33.7	33.7	280
285												17.4 ⁽¹⁰⁾		24.4 ⁽¹¹⁾	36.0*	36.0	32.5	32.5	285
290												13.9 ⁽¹⁰⁾		21.0 ⁽¹¹⁾	34.6*	34.6	31.2	31.2	290
295														17.6 ⁽¹¹⁾	33.3*	33.3	30.0	30.0	295
300														14.1 ⁽¹¹⁾		23.4 ⁽¹¹⁾	28.8	28.8	300
305															20.2 ⁽¹¹⁾	27.7	27.7	305	
310															17.1 ⁽¹¹⁾	27.1	27.1	310	
315																24.0*	24.0	315	
320																		13.5 ⁽¹¹⁾	320
325																		10.7 ⁽¹¹⁾	325
330																		7.9 ⁽¹¹⁾	330

1) 12°; 2) 17°; 3) 22°; 4) 27°; 5) 32°; 6) 37°; 7) 42°; 8) 47°; 9) 52°; 10) 57°; 11) 62°

SW1

S 197 - 217 ft




ft	S 197 ft														S 217 ft														ft
	W159 ft		W179 ft		W198 ft		W1118 ft		W1158 ft		W1197 ft		W1236 ft		W159 ft		W179 ft		W198 ft		W1118 ft		W1158 ft		W1177 ft				
	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	
38	708.0	709.0 ¹⁾													669.0	669.0												38	
40	675.0	675.0													647.0	647.0												40	
45	602.0	602.0	581.0	581.0											579.0	579.0	560.0	560.0										45	
50	543.0	543.0	525.0	525.0	508.0	508.0									524.0	524.0	507.0	507.0	491.0	491.0								50	
55	495.0	495.0	479.0	479.0	464.0	464.0	451.0	451.0							471.0	473.0 ⁴⁾	462.0	462.0	449.0	449.0	433.0	433.0						55	
60	448.0	448.0	439.0	439.0	426.0	426.0	414.0	414.0							428.0	430.0 ⁵⁾	419.0	421.0 ⁵⁾	413.0	413.0	399.0	399.0						60	
65	409.0	410.0 ⁷⁾	402.0	402.0	394.0	394.0	383.0	383.0	362.0	362.0					390.0	394.0 ⁶⁾	383.0	385.0 ⁶⁾	376.0	377.0 ⁶⁾	366.0	366.0						65	
70	377.0	378.0 ⁹⁾	370.0	370.0	364.0	364.0	356.0	356.0	336.0	336.0					361.0*	363.0 ⁷⁾	353.0	353.0	346.0	347.0 ⁸⁾	337.0	337.0	320.0	320.0				70	
75	349.0*	351.0 ¹⁰⁾	341.0	342.0 ¹⁰⁾	335.0	336.0 ¹⁰⁾	330.0	330.0	314.0	314.0	295.0	295.0			336.0*	337.0 ⁹⁾	327.0*	328.0 ⁹⁾	320.0	321.0 ⁹⁾	312.0	313.0 ⁹⁾	297.0	297.0	290.0	290.0	75		
80	327.0*	327.0	317.0	318.0 ¹¹⁾	310.0	311.0 ¹¹⁾	307.0	307.0	293.0	293.0	277.0	277.0			315.0*	316.0 ¹⁰⁾	306.0*	306.0	297.0*	299.0 ¹⁰⁾	290.0	291.0 ¹¹⁾	277.0	277.0	271.0	271.0	80		
85		303.0 ¹¹⁾	297.0*	298.0 ¹¹⁾	290.0	290.0	286.0	286.0	273.0	273.0	260.0	260.0			298.0*	298.0	287.0*	287.0	279.0*	280.0 ¹¹⁾	270.0*	271.0 ¹¹⁾	258.0	258.0	253.0	253.0	85		
90		279.0 ¹¹⁾	279.0*	280.0 ¹¹⁾	271.0*	272.0 ¹¹⁾	267.0	267.0	256.0	256.0	244.0	244.0	228.0	228.0		273.0 ¹¹⁾	271.0*	271.0	263.0*	263.0	254.0*	255.0 ¹¹⁾	241.0	241.0	237.0	238.0 ¹¹⁾	90		
95		256.0 ¹¹⁾	264.0*	264.0	256.0*	257.0 ¹¹⁾	250.0	252.0 ¹¹⁾	240.0	240.0	229.0	229.0	214.0	214.0		250.0 ¹¹⁾	256.0*	256.0	249.0*	249.0	240.0*	240.0	226.0*	228.0 ¹¹⁾	222.0	222.0	220.0	95	
100		232.0 ¹¹⁾	251.0*	251.0	242.0*	242.0	236.0*	236.0	226.0	226.0	214.0	214.0	201.0	201.0		228.0 ¹¹⁾	243.0*	243.0	235.0*	235.0	227.0*	227.0	214.0*	215.0 ¹¹⁾	209.0*	209.0	209.0	100	
105		216.0 ¹¹⁾	233.0 ¹¹⁾	230.0*	230.0	224.0*	224.0	212.0	213.0 ¹¹⁾	202.0	202.0	190.0	190.0		208.0 ¹¹⁾	232.0*	232.0	223.0*	223.0	215.0*	215.0	203.0*	203.0	198.0*	199.0 ¹¹⁾	199.0	199.0	105	
110		199.0 ¹¹⁾	216.0 ¹¹⁾	219.0*	219.0	213.0*	213.0	200.0*	201.0 ¹¹⁾	191.0	191.0	180.0	180.0		193.0 ¹¹⁾	211.0 ¹¹⁾	213.0*	213.0	205.0*	205.0	193.0*	193.0	188.0*	188.0	188.0	188.0	110		
115		182.0 ¹¹⁾	198.0 ¹¹⁾	209.0*	209.0	203.0*	203.0	191.0*	191.0	181.0	181.0	169.0	169.0		178.0 ¹¹⁾	195.0 ¹¹⁾	203.0*	203.0	195.0*	195.0	183.0*	183.0	179.0*	179.0	179.0	179.0	115		
120		168.0 ¹¹⁾	183.0 ¹¹⁾	200.0*	200.0	193.0*	193.0	182.0*	182.0	171.0*	171.0	160.0	160.0		163.0 ¹¹⁾	178.0 ¹¹⁾	194.0*	194.0	186.0*	186.0	175.0*	175.0	170.0*	170.0	170.0	170.0	120		
125		155.0 ¹¹⁾	170.0 ¹¹⁾		184.0 ¹¹⁾	185.0*	185.0	173.0*	173.0	163.0*	163.0	152.0	152.0		149.0 ¹¹⁾	165.0 ¹¹⁾			180.0 ¹¹⁾	178.0*	178.0	167.0*	167.0	162.0*	162.0	162.0	125		
130		143.0 ¹¹⁾	157.0 ¹¹⁾		171.0 ¹¹⁾	177.0*	177.0	165.0*	165.0	156.0*	156.0	144.0	145.0 ¹¹⁾		138.0 ¹¹⁾	153.0 ¹¹⁾			168.0 ¹¹⁾	170.0*	170.0	159.0*	159.0	155.0*	155.0	155.0	130		
135		131.0 ¹¹⁾	145.0 ¹¹⁾		158.0 ¹¹⁾	170.0*	170.0	158.0*	158.0	149.0*	149.0	137.0*	137.0		127.0 ¹¹⁾	141.0 ¹¹⁾			155.0 ¹¹⁾	163.0*	163.0	152.0*	152.0	148.0*	148.0	148.0	135		
140		121.0 ¹¹⁾	134.0 ¹¹⁾		147.0 ¹¹⁾	164.0*	164.0	152.0*	152.0	142.0*	142.0	131.0*	131.0		115.0 ¹¹⁾	130.0 ¹¹⁾			143.0 ¹¹⁾	157.0*	157.0	146.0*	146.0	142.0*	142.0	142.0	140		
145		111.0 ¹¹⁾	124.0 ¹¹⁾		137.0 ¹¹⁾		149.0 ¹¹⁾	145.0*	145.0	136.0*	136.0	125.0*	125.0		106.0 ¹¹⁾	120.0 ¹¹⁾			145.0 ¹¹⁾	140.0*	140.0	134.0*	134.0	130.0*	130.0	130.0	145		
150		101.0 ¹¹⁾	114.0 ¹¹⁾		127.0 ¹¹⁾		139.0 ¹¹⁾	140.0*	140.0	130.0*	130.0	119.0*	119.0		97.1 ¹¹⁾	110.0 ¹¹⁾			124.0 ¹¹⁾	135.0 ¹¹⁾	134.0*	134.0	130.0*	130.0	130.0	130.0	150		
155		92.6 ¹¹⁾	105.0 ¹¹⁾		117.0 ¹¹⁾		128.0 ¹¹⁾	134.0*	134.0	125.0*	125.0	114.0*	114.0		88.2 ¹¹⁾	101.0 ¹¹⁾			114.0 ¹¹⁾	125.0 ¹¹⁾	129.0*	129.0	125.0*	125.0	125.0	125.0	155		
160		84.5 ¹¹⁾	96.5 ¹¹⁾		108.0 ¹¹⁾		120.0 ¹¹⁾	129.0*	129.0	120.0*	120.0	109.0*	109.0		79.8 ¹¹⁾	92.3 ¹¹⁾			105.0 ¹¹⁾	115.0 ¹¹⁾	124.0*	124.0	120.0*	120.0	120.0	120.0	160		
165		76.5 ⁹⁾	88.3 ¹¹⁾		100.0 ¹¹⁾		112.0 ¹¹⁾	124.0*	124.0	115.0*	115.0	105.0*	105.0		72.7 ¹¹⁾	84.7 ¹¹⁾			96.7 ¹¹⁾	107.0 ¹¹⁾	119.0*	119.0	115.0*	115.0	115.0	115.0	165		
170		69.4 ⁹⁾	80.1 ¹¹⁾		92.0 ¹¹⁾		104.0 ¹¹⁾	120.0*	120.0	111.0*	111.0	100.0*	100.0		65.7 ¹¹⁾	77.3 ¹¹⁾			89.1 ¹¹⁾	99.2 ¹¹⁾	115.0*	115.0	111.0*	111.0	111.0	111.0	170		
175		62.6 ⁸⁾	73.4 ¹⁰⁾		84.2 ¹¹⁾		95.3 ¹¹⁾	116.0*	116.0	106.0*	106.0	96.0*	96.0		58.6 ¹¹⁾	70.0 ¹¹⁾			81.6 ¹¹⁾	91.4 ¹¹⁾	111.0*	111.0	107.0*	107.0	107.0	107.0	175		
180		55.8 ⁸⁾	66.6 ¹⁰⁾		77.3 ¹¹⁾		88.2 ¹¹⁾	112.0*	112.0	103.0*	103.0	92.1*	92.1		52.6 ¹¹⁾	62.8 ¹⁰⁾			74.0 ¹¹⁾	83.6 ¹¹⁾	108.0*	108.0	103.0*	103.0	103.0	103.0	180		
185		50.2 ⁷⁾	59.9 ¹⁰⁾		70.4 ¹¹⁾		81.0 ¹¹⁾		99.5 ¹¹⁾	98.8*	98.8	88.4*	88.4		46.8 ⁹⁾	56.8 ¹⁰⁾			67.7 ¹¹⁾	77.2 ¹¹⁾		96.1 ¹¹⁾	99.6*	99.6	99.6	99.6	185		
190		44.7 ⁷⁾	53.9 ⁹⁾		63.4 ¹⁰⁾		73.9 ¹¹⁾		92.4 ¹¹⁾	95.2*	95.2	84.9*	84.9		41.0 ⁸⁾	50.8 ¹⁰⁾			61.4 ¹¹⁾	70.8 ¹¹⁾		89.1 ¹¹⁾	96.2*	96.2	96.2	96.2	190		
195		39.3 ⁷⁾	48.0 ⁹⁾		57.8 ¹⁰⁾		67.4 ¹¹⁾		85.7 ¹¹⁾	91.9*	91.9	81.6*	81.6		35.8 ⁸⁾	44.8 ¹⁰⁾			55.1 ¹¹⁾	64.4 ¹¹⁾		82.1 ¹¹⁾	93.1*	93.1	93.1	93.1	195		
200		34.5 ⁶⁾	42.6 ⁸⁾		52.2 ¹⁰⁾		62.0 ¹¹⁾		79.6 ¹¹⁾	88.8*	88.8	78.4*	78.4		30.9 ⁸⁾	39.5 ⁹⁾			48.9 ¹⁰⁾	58.0 ¹¹⁾		76.0 ¹¹⁾	90.4*	90.4	90.4	90.4	200		
205		29.6 ⁶⁾	37.8 ⁷⁾		46.6 ¹⁰⁾		56.5 ¹¹⁾		73.5 ¹¹⁾	85.8*	85.8	75.3*	75.3		26.0 ⁷⁾	34.4 ⁹⁾			43.7 ¹⁰⁾	52.6 ¹¹⁾		70.3 ¹¹⁾		88.8 ¹¹⁾	88.8	88.8	205		
210			33.0 ⁷⁾		41.5 ⁹⁾		50.6 ¹⁰⁾		67.5 ¹¹⁾	82.7*	82.7	72.5*	72.5		21.6 ⁷⁾	29.4 ⁹⁾			38.4 ¹⁰⁾	47.2 ¹¹⁾		64.6 ¹¹⁾		82.8 ¹¹⁾	82.8	82.8	210		
215			28.3 ⁷⁾		36.7 ⁹⁾		45.7 ¹⁰⁾		61.8 ¹¹⁾	79.3*	79.3	69.7*	69.7		17.4 ⁶⁾	24.8 ⁸⁾			33.2 ¹⁰⁾	41.7 ¹¹⁾		58.9 ¹¹⁾		76.8 ¹¹⁾	76.8	76.8	215		
220			24.1 ⁷⁾		31.8 ⁹⁾		40.7 ¹⁰⁾		56.9 ¹¹⁾	76.1*	76.1	67.1*	67.1		13.3 ⁶⁾	20.4 ⁸⁾			28.5 ⁹⁾	36.2 ¹⁰⁾		53.5 ¹¹⁾		71.7 ¹¹⁾	71.7	71.7	220		
225			19.8 ⁶⁾		27.3 ⁸⁾		35.7 ¹⁰⁾		52.1 ¹¹⁾		66.0 ¹¹⁾	64.6*	64.6						24.0 ⁹⁾	31.6 ¹⁰⁾		48.6 ¹¹⁾		67.7 ¹¹⁾	67.7	67.7	225		
230					23.1 ⁸⁾		31.0 ⁹⁾		47.2 ¹¹⁾		60.7 ¹¹⁾	62.3*	62.3						19.6 ⁹⁾	27.0 ¹⁰⁾		43.8 ¹¹⁾		61.7 ¹¹⁾	61.7	61.7	230		
235					18.8 ⁷⁾		26.7 ⁹⁾		42.5 ¹¹⁾		55.9 ¹¹⁾	60.0*	60.0							22.0 ⁹⁾		38.9 ¹¹⁾		58.8 ¹¹⁾	58.8	58.8	235		
240					15.1 ⁷⁾		22.0 ⁸⁾		38.0 ¹¹⁾		51.2 ¹¹⁾	57.9*	57.9							18.1 ⁹⁾		34.2 ¹¹⁾		54.9 ¹¹⁾	54.9	54.9	240		
245							18.3 ⁶⁾		33.5 ¹¹⁾		46																		

Lifting heights

Hauteurs de levage


SW1



Lifting heights



Hauteurs de levage

SW1



HSDWB / HSDWBV



HS 138 ft



ft		HS 138 ft																					
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
34	B	992.0	992.0																				
	BV	992.0	992.0																				
36	B	992.0	992.0																				
	BV	992.0	992.0																				
38	B	992.0	992.0																				
	BV	992.0	992.0																				
40	B	992.0	992.0	992.0	992.0																		
	BV	992.0	992.0	992.0	992.0																		
45	B	992.0*	992.0	992.0	992.0	992.0	992.0																
	BV	992.0*	992.0	992.0	992.0	992.0	992.0																
50	B	992.0*	992.0	992.0*	992.0	992.0	992.0	953.0	953.0														
	BV	992.0*	992.0	992.0*	992.0	992.0	992.0	960.0	960.0														
55	B	992.0*	992.0	992.0*	992.0	992.0*	992.0	936.0	957.0 ⁽¹⁾														
	BV	992.0*	992.0	992.0*	992.0	992.0*	992.0	945.0	967.0 ⁽¹⁾														
60	B	922.0*	989.0 ⁽²⁾	963.0*	966.0 ⁽³⁾	992.0*	992.0	957.0*	957.0	737.0	737.0												
	BV	921.0*	992.0 ⁽²⁾	962.0*	992.0 ⁽²⁾	992.0*	992.0	969.0*	970.0 ⁽¹⁾	742.0	742.0												
65	B	815.0*	962.0 ⁽²⁾	861.0*	949.0 ⁽¹⁾	950.0*	950.0	924.0*	924.0	728.0	740.0 ⁽¹⁾												
	BV	814.0*	992.0 ⁽³⁾	861.0*	992.0 ⁽³⁾	986.0*	992.0 ⁽¹⁾	954.0*	959.0 ⁽¹⁾	733.0	746.0 ⁽¹⁾												
70	B	728.0*	904.0 ⁽⁵⁾	771.0*	897.0 ⁽¹⁾	890.0*	893.0 ⁽¹⁾	875.0*	876.0 ⁽¹⁾	743.0*	743.0	569.0	569.0										
	BV	729.0*	992.0 ⁽¹⁾	770.0*	981.0 ⁽¹⁾	915.0*	992.0 ⁽¹⁾	899.0*	949.0 ⁽¹⁾	750.0*	750.0	571.0	571.0										
75	B	660.0*	844.0 ⁽⁴⁾	696.0*	838.0 ⁽¹⁾	824.0*	840.0 ⁽³⁾	815.0*	828.0 ⁽²⁾	733.0*	733.0	564.0	570.0 ⁽¹⁾										
	BV	660.0*	991.0 ⁽¹⁾	695.0*	968.0 ⁽¹⁾	831.0*	978.0 ⁽¹⁾	819.0*	938.0 ⁽¹⁾	740.0*	740.0	567.0	573.0 ⁽¹⁾										
80	B		791.0 ⁽⁵⁾	633.0*	786.0 ⁽²⁾	757.0*	788.0 ⁽³⁾	746.0*	779.0 ⁽²⁾	708.0*	708.0	573.0*	573.0	423.0	423.0								
	BV		978.0 ⁽²⁾	633.0*	955.0 ⁽³⁾	758.0*	945.0 ⁽²⁾	748.0*	928.0 ⁽¹⁾	712.0*	726.0 ⁽¹⁾	577.0*	577.0	424.0	424.0								
85	B		741.0 ⁽⁵⁾	579.0*	739.0 ⁽³⁾	694.0*	736.0 ⁽⁴⁾	686.0*	730.0 ⁽²⁾	669.0*	678.0 ⁽²⁾	569.0*	569.0	419.0	422.0 ⁽¹⁾								
	BV		930.0 ⁽²⁾	579.0*	933.0 ⁽¹⁾	695.0*	908.0 ⁽¹⁾	687.0*	893.0 ⁽¹⁾	671.0*	715.0 ⁽¹⁾	573.0*	573.0	421.0	423.0 ⁽¹⁾								
90	B		693.0 ⁽⁴⁾	533.0*	695.0 ⁽⁴⁾	641.0*	694.0 ⁽⁴⁾	634.0*	686.0 ⁽³⁾	619.0*	652.0 ⁽¹⁾	562.0*	562.0	423.0*	423.0	315.0	315.0	275.0	275.0				
	BV		881.0 ⁽²⁾	532.0*	884.0 ⁽¹⁾	642.0*	867.0 ⁽²⁾	634.0*	853.0 ⁽¹⁾	621.0*	703.0 ⁽¹⁾	566.0*	566.0	416.0	422.0 ⁽¹⁾	316.0	316.0	276.0	276.0				
95	B		653.0 ⁽⁶⁾	482.0*	654.0 ⁽⁴⁾	595.0*	653.0 ⁽³⁾	590.0*	648.0 ⁽⁵⁾	576.0*	629.0 ⁽¹⁾	548.0*	552.0 ⁽¹⁾	418.0*	419.0 ⁽¹⁾	312.0	313.0 ⁽¹⁾	271.0	271.0	231.0	231.0		
	BV		833.0 ⁽¹⁾	482.0*	835.0 ⁽¹⁾	595.0*	827.0 ⁽¹⁾	590.0*	815.0 ⁽¹⁾	577.0*	691.0 ⁽¹⁾	550.0*	558.0 ⁽¹⁾	420.0*	421.0 ⁽¹⁾	313.0	314.0 ⁽¹⁾	272.0	272.0	231.0	231.0		
100	B		619.0 ⁽⁷⁾		614.0 ⁽⁵⁾	553.0*	619.0 ⁽⁴⁾	550.0*	613.0 ⁽⁵⁾	538.0*	601.0 ⁽¹⁾	525.0*	545.0 ⁽¹⁾	413.0*	417.0 ⁽¹⁾	312.0*	312.0	267.0	269.0 ⁽¹⁾	229.0	229.0	196.0	196.0
	BV		791.0 ⁽³⁾		786.0 ⁽¹⁾	554.0*	786.0 ⁽¹⁾	550.0*	777.0 ⁽¹⁾	539.0*	667.0 ⁽¹⁾	526.0*	552.0 ⁽¹⁾	416.0*	419.0 ⁽¹⁾	313.0*	313.0	268.0	269.0 ⁽¹⁾	229.0	229.0	196.0	196.0
105	B		588.0 ⁽¹¹⁾		584.0 ⁽⁵⁾	518.0*	588.0 ⁽⁵⁾	514.0*	583.0 ⁽⁵⁾	504.0*	571.0 ⁽¹⁾	492.0*	537.0 ⁽¹⁾	409.0*	414.0 ⁽¹⁾	309.0*	309.0	263.0	266.0 ⁽¹⁾	226.0	227.0 ⁽¹⁾	194.0	194.0
	BV		753.0 ⁽⁴⁾		747.0 ⁽¹⁾	518.0*	749.0 ⁽²⁾	514.0*	741.0 ⁽¹⁾	504.0*	642.0 ⁽¹⁾	494.0*	545.0 ⁽¹⁾	412.0*	417.0 ⁽¹⁾	311.0*	311.0	264.0	267.0 ⁽¹⁾	227.0	227.0	194.0	194.0
110	B		557.0 ⁽¹¹⁾		557.0 ⁽⁸⁾	478.0*	561.0 ⁽⁶⁾	482.0*	556.0 ⁽⁶⁾	474.0*	545.0 ⁽²⁾	462.0*	530.0 ⁽¹⁾	404.0*	412.0 ⁽¹⁾	307.0*	308.0 ⁽¹⁾	264.0*	264.0	224.0	226.0 ⁽¹⁾	192.0	193.0 ⁽¹⁾
	BV		716.0 ⁽⁴⁾		712.0 ⁽²⁾	478.0*	712.0 ⁽²⁾	483.0*	707.0 ⁽¹⁾	474.0*	618.0 ⁽¹⁾	463.0*	539.0 ⁽¹⁾	407.0*	415.0 ⁽¹⁾	308.0*	309.0 ⁽¹⁾	265.0*	265.0	224.0	226.0 ⁽¹⁾	193.0	193.0
115	B		526.0 ⁽¹¹⁾		531.0 ⁽⁷⁾	413.0*	535.0 ⁽⁷⁾	454.0*	529.0 ⁽⁴⁾	446.0*	520.0 ⁽²⁾	437.0*	509.0 ⁽¹⁾	397.0*	409.0 ⁽¹⁾	305.0*	306.0 ⁽¹⁾	261.0*	262.0 ⁽¹⁾	225.0*	225.0	191.0	192.0 ⁽¹⁾
	BV		680.0 ⁽⁹⁾		678.0 ⁽²⁾	413.0*	676.0 ⁽²⁾	455.0*	673.0 ⁽²⁾	446.0*	594.0 ⁽¹⁾	437.0*	522.0 ⁽¹⁾	400.0*	412.0 ⁽¹⁾	306.0*	307.0 ⁽¹⁾	262.0*	262.0	225.0*	225.0	191.0	192.0 ⁽¹⁾
120	B		499.0 ⁽¹¹⁾		506.0 ⁽⁷⁾		509.0 ⁽⁷⁾	428.0*	505.0 ⁽⁵⁾	421.0*	496.0 ⁽²⁾	413.0*	487.0 ⁽¹⁾	390.0*	407.0 ⁽¹⁾	302.0*	304.0 ⁽¹⁾	258.0*	259.0 ⁽¹⁾	223.0*	223.0	191.0*	191.0
	BV		647.0 ⁽⁶⁾		645.0 ⁽²⁾		644.0 ⁽³⁾	429.0*	639.0 ⁽¹⁾	421.0*	570.0 ⁽¹⁾	413.0*	504.0 ⁽¹⁾	392.0*	410.0 ⁽¹⁾	304.0*	306.0 ⁽¹⁾	259.0*	260.0 ⁽¹⁾	223.0*	223.0	191.0*	191.0
125	B		473.0 ⁽¹⁰⁾		481.0 ⁽⁸⁾		485.0 ⁽⁸⁾	404.0*	482.0 ⁽⁵⁾	398.0*	471.0 ⁽²⁾	391.0*	466.0 ⁽¹⁾	379.0*	404.0 ⁽¹⁾	300.0*	302.0 ⁽¹⁾	255.0*	257.0 ⁽¹⁾	221.0*	221.0	189.0*	189.0
	BV		620.0 ⁽⁹⁾		614.0 ⁽⁵⁾		615.0 ⁽³⁾	405.0*	608.0 ⁽¹⁾	398.0*	552.0 ⁽¹⁾	391.0*	487.0 ⁽¹⁾	380.0*	408.0 ⁽¹⁾	302.0*	304.0 ⁽¹⁾	256.0*	258.0 ⁽¹⁾	221.0*	222.0 ⁽¹⁾	189.0*	189.0
130	B		450.0 ⁽¹⁰⁾		459.0 ⁽⁸⁾		462.0 ⁽⁸⁾	372.0*	459.0 ⁽⁵⁾	377.0*	449.0 ⁽⁵⁾	371.0*	444.0 ⁽¹⁾	365.0*	395.0 ⁽¹⁾	298.0*	300.0 ⁽¹⁾	252.0*	254.0 ⁽¹⁾	219.0*	219.0	188.0*	188.0
	BV		587.0 ⁽¹⁰⁾		585.0 ⁽³⁾		588.0 ⁽⁴⁾	372.0*	583.0 ⁽²⁾	378.0*	535.0 ⁽¹⁾	371.0*	470.0 ⁽¹⁾	364.0*	400.0 ⁽¹⁾	300.0*	302.0 ⁽¹⁾	254.0*	256.0 ⁽¹⁾	220.0*	220.0	188.0*	188.0
135	B		428.0 ⁽⁹⁾		440.0 ⁽¹¹⁾		442.0 ⁽⁹⁾	318.0*	438.0 ⁽⁶⁾	359.0*	431.0 ⁽⁵⁾	352.0*	423.0 ⁽¹⁾	347.0*	387.0 ⁽¹⁾	296.0*	298.0 ⁽¹⁾	250.0*	252.0 ⁽¹⁾	218.0*	218.0	186.0*	186.0
	BV		552.0 ⁽⁹⁾		560.0 ⁽⁴⁾		563.0 ⁽⁴⁾	319.0*	558.0 ⁽²⁾	359.0*	518.0 ⁽¹⁾	352.0*	453.0 ⁽¹⁾	346.0*	392.0 ⁽¹⁾	298.0*	300.0 ⁽¹⁾	251.0*	253.0 ⁽¹⁾	218.0*	219.0 ⁽¹⁾	186.0*	186.0
140	B		408.0 ⁽⁸⁾		420.0 ⁽¹¹⁾		425.0 ⁽¹⁰⁾		420.0 ⁽⁶⁾	341.0*	412.0 ⁽⁵⁾	335.0*	405.0 ⁽¹⁾	331.0*	379.0 ⁽¹⁾	293.0*	296.0 ⁽¹⁾	247.0*	250.0 ⁽¹⁾	216.0*	216.0	184.0*	185.0 ⁽¹⁾
	BV		520.0 ⁽⁹⁾		531.0 ⁽⁴⁾		538.0 ⁽⁴⁾		532.0 ⁽²⁾	341.0*	500.0 ⁽¹⁾	336.0*	438.0 ⁽¹⁾	330.0*	384.0 ⁽¹⁾	295.0*	299.0 ⁽¹⁾	248.0*	251.0 ⁽¹⁾	217.0*	217.0	185.0*	185.0
145	B		389.0 ⁽⁸⁾		400.0 ⁽¹¹⁾		407.0 ⁽¹¹⁾		405.0 ⁽⁷⁾	325.0*	395.0 ⁽⁵⁾	319.0*	389.0 ⁽²⁾	315.0*</									

HSDWB / HSDWBV



HS 158 ft



		HS 158 ft																					
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
36	B	992.0	992.0																				
36	BV	992.0	992.0																				
38	B	992.0	992.0																				
38	BV	992.0	992.0																				
40	B	992.0	992.0	992.0	992.0																		
40	BV	992.0	992.0	992.0	992.0																		
45	B	992.0*	992.0	992.0	992.0	992.0	992.0																
45	BV	992.0*	992.0	992.0	992.0	992.0	992.0																
50	B	992.0*	992.0	992.0*	992.0	992.0	992.0	891.0	891.0														
50	BV	992.0*	992.0	992.0*	992.0	992.0	992.0	898.0	898.0														
55	B	992.0*	992.0	992.0*	992.0	992.0*	992.0	876.0	891.0 ⁽¹⁾														
55	BV	992.0*	992.0	992.0*	992.0	992.0*	992.0	884.0	900.0 ⁽¹⁾														
60	B	958.0*	992.0 ⁽¹⁾	992.0*	992.0	987.0*	987.0	897.0*	897.0	691.0	691.0												
60	BV	956.0*	992.0 ⁽²⁾	992.0*	992.0	992.0*	992.0	908.0*	908.0	694.0	694.0												
65	B	847.0*	952.0 ⁽¹⁾	902.0*	933.0 ⁽³⁾	932.0*	935.0 ⁽²⁾	883.0*	883.0	681.0	690.0 ⁽¹⁾												
65	BV	846.0*	992.0 ⁽²⁾	904.0*	992.0 ⁽¹⁾	992.0*	992.0	897.0*	903.0 ⁽¹⁾	686.0	695.0 ⁽¹⁾												
70	B	755.0*	895.0 ⁽²⁾	804.0*	880.0 ⁽¹⁾	874.0*	881.0 ⁽²⁾	854.0*	854.0	698.0*	698.0	535.0	535.0										
70	BV	756.0*	992.0 ⁽³⁾	805.0*	987.0 ⁽¹⁾	959.0*	985.0 ⁽¹⁾	885.0*	900.0 ⁽¹⁾	704.0*	704.0	537.0	537.0										
75	B	680.0*	836.0 ⁽³⁾	725.0*	828.0 ⁽¹⁾	820.0*	826.0 ⁽²⁾	806.0*	810.0 ⁽²⁾	689.0*	689.0	530.0	534.0 ⁽¹⁾										
75	BV	680.0*	986.0 ⁽¹⁾	725.0*	974.0 ⁽²⁾	893.0*	983.0 ⁽¹⁾	864.0*	896.0 ⁽¹⁾	697.0*	701.0 ⁽¹⁾	532.0	537.0 ⁽¹⁾										
80	B	567.0*	783.0 ⁽⁴⁾	658.0*	777.0 ⁽²⁾	773.0*	778.0 ⁽³⁾	761.0*	766.0 ⁽²⁾	681.0*	681.0	540.0*	540.0	406.0	406.0								
80	BV	568.0*	983.0 ⁽¹⁾	658.0*	938.0 ⁽²⁾	815.0*	951.0 ⁽¹⁾	806.0*	893.0 ⁽¹⁾	690.0*	699.0 ⁽¹⁾	543.0*	543.0	406.0	406.0								
85	B		736.0 ⁽⁴⁾	600.0*	730.0 ⁽⁵⁾	729.0*	733.0 ⁽⁴⁾	719.0*	723.0 ⁽³⁾	668.0*	668.0	536.0*	536.0	402.0	404.0 ⁽¹⁾								
85	BV		931.0 ⁽¹⁾	600.0*	902.0 ⁽¹⁾	746.0*	914.0 ⁽³⁾	740.0*	882.0 ⁽¹⁾	676.0*	698.0 ⁽¹⁾	540.0*	540.0	403.0	405.0 ⁽¹⁾								
90	B		695.0 ⁽⁷⁾	551.0*	689.0 ⁽⁴⁾	686.0*	693.0 ⁽⁵⁾	679.0*	685.0 ⁽³⁾	647.0*	647.0	531.0*	531.0	398.0	402.0 ⁽¹⁾	303.0	303.0						
90	BV		881.0 ⁽²⁾	551.0*	870.0 ⁽¹⁾	688.0*	870.0 ⁽²⁾	683.0*	844.0 ⁽¹⁾	650.0*	697.0 ⁽¹⁾	536.0*	539.0 ⁽¹⁾	399.0	404.0 ⁽¹⁾	304.0	304.0						
95	B		654.0 ⁽⁷⁾	507.0*	652.0 ⁽⁵⁾	636.0*	655.0 ⁽³⁾	633.0*	650.0 ⁽⁴⁾	616.0*	616.0	524.0*	526.0 ⁽¹⁾	401.0*	401.0	300.0	301.0 ⁽¹⁾	260.0	260.0				
95	BV		834.0 ⁽³⁾	506.0*	827.0 ⁽¹⁾	637.0*	826.0 ⁽²⁾	633.0*	805.0 ⁽¹⁾	617.0*	696.0 ⁽¹⁾	531.0*	538.0 ⁽¹⁾	404.0*	404.0	300.0	301.0 ⁽¹⁾	261.0	261.0				
100	B		614.0 ⁽⁸⁾		617.0 ⁽⁵⁾	592.0*	619.0 ⁽⁶⁾	589.0*	617.0 ⁽⁴⁾	574.0*	590.0 ⁽¹⁾	515.0*	521.0 ⁽¹⁾	397.0*	399.0 ⁽¹⁾	296.0	299.0 ⁽¹⁾	257.0	258.0 ⁽¹⁾	221.0	221.0		
100	BV		788.0 ⁽³⁾		786.0 ⁽²⁾	593.0*	781.0 ⁽²⁾	590.0*	767.0 ⁽¹⁾	576.0*	689.0 ⁽¹⁾	522.0*	536.0 ⁽¹⁾	399.0*	402.0 ⁽¹⁾	297.0	300.0 ⁽¹⁾	257.0	258.0 ⁽¹⁾	221.0	221.0	190.0	190.0
105	B		581.0 ⁽⁹⁾		583.0 ⁽⁵⁾	553.0*	587.0 ⁽⁶⁾	551.0*	583.0 ⁽⁴⁾	537.0*	563.0 ⁽¹⁾	504.0*	516.0 ⁽¹⁾	393.0*	397.0 ⁽¹⁾	298.0*	298.0	253.0	256.0 ⁽¹⁾	219.0	219.0	188.0	188.0
105	BV		747.0 ⁽⁴⁾		746.0 ⁽²⁾	554.0*	742.0 ⁽³⁾	552.0*	730.0 ⁽²⁾	539.0*	668.0 ⁽¹⁾	508.0*	535.0 ⁽¹⁾	396.0*	400.0 ⁽¹⁾	299.0*	299.0	253.0	256.0 ⁽¹⁾	219.0	219.0	188.0	188.0
110	B		553.0 ⁽¹¹⁾		552.0 ⁽⁴⁾	518.0*	555.0 ⁽⁴⁾	517.0*	552.0 ⁽³⁾	504.0*	538.0 ⁽⁵⁾	489.0*	511.0 ⁽¹⁾	389.0*	395.0 ⁽¹⁾	296.0*	296.0	254.0*	254.0	216.0	218.0 ⁽¹⁾	186.0	186.0
110	BV		708.0 ⁽⁴⁾		707.0 ⁽²⁾	517.0*	704.0 ⁽²⁾	518.0*	696.0 ⁽¹⁾	506.0*	647.0 ⁽¹⁾	490.0*	533.0 ⁽¹⁾	393.0*	398.0 ⁽¹⁾	297.0*	297.0	255.0*	255.0	217.0	218.0 ⁽¹⁾	186.0	186.0
115	B		524.0 ⁽¹¹⁾		524.0 ⁽⁶⁾	469.0*	529.0 ⁽⁷⁾	486.0*	526.0 ⁽³⁾	475.0*	515.0 ⁽⁵⁾	466.0*	501.0 ⁽¹⁾	386.0*	393.0 ⁽¹⁾	293.0*	294.0 ⁽¹⁾	252.0*	252.0	217.0*	217.0	184.0	185.0 ⁽¹⁾
115	BV		676.0 ⁽⁴⁾		672.0 ⁽³⁾	470.0*	672.0 ⁽²⁾	487.0*	666.0 ⁽¹⁾	477.0*	625.0 ⁽¹⁾	466.0*	529.0 ⁽¹⁾	390.0*	397.0 ⁽¹⁾	295.0*	296.0 ⁽¹⁾	253.0*	253.0	217.0*	217.0	184.0	185.0 ⁽¹⁾
120	B		496.0 ⁽¹¹⁾		501.0 ⁽⁸⁾		506.0 ⁽⁸⁾	458.0*	502.0 ⁽⁵⁾	448.0*	492.0 ⁽³⁾	440.0*	481.0 ⁽¹⁾	383.0*	391.0 ⁽¹⁾	291.0*	293.0 ⁽¹⁾	249.0*	250.0 ⁽¹⁾	216.0*	216.0	185.0*	185.0
120	BV		646.0 ⁽⁷⁾		642.0 ⁽³⁾		641.0 ⁽³⁾	459.0*	635.0 ⁽¹⁾	450.0*	604.0 ⁽¹⁾	440.0*	517.0 ⁽¹⁾	387.0*	395.0 ⁽¹⁾	293.0*	294.0 ⁽¹⁾	250.0*	251.0 ⁽¹⁾	216.0*	216.0	185.0*	185.0
125	B		472.0 ⁽¹¹⁾		481.0 ⁽¹⁰⁾		485.0 ⁽⁹⁾	433.0*	481.0 ⁽⁴⁾	424.0*	470.0 ⁽⁵⁾	416.0*	460.0 ⁽¹⁾	378.0*	389.0 ⁽¹⁾	289.0*	291.0 ⁽¹⁾	247.0*	248.0 ⁽¹⁾	214.0*	214.0	183.0*	183.0
125	BV		616.0 ⁽⁷⁾		615.0 ⁽⁴⁾		612.0 ⁽⁴⁾	434.0*	607.0 ⁽²⁾	425.0*	582.0 ⁽¹⁾	417.0*	505.0 ⁽¹⁾	382.0*	393.0 ⁽¹⁾	291.0*	293.0 ⁽¹⁾	248.0*	249.0 ⁽¹⁾	214.0*	215.0 ⁽¹⁾	183.0*	184.0 ⁽¹⁾
130	B		448.0 ⁽¹¹⁾		460.0 ⁽¹¹⁾		465.0 ⁽¹⁰⁾	406.0*	461.0 ⁽⁶⁾	402.0*	450.0 ⁽⁵⁾	394.0*	443.0 ⁽²⁾	372.0*	385.0 ⁽¹⁾	287.0*	289.0 ⁽¹⁾	244.0*	246.0 ⁽¹⁾	212.0*	213.0 ⁽¹⁾	182.0*	182.0
130	BV		586.0 ⁽⁸⁾		587.0 ⁽⁴⁾		585.0 ⁽⁴⁾	407.0*	580.0 ⁽²⁾	403.0*	562.0 ⁽¹⁾	395.0*	493.0 ⁽¹⁾	374.0*	391.0 ⁽¹⁾	289.0*	291.0 ⁽¹⁾	245.0*	247.0 ⁽¹⁾	213.0*	213.0	182.0*	182.0
135	B		425.0 ⁽¹⁰⁾		438.0 ⁽¹¹⁾		444.0 ⁽¹⁰⁾	364.0*	443.0 ⁽⁷⁾	382.0*	432.0 ⁽⁴⁾	375.0*	426.0 ⁽²⁾	361.0*	378.0 ⁽¹⁾	285.0*	288.0 ⁽¹⁾	241.0*	244.0 ⁽¹⁾	211.0*	211.0	180.0*	180.0
135	BV		561.0 ⁽¹⁰⁾		560.0 ⁽⁴⁾		561.0 ⁽³⁾	364.0*	556.0 ⁽³⁾	383.0*	541.0 ⁽¹⁾	375.0*	481.0 ⁽¹⁾	362.0*	387.0 ⁽¹⁾	288.0*	290.0 ⁽¹⁾	242.0*	245.0 ⁽¹⁾	211.0*	212.0 ⁽¹⁾	181.0*	181.0
140	B		406.0 ⁽¹⁰⁾		417.0 ⁽¹¹⁾		423.0 ⁽¹⁰⁾		425.0 ⁽⁹⁾	364.0*	415.0 ⁽⁴⁾	357.0*	409.0 ⁽²⁾	349.0*	376.0 ⁽¹⁾	283.0*	286.0 ⁽¹⁾	239.0*	242.0 ⁽¹⁾	209.0*	210.0 ⁽¹⁾	179.0*	179.0
140	BV		535.0 ⁽¹⁰⁾		534.0 ⁽⁵⁾		536.0 ⁽⁵⁾		533.0 ⁽³⁾	364.0*	520.0 ⁽¹⁾	358.0*	470.0 ⁽¹⁾	349.0*	383.0 ⁽¹⁾	286.0*	289.0 ⁽¹⁾	240.0*	243.0 ⁽¹⁾	210.0*	210.0	179.0*	180.0 ⁽¹⁾
145	B		386.0 ⁽⁹⁾		398.0 ⁽¹¹⁾		404.0 ⁽¹¹⁾		408.0 ⁽⁹⁾	346.0*	398.0 ⁽⁴⁾	341.0*	391.0 ⁽²⁾	336.0*	374.0 ⁽¹⁾	281.0*	285.0 ⁽²⁾	236.0*	240.0 ⁽¹⁾	208.0*	208.0	178.0*	178.0
145	BV		510.0 ⁽⁹⁾		512.0 ⁽⁶⁾		515.0 ⁽⁶⁾		510.0 ⁽⁴⁾	347.0*	499.0 ⁽¹⁾	341.0*	458.0 ⁽¹⁾	332.0*	380.0 ⁽¹⁾	284.0*	287.0 ⁽²⁾	237.0*	241.0 ⁽¹⁾	208.0*	209.0 ⁽¹⁾	178.0*	178.0
150	B		369.0 ⁽⁸⁾		380.0 ⁽¹¹⁾		386.0 ⁽¹¹⁾		392.0 ⁽¹⁰⁾	331.0*	382.0 ⁽⁵⁾	325.0*	376.0 ⁽³⁾	321.0*	365.0 ⁽²⁾	279.0*	284.0 ⁽²⁾	233.0*	238.0 ⁽¹⁾	207.0*	207.0 ⁽¹⁾	176.0*	176.0
150	BV		484.0 ⁽⁹⁾		493.0 ⁽⁷⁾		494.0 ⁽⁷⁾		491.0 ⁽⁴⁾	331.0*	479.0 ⁽¹⁾	326.0*	445.0 ⁽¹⁾	321.0*	376.0 ⁽¹⁾	282.0*	286.0 ⁽²⁾	235.0*	239.0 ⁽¹⁾	207.0*	208.0 ⁽¹⁾	177.0*	177.0
155	B		353.0 ⁽⁸⁾		362.0 ⁽¹⁰⁾		369.0 ⁽¹¹⁾		376.0 ⁽¹⁰⁾	317.0*	366.0 ⁽⁵⁾	311.0*	362.0 ⁽⁵⁾	307.0*	353.0 ⁽²⁾	278.0*	283.0 ⁽²⁾	231.0*	235.0 ⁽¹⁾	205.0*	206.0 ⁽²⁾	175.0*	175.0
155	BV		459.0 ⁽⁸⁾		474.0 ⁽⁸⁾		477.0 ⁽⁸⁾		472														

HSDWB / HSDWBV



HS 158 ft



		HS 158 ft																					
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
180	B			292.0 ⁽⁸⁾		295.0 ⁽¹⁰⁾		306.0 ⁽¹¹⁾		301.0 ⁽⁷⁾	253.0*	297.0 ⁽³⁾	249.0*	293.0 ⁽²⁾	243.0*	268.0 ⁽²⁾	218.0*	227.0 ⁽²⁾	198.0*	201.0 ⁽²⁾	168.0*	170.0 ⁽²⁾	
180	BV			374.0 ⁽⁸⁾		387.0 ⁽¹⁰⁾		391.0 ⁽⁷⁾		380.0 ⁽²⁾	253.0*	373.0 ⁽¹⁾	250.0*	337.0 ⁽¹⁾	243.0*	273.0 ⁽²⁾	220.0*	229.0 ⁽²⁾	199.0*	202.0 ⁽²⁾	169.0*	171.0 ⁽²⁾	
185	B			280.0 ⁽⁸⁾		282.0 ⁽¹⁰⁾		294.0 ⁽¹¹⁾		291.0 ⁽⁷⁾	244.0*	286.0 ⁽⁴⁾	239.0*	284.0 ⁽²⁾	234.0*	263.0 ⁽²⁾	215.0*	225.0 ⁽²⁾	196.0*	199.0 ⁽²⁾	167.0*	169.0 ⁽²⁾	
185	BV			355.0 ⁽⁸⁾		370.0 ⁽¹⁰⁾		377.0 ⁽⁷⁾		367.0 ⁽⁵⁾	244.0*	361.0 ⁽¹⁾	240.0*	328.0 ⁽¹⁾	234.0*	270.0 ⁽²⁾	217.0*	227.0 ⁽²⁾	197.0*	201.0 ⁽²⁾	168.0*	170.0 ⁽²⁾	
190	B			268.0 ⁽⁷⁾		271.0 ⁽⁹⁾		281.0 ⁽¹¹⁾		282.0 ⁽⁸⁾	238.0*	277.0 ⁽⁴⁾	231.0*	274.0 ⁽²⁾	225.0*	259.0 ⁽²⁾	212.0*	223.0 ⁽²⁾	195.0*	198.0 ⁽²⁾	166.0*	168.0 ⁽²⁾	
190	BV			336.0 ⁽⁷⁾		352.0 ⁽⁹⁾		366.0 ⁽¹⁰⁾		355.0 ⁽³⁾	238.0*	349.0 ⁽¹⁾	231.0*	320.0 ⁽¹⁾	226.0*	267.0 ⁽¹⁾	214.0*	225.0 ⁽²⁾	196.0*	199.0 ⁽²⁾	166.0*	169.0 ⁽²⁾	
195	B			258.0 ⁽⁷⁾		260.0 ⁽⁹⁾		269.0 ⁽¹⁰⁾		273.0 ⁽⁹⁾	232.0*	268.0 ⁽³⁾	223.0*	265.0 ⁽³⁾	217.0*	255.0 ⁽²⁾	208.0*	221.0 ⁽²⁾	193.0*	197.0 ⁽²⁾	164.0*	167.0 ⁽²⁾	
195	BV			318.0 ⁽⁷⁾		335.0 ⁽⁹⁾		353.0 ⁽¹⁰⁾		342.0 ⁽³⁾	231.0*	337.0 ⁽¹⁾	223.0*	313.0 ⁽¹⁾	217.0*	264.0 ⁽¹⁾	209.0*	223.0 ⁽²⁾	194.0*	198.0 ⁽²⁾	165.0*	168.0 ⁽²⁾	
200	B					248.0 ⁽⁸⁾		258.0 ⁽¹⁰⁾		265.0 ⁽¹⁰⁾	218.0*	260.0 ⁽³⁾	215.0*	257.0 ⁽³⁾	209.0*	250.0 ⁽²⁾	204.0*	219.0 ⁽²⁾	191.0*	196.0 ⁽³⁾	163.0*	166.0 ⁽²⁾	
200	BV					318.0 ⁽⁸⁾		338.0 ⁽¹⁰⁾		332.0 ⁽⁴⁾	218.0*	326.0 ⁽¹⁾	215.0*	306.0 ⁽¹⁾	210.0*	261.0 ⁽¹⁾	205.0*	221.0 ⁽²⁾	192.0*	198.0 ⁽³⁾	164.0*	166.0 ⁽²⁾	
210	B					228.0 ⁽⁷⁾		237.0 ⁽⁹⁾		249.0 ⁽¹¹⁾	180.0*	245.0 ⁽³⁾	200.0*	241.0 ⁽³⁾	195.0*	235.0 ⁽²⁾	193.0*	214.0 ⁽²⁾	184.0*	194.0 ⁽³⁾	161.0*	164.0 ⁽³⁾	
210	BV					285.0 ⁽⁷⁾		308.0 ⁽⁹⁾		314.0 ⁽⁵⁾	180.0*	306.0 ⁽²⁾	200.0*	292.0 ⁽¹⁾	195.0*	255.0 ⁽¹⁾	193.0*	217.0 ⁽²⁾	185.0*	195.0 ⁽³⁾	161.0*	165.0 ⁽³⁾	
220	B							217.0 ⁽⁸⁾		233.0 ⁽¹¹⁾		231.0 ⁽⁷⁾	187.0*	227.0 ⁽⁴⁾	182.0*	221.0 ⁽²⁾	181.0*	207.0 ⁽³⁾	176.0*	190.0 ⁽³⁾	158.0*	162.0 ⁽³⁾	
220	BV							279.0 ⁽⁸⁾		291.0 ⁽⁵⁾		287.0 ⁽²⁾	187.0*	277.0 ⁽¹⁾	182.0*	246.0 ⁽¹⁾	181.0*	211.0 ⁽²⁾	177.0*	191.0 ⁽³⁾	159.0*	163.0 ⁽³⁾	
230	B							199.0 ⁽⁷⁾		214.0 ⁽¹¹⁾		217.0 ⁽⁷⁾	174.0*	213.0 ⁽⁴⁾	170.0*	208.0 ⁽³⁾	169.0*	202.0 ⁽³⁾	165.0*	186.0 ⁽³⁾	155.0*	159.0 ⁽³⁾	
230	BV							250.0 ⁽⁷⁾		271.0 ⁽⁶⁾		267.0 ⁽²⁾	175.0*	263.0 ⁽¹⁾	170.0*	237.0 ⁽¹⁾	169.0*	206.0 ⁽²⁾	165.0*	186.0 ⁽²⁾	155.0*	161.0 ⁽³⁾	
240	B									196.0 ⁽¹⁰⁾		206.0 ⁽¹⁰⁾	159.0*	201.0 ⁽³⁾	159.0*	196.0 ⁽³⁾	158.0*	192.0 ⁽³⁾	155.0*	182.0 ⁽³⁾	148.0*	157.0 ⁽³⁾	
240	BV									256.0 ⁽⁸⁾		251.0 ⁽³⁾	159.0*	248.0 ⁽¹⁾	159.0*	227.0 ⁽¹⁾	158.0*	200.0 ⁽²⁾	155.0*	183.0 ⁽²⁾	149.0*	158.0 ⁽³⁾	
250	B									180.0 ⁽⁹⁾		194.0 ⁽¹⁰⁾	133.0*	189.0 ⁽³⁾	149.0*	183.0 ⁽³⁾	148.0*	182.0 ⁽³⁾	145.0*	175.0 ⁽²⁾	140.0*	155.0 ⁽³⁾	
250	BV									237.0 ⁽⁹⁾		236.0 ⁽⁴⁾	133.0*	233.0 ⁽¹⁾	149.0*	218.0 ⁽¹⁾	148.0*	194.0 ⁽²⁾	145.0*	179.0 ⁽²⁾	141.0*	156.0 ⁽³⁾	
260	B									165.0 ⁽⁸⁾		182.0 ⁽¹⁰⁾		179.0 ⁽⁴⁾	140.0*	174.0 ⁽⁴⁾	139.0*	172.0 ⁽³⁾	136.0*	168.0 ⁽²⁾	132.0*	151.0 ⁽³⁾	
260	BV									214.0 ⁽⁸⁾		224.0 ⁽⁵⁾		221.0 ⁽²⁾	140.0*	209.0 ⁽¹⁾	139.0*	188.0 ⁽²⁾	136.0*	174.0 ⁽²⁾	132.0*	153.0 ⁽³⁾	
270	B									151.0 ⁽⁷⁾		168.0 ⁽¹¹⁾		170.0 ⁽⁷⁾	131.0*	164.0 ⁽⁴⁾	130.0*	162.0 ⁽⁴⁾	128.0*	159.0 ⁽³⁾	124.0*	147.0 ⁽³⁾	
270	BV									192.0 ⁽⁷⁾		213.0 ⁽⁴⁾		207.0 ⁽²⁾	131.0*	200.0 ⁽¹⁾	131.0*	181.0 ⁽²⁾	128.0*	169.0 ⁽³⁾	124.0*	149.0 ⁽³⁾	
280	B											155.0 ⁽¹⁰⁾		161.0 ⁽⁸⁾	120.0*	156.0 ⁽³⁾	123.0*	155.0 ⁽⁴⁾	120.0*	151.0 ⁽³⁾	116.0*	144.0 ⁽³⁾	
280	BV											199.0 ⁽⁸⁾		196.0 ⁽³⁾	120.0*	190.0 ⁽¹⁾	123.0*	175.0 ⁽¹⁾	120.0*	164.0 ⁽²⁾	116.0*	145.0 ⁽³⁾	
290	B											142.0 ⁽⁹⁾		153.0 ⁽⁹⁾	98.7*	147.0 ⁽⁴⁾	115.0*	145.0 ⁽³⁾	113.0*	143.0 ⁽⁴⁾	109.0*	140.0 ⁽³⁾	
290	BV											186.0 ⁽⁹⁾		183.0 ⁽⁴⁾	98.7*	178.0 ⁽¹⁾	115.0*	170.0 ⁽¹⁾	113.0*	159.0 ⁽²⁾	109.0*	142.0 ⁽³⁾	
300	B											130.0 ⁽⁸⁾		144.0 ⁽¹⁰⁾		140.0 ⁽⁶⁾	105.0*	139.0 ⁽³⁾	107.0*	136.0 ⁽⁴⁾	103.0*	131.0 ⁽³⁾	
300	BV											170.0 ⁽⁸⁾		172.0 ⁽⁴⁾		168.0 ⁽²⁾	105.0*	162.0 ⁽²⁾	106.0*	153.0 ⁽²⁾	103.0*	139.0 ⁽²⁾	
310	B											119.0 ⁽⁷⁾		134.0 ⁽¹¹⁾		133.0 ⁽⁷⁾	85.2*	131.0 ⁽⁴⁾	99.6*	127.0 ⁽⁵⁾	96.9*	124.0 ⁽⁴⁾	
310	BV											152.0 ⁽⁷⁾		163.0 ⁽³⁾		158.0 ⁽²⁾	85.2*	155.0 ⁽²⁾	99.6*	147.0 ⁽²⁾	96.9*	135.0 ⁽²⁾	
320	B													123.0 ⁽¹⁰⁾		126.0 ⁽⁸⁾		124.0 ⁽⁴⁾	89.8*	121.0 ⁽⁵⁾	90.8*	117.0 ⁽⁴⁾	
320	BV													155.0 ⁽⁴⁾		149.0 ⁽³⁾		148.0 ⁽²⁾	89.8*	142.0 ⁽²⁾	90.8*	130.0 ⁽²⁾	
330	B													112.0 ⁽⁹⁾		119.0 ⁽¹⁰⁾		117.0 ⁽⁷⁾	71.5*	114.0 ⁽⁶⁾	84.7*	111.0 ⁽⁵⁾	
330	BV													148.0 ⁽⁷⁾		142.0 ⁽⁵⁾		140.0 ⁽²⁾	71.6*	136.0 ⁽²⁾	84.8*	126.0 ⁽²⁾	
340	B													102.0 ⁽⁸⁾		113.0 ⁽¹⁰⁾		108.0 ⁽⁸⁾		108.0 ⁽⁶⁾	75.1*	104.0 ⁽⁵⁾	
340	BV													136.0 ⁽⁸⁾		135.0 ⁽⁴⁾		133.0 ⁽³⁾		130.0 ⁽²⁾	75.1*	122.0 ⁽²⁾	
350	B													92.8 ⁽⁷⁾		106.0 ⁽¹¹⁾		105.0 ⁽¹⁰⁾		102.0 ⁽⁷⁾	59.0*	98.2 ⁽⁴⁾	
350	BV													121.0 ⁽⁷⁾		128.0 ⁽⁵⁾		127.0 ⁽³⁾		124.0 ⁽²⁾	59.0*	118.0 ⁽²⁾	
360	B															97.0 ⁽¹⁰⁾		99.9 ⁽¹⁰⁾		96.2 ⁽⁷⁾		92.8 ⁽⁴⁾	
360	BV															122.0 ⁽⁶⁾		121.0 ⁽⁴⁾		117.0 ⁽⁵⁾		113.0 ⁽²⁾	
370	B															87.8 ⁽⁹⁾		93.8 ⁽¹⁰⁾		91.4 ⁽⁸⁾		87.5 ⁽⁴⁾	
370	BV															116.0 ⁽⁷⁾		114.0 ⁽⁵⁾		111.0 ⁽⁵⁾		107.0 ⁽²⁾	
380	B															79.1 ⁽⁸⁾		85.6 ⁽¹⁰⁾		87.0 ⁽⁹⁾		83.4 ⁽⁷⁾	
380	BV															107.0 ⁽⁸⁾		108.0 ⁽⁴⁾		106.0 ⁽⁴⁾		102.0 ⁽³⁾	
390	B															71.0 ⁽⁷⁾		77.3 ⁽⁹⁾		82.6 ⁽¹⁰⁾		79.2 ⁽⁸⁾	
390	BV															94.6 ⁽⁷⁾		102.0 ⁽⁷⁾		99.3 ⁽⁵⁾		95.1 ⁽⁵⁾	
400	B																	69.1 ⁽⁸⁾		75.1 ⁽¹⁰⁾		75.7 ⁽⁹⁾	
400	BV																	94.3 ⁽⁸⁾		93.3 ⁽⁶⁾		90.0 ⁽⁴⁾	
410	B																	61.3 ⁽⁷⁾		67.1 ⁽⁹⁾		71.6 ⁽¹⁰⁾	
410	BV																	83.3 ⁽⁷⁾		87.5 ⁽⁷⁾		84.5 ⁽⁵⁾	
420	B																			59.5 ⁽⁸⁾		64.6 ⁽¹⁰⁾	
420	BV																			81.9 ⁽⁸⁾		79.5 ⁽⁴⁾	
430	B																			52.3 ⁽⁷⁾		57.1 ⁽⁹⁾	
430	BV																			71.9 ⁽⁷⁾		74.4 ⁽⁷⁾	
440	B																					49.9 ⁽⁸⁾	
440	BV																					70.1 ⁽⁸⁾	
450	B																					43.6 ⁽⁷⁾	
450	BV																					60.9 ⁽⁷⁾	

HSDWB / HSDWBV



HS 177 ft



		HS 177 ft																					
ft	ft	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
36	B	992.0	992.0																				
	BV	992.0	992.0																				
38	B	992.0	992.0																				
	BV	992.0	992.0																				
40	B	992.0	992.0																				
	BV	992.0	992.0																				
45	B	992.0*	992.0	992.0	992.0	947.0	947.0																
	BV	992.0*	992.0	992.0	992.0	958.0	958.0																
50	B	992.0*	992.0	992.0*	992.0	920.0	939.0 ⁽¹⁾	828.0	828.0														
	BV	992.0*	992.0	992.0*	992.0	931.0	954.0 ⁽¹⁾	834.0	834.0														
55	B	992.0*	992.0	992.0*	992.0	952.0*	952.0	814.0	825.0 ⁽¹⁾														
	BV	992.0*	992.0	992.0*	992.0	971.0*	971.0	820.0	832.0 ⁽¹⁾														
60	B	992.0*	992.0	976.0*	976.0	926.0*	926.0	836.0*	836.0	644.0	644.0												
	BV	992.0*	992.0	989.0*	992.0 ⁽¹⁾	945.0*	957.0 ⁽¹⁾	845.0*	845.0	647.0	647.0												
65	B	881.0*	938.0 ⁽¹⁾	922.0*	925.0 ⁽³⁾	892.0*	892.0	824.0*	824.0	635.0	641.0 ⁽¹⁾												
	BV	881.0*	992.0 ⁽²⁾	939.0*	992.0 ⁽¹⁾	916.0*	947.0 ⁽¹⁾	835.0*	839.0 ⁽¹⁾	639.0	645.0 ⁽¹⁾												
70	B	782.0*	882.0 ⁽¹⁾	845.0*	873.0 ⁽³⁾	848.0*	848.0	802.0*	802.0	625.0	644.0 ⁽¹⁾	502.0	502.0										
	BV	782.0*	992.0 ⁽³⁾	846.0*	992.0 ⁽¹⁾	884.0*	937.0 ⁽¹⁾	817.0*	837.0 ⁽¹⁾	630.0	649.0 ⁽¹⁾	503.0	503.0										
75	B	704.0*	825.0 ⁽²⁾	762.0*	821.0 ⁽³⁾	800.0*	804.0 ⁽³⁾	775.0*	775.0	644.0*	644.0	497.0	500.0 ⁽¹⁾										
	BV	703.0*	984.0 ⁽³⁾	760.0*	972.0 ⁽¹⁾	844.0*	927.0 ⁽¹⁾	797.0*	834.0 ⁽²⁾	651.0*	653.0 ⁽²⁾	499.0	502.0 ⁽¹⁾										
80	B	629.0*	773.0 ⁽³⁾	691.0*	768.0 ⁽³⁾	756.0*	761.0 ⁽³⁾	741.0*	741.0	636.0*	636.0	491.0	501.0 ⁽¹⁾	386.0	386.0								
	BV	631.0*	943.0 ⁽³⁾	691.0*	945.0 ⁽²⁾	805.0*	916.0 ⁽¹⁾	771.0*	832.0 ⁽¹⁾	644.0*	653.0 ⁽¹⁾	494.0	505.0 ⁽¹⁾	387.0	387.0								
85	B		727.0 ⁽⁴⁾	632.0*	722.0 ⁽⁴⁾	715.0*	719.0 ⁽³⁾	703.0*	706.0 ⁽³⁾	628.0*	628.0	502.0*	502.0	383.0	384.0 ⁽¹⁾								
	BV		914.0 ⁽¹⁾	632.0*	899.0 ⁽²⁾	765.0*	874.0 ⁽¹⁾	739.0*	829.0 ⁽¹⁾	637.0*	654.0 ⁽¹⁾	507.0*	507.0	383.0	385.0 ⁽¹⁾								
90	B		686.0 ⁽⁴⁾	580.0*	680.0 ⁽³⁾	678.0*	681.0 ⁽⁴⁾	669.0*	672.0 ⁽³⁾	617.0*	617.0	498.0*	499.0 ⁽¹⁾	378.0	382.0 ⁽¹⁾	289.0	289.0						
	BV		867.0 ⁽¹⁾	579.0*	854.0 ⁽²⁾	711.0*	833.0 ⁽¹⁾	703.0*	809.0 ⁽¹⁾	630.0*	654.0 ⁽¹⁾	503.0*	506.0 ⁽¹⁾	380.0	384.0 ⁽¹⁾	290.0	290.0						
95	B		650.0 ⁽³⁾	516.0*	644.0 ⁽⁴⁾	644.0*	646.0 ⁽³⁾	636.0*	638.0 ⁽⁴⁾	602.0*	602.0	491.0*	496.0 ⁽¹⁾	378.0*	382.0 ⁽¹⁾	286.0	287.0 ⁽¹⁾	249.0	249.0				
	BV		822.0 ⁽²⁾	516.0*	809.0 ⁽²⁾	659.0*	791.0 ⁽¹⁾	657.0*	774.0 ⁽¹⁾	615.0*	615.0	498.0*	506.0 ⁽¹⁾	381.0*	384.0 ⁽¹⁾	287.0	288.0 ⁽¹⁾	249.0	249.0				
100	B		615.0 ⁽³⁾	448.0*	611.0 ⁽³⁾	609.0*	614.0 ⁽³⁾	604.0*	608.0 ⁽⁴⁾	580.0*	580.0	485.0*	493.0 ⁽¹⁾	379.0*	380.0 ⁽¹⁾	283.0	286.0 ⁽¹⁾	246.0	247.0 ⁽¹⁾	212.0	212.0		
	BV		781.0 ⁽³⁾	448.0*	771.0 ⁽¹⁾	613.0*	749.0 ⁽²⁾	611.0*	739.0 ⁽¹⁾	588.0*	655.0 ⁽¹⁾	493.0*	505.0 ⁽¹⁾	381.0*	383.0 ⁽¹⁾	283.0	287.0 ⁽¹⁾	246.0	247.0 ⁽¹⁾	212.0	212.0		
105	B		580.0 ⁽³⁾		581.0 ⁽⁷⁾	570.0*	583.0 ⁽⁷⁾	570.0*	579.0 ⁽³⁾	554.0*	557.0 ⁽³⁾	480.0*	491.0 ⁽¹⁾	374.0*	378.0 ⁽¹⁾	285.0*	285.0	242.0	245.0 ⁽¹⁾	210.0	211.0 ⁽¹⁾	181.0	181.0
	BV		742.0 ⁽⁴⁾		733.0 ⁽¹⁾	570.0*	712.0 ⁽¹⁾	570.0*	703.0 ⁽¹⁾	557.0*	643.0 ⁽¹⁾	488.0*	505.0 ⁽¹⁾	377.0*	381.0 ⁽¹⁾	286.0*	286.0	243.0	246.0 ⁽¹⁾	210.0	211.0 ⁽¹⁾	181.0	181.0
110	B		547.0 ⁽¹⁰⁾		553.0 ⁽⁷⁾	533.0*	554.0 ⁽⁷⁾	535.0*	552.0 ⁽³⁾	522.0*	534.0 ⁽⁵⁾	473.0*	488.0 ⁽¹⁾	371.0*	377.0 ⁽¹⁾	283.0*	283.0	244.0*	244.0 ⁽¹⁾	208.0	210.0 ⁽¹⁾	179.0	179.0
	BV		705.0 ⁽³⁾		697.0 ⁽²⁾	534.0*	683.0 ⁽¹⁾	535.0*	668.0 ⁽¹⁾	523.0*	622.0 ⁽¹⁾	481.0*	504.0 ⁽¹⁾	375.0*	380.0 ⁽¹⁾	284.0*	284.0	240.0	244.0 ⁽¹⁾	208.0	210.0 ⁽¹⁾	179.0	179.0
115	B		519.0 ⁽¹¹⁾		525.0 ⁽⁸⁾	488.0*	526.0 ⁽⁸⁾	502.0*	525.0 ⁽³⁾	491.0*	511.0 ⁽⁵⁾	463.0*	485.0 ⁽¹⁾	368.0*	375.0 ⁽¹⁾	281.0*	282.0 ⁽¹⁾	242.0*	242.0	209.0*	209.0	177.0	178.0 ⁽¹⁾
	BV		670.0 ⁽³⁾		665.0 ⁽³⁾	491.0*	653.0 ⁽¹⁾	503.0*	640.0 ⁽¹⁾	492.0*	600.0 ⁽¹⁾	469.0*	504.0 ⁽¹⁾	372.0*	379.0 ⁽¹⁾	283.0*	283.0	243.0*	243.0	209.0*	209.0	177.0	179.0 ⁽¹⁾
120	B		494.0 ⁽¹¹⁾		499.0 ⁽¹¹⁾	414.0*	502.0 ⁽⁸⁾	472.0*	500.0 ⁽⁴⁾	464.0*	488.0 ⁽⁵⁾	448.0*	472.0 ⁽¹⁾	365.0*	373.0 ⁽¹⁾	279.0*	280.0 ⁽¹⁾	240.0*	240.0	208.0*	208.0	178.0*	178.0
	BV		638.0 ⁽⁴⁾		635.0 ⁽³⁾	414.0*	624.0 ⁽¹⁾	474.0*	615.0 ⁽¹⁾	464.0*	579.0 ⁽¹⁾	451.0*	498.0 ⁽¹⁾	369.0*	377.0 ⁽¹⁾	281.0*	282.0 ⁽¹⁾	240.0*	241.0 ⁽¹⁾	208.0*	208.0	178.0*	178.0
125	B		468.0 ⁽¹¹⁾		473.0 ⁽⁸⁾		478.0 ⁽⁹⁾	446.0*	477.0 ⁽⁴⁾	439.0*	465.0 ⁽⁴⁾	430.0*	453.0 ⁽¹⁾	362.0*	372.0 ⁽¹⁾	277.0*	279.0 ⁽¹⁾	237.0*	238.0 ⁽¹⁾	206.0*	206.0	177.0*	177.0
	BV		611.0 ⁽⁸⁾		607.0 ⁽⁴⁾		597.0 ⁽²⁾	447.0*	591.0 ⁽¹⁾	439.0*	558.0 ⁽¹⁾	431.0*	490.0 ⁽¹⁾	366.0*	376.0 ⁽¹⁾	279.0*	281.0 ⁽¹⁾	238.0*	239.0 ⁽¹⁾	207.0*	207.0	177.0*	177.0
130	B		444.0 ⁽¹¹⁾		454.0 ⁽¹⁰⁾		459.0 ⁽¹⁰⁾	421.0*	456.0 ⁽⁷⁾	415.0*	447.0 ⁽⁴⁾	408.0*	434.0 ⁽¹⁾	359.0*	370.0 ⁽¹⁾	276.0*	278.0 ⁽¹⁾	235.0*	237.0 ⁽¹⁾	205.0*	205.0	176.0*	176.0
	BV		586.0 ⁽⁴⁾		581.0 ⁽⁴⁾		571.0 ⁽²⁾	422.0*	566.0 ⁽¹⁾	416.0*	537.0 ⁽¹⁾	409.0*	482.0 ⁽¹⁾	362.0*	375.0 ⁽¹⁾	277.0*	280.0 ⁽¹⁾	236.0*	238.0 ⁽¹⁾	205.0*	206.0 ⁽¹⁾	176.0*	176.0
135	B		423.0 ⁽¹¹⁾		435.0 ⁽¹¹⁾		441.0 ⁽¹¹⁾	393.0*	438.0 ⁽⁷⁾	394.0*	428.0 ⁽⁴⁾	388.0*	420.0 ⁽²⁾	356.0*	364.0 ⁽¹⁾	274.0*	276.0 ⁽¹⁾	232.0*	235.0 ⁽¹⁾	204.0*	204.0	174.0*	174.0
	BV		559.0 ⁽¹¹⁾		557.0 ⁽³⁾		547.0 ⁽³⁾	394.0*	542.0 ⁽²⁾	395.0*	519.0 ⁽¹⁾	389.0*	474.0 ⁽¹⁾	358.0*	373.0 ⁽¹⁾	276.0*	278.0 ⁽¹⁾	233.0*	236.0 ⁽¹⁾	204.0*	204.0	175.0*	175.0
140	B		402.0 ⁽¹⁰⁾		415.0 ⁽¹¹⁾		421.0 ⁽¹¹⁾	326.0*	422.0 ⁽⁸⁾	374.0*	411.0 ⁽⁴⁾	369.0*	404.0 ⁽²⁾	351.0*	362.0 ⁽²⁾	272.0*	275.0 ⁽¹⁾	230.0*	233.0 ⁽¹⁾	202.0*	202.0	173.0*	173.0
	BV		532.0 ⁽¹⁰⁾		535.0 ⁽⁶⁾		525.0 ⁽⁴⁾	326.0*	521.0 ⁽²⁾	375.0*	502.0 ⁽¹⁾	370.0*	466.0 ⁽¹⁾	352.0*	371.0 ⁽¹⁾	274.0*	277.0 ⁽¹⁾	231.0*	234.0 ⁽¹⁾	203.0*	203.0	173.0*	174.0 ⁽¹⁾
145	B		383.0 ⁽¹⁰⁾		395.0 ⁽¹¹⁾		402.0 ⁽¹¹⁾		405.0 ⁽⁹⁾	357.0*	394.0 ⁽⁵⁾	352.0*	389.0 ⁽⁵⁾	343.0*	361.0 ⁽²⁾	270.0*	274.0 ⁽¹⁾	227.0*	231.0 ⁽¹⁾	200.0*	201.0 ⁽¹⁾	172.0*	172.0
	BV		507.0 ⁽¹⁰⁾		513.0 ⁽⁸⁾		505.0 ⁽³⁾		502.0 ⁽³⁾	357.0*	484.0 ⁽¹⁾	352.0*	458.0 ⁽¹⁾	343.0*	368.0 ⁽¹⁾	272.0*	276.0 ⁽¹⁾	229.0*	232.0 ⁽¹⁾	201.0*	202.0 ⁽¹⁾	172.0*	172.0
150	B		366.0 ⁽¹⁰⁾		377.0 ⁽¹¹⁾		382.0 ⁽¹¹⁾		390.0 ⁽¹⁰⁾	340.0*	380.0 ⁽⁵⁾	335.0*	375.0 ⁽⁵⁾	329.0*	360.0 ⁽²⁾	268.0*	272.0 ⁽²⁾	225.0*	229.0 ⁽¹⁾	199.0*	200.0 ⁽¹⁾	170.0*	171.0 ⁽¹⁾
	BV		485.0 ⁽¹⁰⁾		492.0 ⁽⁸⁾		486.0 ⁽⁶⁾		483.0 ⁽³⁾	341.0*	466.0 ⁽¹⁾	336.0*	448.0 ⁽¹⁾	329.0*	366.0 ⁽¹⁾	271.0*	275.0 ⁽²⁾	226.0*	231.0 ⁽¹⁾	200.0*	201.0 ⁽¹⁾	171.0*	171.0
155	B		349.0 ⁽⁹⁾		360.0 ⁽¹¹⁾		366.0 ⁽¹¹⁾		374.0 ⁽¹⁰⁾	325.0*	365.0 ⁽⁵⁾	321.0*	361.0 ⁽³⁾	314.0*	348.0 ⁽²⁾	266.0*	272.0 ⁽²⁾	224.0*	227.0 ⁽¹⁾	198.0*	199.0 ⁽¹⁾	169.0*	170.0 ⁽¹⁾
	BV		462.0 ⁽⁹⁾		471.0 ⁽⁸⁾		469.0 ⁽⁷⁾		465.0 ⁽⁴⁾	326.0*	449.0 ⁽¹⁾	322.0*	434.0 ⁽¹⁾	314.0*	364.0 ⁽¹⁾	269.0*	275.0 ⁽²⁾	222.0*	229.0 ⁽¹⁾	199.0*	200.0 ⁽²⁾	170.0*	170.0

HSDWB / HSDWBV



HS 177 ft



		HS 177 ft																																	
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft													
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax												
185	B		268.0 ⁽⁴⁾		277.0 ⁽⁹⁾		279.0 ⁽¹⁰⁾		291.0 ⁽¹¹⁾		291.0 ⁽⁸⁾		250.0*		289.0 ⁽⁵⁾		245.0*		283.0 ⁽³⁾		239.0*		258.0 ⁽³⁾		208.0*		218.0 ⁽²⁾		189.0*		193.0 ⁽²⁾		162.0*		164.0 ⁽²⁾
	BV		346.0 ⁽⁷⁾		365.0 ⁽⁹⁾		370.0 ⁽¹⁰⁾		379.0 ⁽¹⁰⁾		366.0 ⁽⁴⁾		251.0*		357.0 ⁽¹⁾		245.0*		335.0 ⁽¹⁾		239.0*		266.0 ⁽²⁾		210.0*		220.0 ⁽²⁾		191.0*		195.0 ⁽²⁾		163.0*		165.0 ⁽²⁾
190	B		257.0 ⁽⁴⁾		265.0 ⁽⁸⁾		268.0 ⁽¹⁰⁾		279.0 ⁽¹¹⁾		281.0 ⁽¹⁰⁾		244.0*		278.0 ⁽⁵⁾		236.0*		273.0 ⁽³⁾		230.0*		255.0 ⁽³⁾		205.0*		216.0 ⁽²⁾		188.0*		192.0 ⁽²⁾		161.0*		163.0 ⁽²⁾
	BV		329.0 ⁽⁴⁾		348.0 ⁽⁸⁾		355.0 ⁽¹⁰⁾		365.0 ⁽¹⁰⁾		355.0 ⁽⁴⁾		244.0*		347.0 ⁽²⁾		236.0*		329.0 ⁽¹⁾		230.0*		264.0 ⁽²⁾		207.0*		218.0 ⁽²⁾		189.0*		194.0 ⁽²⁾		161.0*		164.0 ⁽²⁾
195	B				254.0 ⁽⁸⁾		256.0 ⁽¹⁰⁾		268.0 ⁽¹¹⁾		272.0 ⁽¹⁰⁾		237.0*		268.0 ⁽⁵⁾		228.0*		262.0 ⁽³⁾		222.0*		249.0 ⁽³⁾		203.0*		214.0 ⁽²⁾		187.0*		191.0 ⁽²⁾		159.0*		162.0 ⁽²⁾
	BV				332.0 ⁽⁸⁾		340.0 ⁽¹⁰⁾		352.0 ⁽¹⁰⁾		343.0 ⁽⁴⁾		237.0*		336.0 ⁽²⁾		227.0*		323.0 ⁽¹⁾		222.0*		262.0 ⁽²⁾		205.0*		216.0 ⁽²⁾		188.0*		192.0 ⁽²⁾		160.0*		163.0 ⁽²⁾
200	B				244.0 ⁽⁸⁾		245.0 ⁽⁹⁾		257.0 ⁽¹¹⁾		263.0 ⁽¹⁰⁾		228.0*		259.0 ⁽⁴⁾		219.0*		253.0 ⁽⁴⁾		214.0*		243.0 ⁽³⁾		201.0*		213.0 ⁽³⁾		185.0*		190.0 ⁽³⁾		158.0*		161.0 ⁽²⁾
	BV				316.0 ⁽⁸⁾		325.0 ⁽⁹⁾		339.0 ⁽¹¹⁾		333.0 ⁽⁵⁾		228.0*		326.0 ⁽²⁾		219.0*		315.0 ⁽¹⁾		214.0*		259.0 ⁽²⁾		202.0*		215.0 ⁽³⁾		187.0*		192.0 ⁽³⁾		159.0*		162.0 ⁽²⁾
210	B				224.0 ⁽⁷⁾		225.0 ⁽⁸⁾		236.0 ⁽¹⁰⁾		246.0 ⁽¹¹⁾		197.0*		242.0 ⁽⁴⁾		204.0*		237.0 ⁽⁴⁾		199.0*		230.0 ⁽²⁾		194.0*		209.0 ⁽²⁾		183.0*		189.0 ⁽³⁾		156.0*		159.0 ⁽³⁾
	BV				286.0 ⁽⁷⁾		296.0 ⁽⁸⁾		313.0 ⁽¹⁰⁾		311.0 ⁽⁵⁾		197.0*		304.0 ⁽²⁾		204.0*		296.0 ⁽¹⁾		199.0*		252.0 ⁽²⁾		196.0*		211.0 ⁽³⁾		184.0*		191.0 ⁽³⁾		157.0*		160.0 ⁽³⁾
220	B						206.0 ⁽⁸⁾		216.0 ⁽⁹⁾		230.0 ⁽¹¹⁾				228.0 ⁽⁷⁾		191.0*		222.0 ⁽⁴⁾		186.0*		217.0 ⁽³⁾		184.0*		203.0 ⁽³⁾		179.0*		186.0 ⁽³⁾		153.0*		158.0 ⁽³⁾
	BV						269.0 ⁽⁸⁾		287.0 ⁽⁹⁾		291.0 ⁽⁶⁾				286.0 ⁽³⁾		191.0*		278.0 ⁽¹⁾		186.0*		245.0 ⁽¹⁾		184.0*		207.0 ⁽³⁾		180.0*		188.0 ⁽³⁾		154.0*		159.0 ⁽³⁾
230	B						189.0 ⁽⁷⁾		198.0 ⁽⁸⁾		213.0 ⁽¹¹⁾				215.0 ⁽⁵⁾		178.0*		210.0 ⁽³⁾		174.0*		205.0 ⁽³⁾		173.0*		198.0 ⁽³⁾		169.0*		182.0 ⁽³⁾		150.0*		156.0 ⁽³⁾
	BV						242.0 ⁽⁷⁾		262.0 ⁽⁸⁾		274.0 ⁽⁷⁾				269.0 ⁽³⁾		178.0*		259.0 ⁽¹⁾		174.0*		237.0 ⁽¹⁾		173.0*		204.0 ⁽³⁾		169.0*		185.0 ⁽³⁾		152.0*		157.0 ⁽³⁾
240	B								181.0 ⁽⁸⁾		196.0 ⁽¹¹⁾				203.0 ⁽⁹⁾		165.0*		197.0 ⁽³⁾		163.0*		193.0 ⁽⁴⁾		161.0*		190.0 ⁽³⁾		158.0*		179.0 ⁽³⁾		147.0*		153.0 ⁽³⁾
	BV								238.0 ⁽⁷⁾		260.0 ⁽¹⁰⁾				255.0 ⁽⁴⁾		165.0*		246.0 ⁽²⁾		163.0*		230.0 ⁽¹⁾		162.0*		199.0 ⁽³⁾		158.0*		183.0 ⁽³⁾		148.0*		155.0 ⁽³⁾
250	B								166.0 ⁽⁷⁾		179.0 ⁽¹⁰⁾				192.0 ⁽¹⁰⁾		145.0*		187.0 ⁽⁴⁾		153.0*		182.0 ⁽⁴⁾		152.0*		180.0 ⁽⁴⁾		148.0*		174.0 ⁽³⁾		144.0*		151.0 ⁽⁴⁾
	BV								215.0 ⁽⁷⁾		241.0 ⁽¹⁰⁾				241.0 ⁽⁹⁾		145.0*		232.0 ⁽²⁾		152.0*		222.0 ⁽¹⁾		151.0*		194.0 ⁽²⁾		148.0*		179.0 ⁽³⁾		144.0*		152.0 ⁽³⁾
260	B								164.0 ⁽⁹⁾						181.0 ⁽¹¹⁾				177.0 ⁽⁷⁾		143.0*		173.0 ⁽³⁾		142.0*		171.0 ⁽⁴⁾		139.0*		165.0 ⁽³⁾		135.0*		149.0 ⁽³⁾
	BV								221.0 ⁽⁹⁾						221.0 ⁽⁵⁾				221.0 ⁽³⁾		143.0*		211.0 ⁽¹⁾		142.0*		189.0 ⁽²⁾		139.0*		174.0 ⁽³⁾		135.0*		150.0 ⁽³⁾
270	B										149.0 ⁽⁸⁾				169.0 ⁽¹¹⁾				168.0 ⁽⁸⁾		134.0*		163.0 ⁽³⁾		133.0*		161.0 ⁽⁴⁾		131.0*		159.0 ⁽⁴⁾		127.0*		146.0 ⁽⁴⁾
	BV										202.0 ⁽⁸⁾				213.0 ⁽⁶⁾				208.0 ⁽⁵⁾		134.0*		199.0 ⁽²⁾		134.0*		184.0 ⁽²⁾		131.0*		169.0 ⁽²⁾		127.0*		148.0 ⁽³⁾
280	B										137.0 ⁽⁸⁾				154.0 ⁽¹⁰⁾				159.0 ⁽⁹⁾		125.0*		154.0 ⁽⁶⁾		125.0*		153.0 ⁽³⁾		123.0*		150.0 ⁽⁴⁾		119.0*		144.0 ⁽⁴⁾
	BV										183.0 ⁽⁸⁾				201.0 ⁽⁷⁾				195.0 ⁽⁴⁾		125.0*		189.0 ⁽²⁾		126.0*		179.0 ⁽²⁾		123.0*		165.0 ⁽²⁾		119.0*		146.0 ⁽³⁾
290	B										125.0 ⁽⁷⁾				142.0 ⁽¹⁰⁾				150.0 ⁽¹⁰⁾		108.0*		146.0 ⁽⁶⁾		118.0*		144.0 ⁽⁵⁾		115.0*		141.0 ⁽⁴⁾		112.0*		137.0 ⁽⁴⁾
	BV										164.0 ⁽⁷⁾				191.0 ⁽⁸⁾				185.0 ⁽⁴⁾		108.0*		179.0 ⁽²⁾		118.0*		173.0 ⁽²⁾		116.0*		161.0 ⁽²⁾		112.0*		143.0 ⁽³⁾
300	B														129.0 ⁽⁹⁾				142.0 ⁽¹⁰⁾				138.0 ⁽⁷⁾		109.0*		136.0 ⁽⁶⁾		109.0*		133.0 ⁽⁵⁾		105.0*		130.0 ⁽⁴⁾
	BV														177.0 ⁽⁹⁾				175.0 ⁽⁵⁾				168.0 ⁽²⁾		109.0*		165.0 ⁽²⁾		109.0*		156.0 ⁽²⁾		105.0*		140.0 ⁽³⁾
310	B														117.0 ⁽⁸⁾				133.0 ⁽¹¹⁾				130.0 ⁽⁷⁾		94.7*		129.0 ⁽⁴⁾		102.0*		126.0 ⁽⁵⁾		98.8*		122.0 ⁽⁴⁾
	BV														161.0 ⁽⁸⁾				167.0 ⁽⁵⁾				160.0 ⁽³⁾		94.7*		158.0 ⁽²⁾		102.0*		151.0 ⁽²⁾		99.2*		136.0 ⁽³⁾
320	B														107.0 ⁽⁷⁾				121.0 ⁽¹⁰⁾				124.0 ⁽⁸⁾				122.0 ⁽⁴⁾		93.6*		119.0 ⁽⁵⁾		92.7*		116.0 ⁽⁵⁾
	BV														145.0 ⁽⁷⁾				159.0 ⁽⁷⁾				152.0 ⁽³⁾				150.0 ⁽²⁾		93.6*		145.0 ⁽²⁾		93.2*		132.0 ⁽³⁾
330	B														97.7 ⁽⁷⁾				111.0 ⁽¹⁰⁾				118.0 ⁽⁹⁾				116.0 ⁽⁷⁾		80.3*		113.0 ⁽⁶⁾		86.5*		110.0 ⁽⁵⁾
	BV														131.0 ⁽⁷⁾				152.0 ⁽⁸⁾				146.0 ⁽⁴⁾				144.0 ⁽³⁾		80.6*		139.0 ⁽²⁾		86.8*		127.0 ⁽³⁾
340	B																		101.0 ⁽⁹⁾				113.0 ⁽¹⁰⁾				111.0 ⁽⁸⁾				107.0 ⁽⁷⁾		78.9*		103.0 ⁽⁶⁾
	BV																		141.0 ⁽⁹⁾				138.0 ⁽⁵⁾				136.0 ⁽³⁾				132.0 ⁽⁵⁾		79.2*		124.0 ⁽²⁾
350	B																		91.3 ⁽⁸⁾				105.0 ⁽¹¹⁾				106.0 ⁽⁹⁾				102.0 ⁽⁷⁾		66.8*		98.9 ⁽⁴⁾
	BV																		128.0 ⁽⁸⁾				131.0 ⁽⁵⁾				130.0 ⁽⁴⁾				126.0 ⁽⁵⁾		67.0*		119.0 ⁽²⁾
360	B																		82.2 ⁽⁷⁾				95.2 ⁽¹⁰⁾				100.0 ⁽¹⁰⁾				98.0 ⁽⁸⁾			93.4 ⁽⁷⁾	
	BV																		115.0 ⁽⁷⁾				124.0 ⁽⁶⁾				122.0 ⁽⁵⁾				119.0 ⁽³⁾			114.0 ⁽³⁾	
370	B																						74.4 ⁽⁷⁾				86.7 ⁽¹¹⁾				93.6 ⁽⁹⁾			88.8 ⁽⁷⁾	
	BV																						102.0 ⁽⁷⁾				117.0 ⁽⁷⁾				112.0 ⁽⁴⁾			109.0 ⁽³⁾	
380	B																										84.4 ⁽¹⁰⁾				87.0 ⁽¹⁰⁾			84.7 ⁽⁸⁾	
	BV																										110.0 ⁽⁹⁾				106.0 ⁽⁵⁾				

HSDWB / HSDWBV



HS 197 ft



ft		HS 197 ft																					
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
38	B	975.0	975.0																				
	BV	981.0	981.0																				
40	B	992.0	992.0																				
	BV	992.0	992.0																				
45	B	992.0	992.0	936.0	950.0 ⁽¹⁾																		
	BV	992.0	992.0	949.0	966.0 ⁽¹⁾																		
50	B	992.0*	992.0	897.0	950.0 ⁽¹⁾	845.0	856.0 ⁽¹⁾																
	BV	992.0*	992.0	913.0	970.0 ⁽¹⁾	862.0	875.0 ⁽¹⁾																
55	B	992.0*	992.0	933.0*	940.0 ⁽¹⁾	815.0	858.0 ⁽¹⁾	750.0	758.0 ⁽¹⁾														
	BV	992.0*	992.0	954.0*	968.0 ⁽¹⁾	834.0	880.0 ⁽¹⁾	763.0	772.0 ⁽¹⁾														
60	B	971.0*	971.0	900.0*	920.0 ⁽¹⁾	851.0*	853.0 ⁽¹⁾	730.0	761.0 ⁽¹⁾	601.0	601.0												
	BV	992.0*	992.0	921.0*	962.0 ⁽¹⁾	874.0*	882.0 ⁽¹⁾	743.0	778.0 ⁽¹⁾	606.0	606.0												
65	B	909.0*	963.0 ⁽¹⁾	866.0*	900.0 ⁽¹⁾	827.0*	836.0 ⁽¹⁾	760.0*	761.0 ⁽¹⁾	593.0	597.0 ⁽¹⁾												
	BV	915.0*	992.0 ⁽²⁾	888.0*	956.0 ⁽¹⁾	850.0*	876.0 ⁽¹⁾	778.0*	782.0 ⁽¹⁾	599.0	603.0 ⁽¹⁾												
70	B	811.0*	942.0 ⁽¹⁾	829.0*	880.0 ⁽¹⁾	800.0*	819.0 ⁽¹⁾	740.0*	750.0 ⁽¹⁾	584.0	598.0 ⁽¹⁾	471.0	471.0										
	BV	811.0*	992.0 ⁽²⁾	852.0*	949.0 ⁽¹⁾	823.0*	871.0 ⁽¹⁾	759.0*	781.0 ⁽¹⁾	591.0	607.0 ⁽¹⁾	473.0	473.0										
75	B	726.0*	889.0 ⁽¹⁾	777.0*	861.0 ⁽¹⁾	765.0*	802.0 ⁽¹⁾	721.0*	739.0 ⁽¹⁾	601.0*	601.0	465.0	467.0 ⁽¹⁾										
	BV	725.0*	977.0 ⁽³⁾	784.0*	943.0 ⁽¹⁾	792.0*	866.0 ⁽¹⁾	740.0*	780.0 ⁽¹⁾	582.0	611.0 ⁽¹⁾	469.0	471.0 ⁽¹⁾										
80	B	656.0*	836.0 ⁽²⁾	711.0*	821.0 ⁽¹⁾	730.0*	785.0 ⁽¹⁾	697.0*	728.0 ⁽¹⁾	595.0*	598.0 ⁽¹⁾	460.0	468.0 ⁽¹⁾	365.0	365.0								
	BV	656.0*	950.0 ⁽³⁾	711.0*	910.0 ⁽¹⁾	757.0*	860.0 ⁽¹⁾	719.0*	780.0 ⁽¹⁾	605.0*	611.0 ⁽¹⁾	465.0	474.0 ⁽¹⁾	367.0	367.0								
85	B		789.0 ⁽³⁾	648.0*	777.0 ⁽¹⁾	696.0*	762.0 ⁽¹⁾	669.0*	717.0 ⁽¹⁾	586.0*	595.0 ⁽¹⁾	460.0*	469.0 ⁽¹⁾	362.0	362.0								
	BV		902.0 ⁽³⁾	649.0*	876.0 ⁽²⁾	724.0*	845.0 ⁽¹⁾	694.0*	779.0 ⁽¹⁾	598.0*	612.0 ⁽¹⁾	460.0	476.0 ⁽¹⁾	364.0	365.0 ⁽¹⁾								
90	B		745.0 ⁽³⁾	595.0*	736.0 ⁽²⁾	664.0*	724.0 ⁽¹⁾	638.0*	706.0 ⁽¹⁾	574.0*	592.0 ⁽¹⁾	467.0*	468.0 ⁽¹⁾	358.0	361.0 ⁽¹⁾	276.0	276.0						
	BV		855.0 ⁽³⁾	596.0*	835.0 ⁽²⁾	693.0*	814.0 ⁽²⁾	667.0*	778.0 ⁽¹⁾	589.0*	612.0 ⁽¹⁾	475.0*	477.0 ⁽¹⁾	361.0	365.0 ⁽¹⁾	277.0	277.0						
95	B		706.0 ⁽⁴⁾	537.0*	698.0 ⁽³⁾	632.0*	688.0 ⁽²⁾	608.0*	677.0 ⁽¹⁾	558.0*	590.0 ⁽¹⁾	460.0*	466.0 ⁽¹⁾	353.0	361.0 ⁽¹⁾	273.0	274.0 ⁽¹⁾	239.0	239.0				
	BV		809.0 ⁽⁴⁾	537.0*	796.0 ⁽³⁾	664.0*	783.0 ⁽²⁾	639.0*	753.0 ⁽¹⁾	576.0*	613.0 ⁽¹⁾	470.0*	476.0 ⁽¹⁾	357.0	365.0 ⁽¹⁾	275.0	275.0	239.0	239.0				
100	B		670.0 ⁽⁷⁾	480.0*	663.0 ⁽⁴⁾	602.0*	654.0 ⁽²⁾	580.0*	646.0 ⁽¹⁾	540.0*	587.0 ⁽¹⁾	454.0*	465.0 ⁽¹⁾	359.0*	360.0 ⁽¹⁾	270.0	273.0 ⁽¹⁾	235.0	236.0 ⁽¹⁾	204.0	204.0		
	BV		764.0 ⁽²⁾	481.0*	757.0 ⁽³⁾	753.0 ⁽³⁾	612.0*	734.0 ⁽²⁾	561.0*	613.0 ⁽¹⁾	465.0*	476.0 ⁽¹⁾	364.0*	365.0 ⁽¹⁾	272.0	274.0 ⁽¹⁾	236.0	237.0 ⁽¹⁾	204.0	204.0			
105	B		633.0 ⁽⁷⁾		632.0 ⁽⁵⁾	578.0*	624.0 ⁽³⁾	557.0*	616.0 ⁽²⁾	521.0*	584.0 ⁽¹⁾	449.0*	463.0 ⁽¹⁾	356.0*	358.0 ⁽¹⁾	268.0	272.0 ⁽¹⁾	232.0	234.0 ⁽¹⁾	202.0	202.0	174.0	174.0
	BV		726.0 ⁽³⁾		719.0 ⁽¹⁾	589.0*	719.0 ⁽⁴⁾	588.0*	703.0 ⁽²⁾	543.0*	614.0 ⁽¹⁾	460.0*	475.0 ⁽¹⁾	361.0*	364.0 ⁽¹⁾	269.0	274.0 ⁽¹⁾	233.0	235.0 ⁽¹⁾	202.0	202.0	174.0	174.0
110	B		598.0 ⁽⁸⁾		600.0 ⁽⁵⁾	547.0*	594.0 ⁽⁴⁾	537.0*	588.0 ⁽³⁾	503.0*	564.0 ⁽¹⁾	444.0*	462.0 ⁽¹⁾	353.0*	357.0 ⁽¹⁾	271.0*	271.0	229.0	233.0 ⁽¹⁾	200.0	201.0 ⁽¹⁾	172.0	172.0
	BV		690.0 ⁽⁴⁾		683.0 ⁽¹⁾	549.0*	686.0 ⁽⁴⁾	560.0*	678.0 ⁽³⁾	525.0*	600.0 ⁽¹⁾	455.0*	475.0 ⁽¹⁾	358.0*	363.0 ⁽¹⁾	273.0*	273.0	230.0	234.0 ⁽¹⁾	200.0	202.0 ⁽¹⁾	173.0	173.0
115	B		568.0 ⁽⁹⁾		569.0 ⁽⁶⁾	500.0*	568.0 ⁽⁵⁾	518.0*	562.0 ⁽³⁾	484.0*	541.0 ⁽¹⁾	437.0*	460.0 ⁽¹⁾	350.0*	356.0 ⁽¹⁾	269.0*	269.0	227.0	232.0 ⁽¹⁾	198.0	201.0 ⁽¹⁾	171.0	172.0 ⁽¹⁾
	BV		656.0 ⁽⁵⁾		650.0 ⁽²⁾	502.0*	655.0 ⁽⁵⁾	529.0*	649.0 ⁽³⁾	505.0*	599.0 ⁽²⁾	451.0*	475.0 ⁽¹⁾	356.0*	362.0 ⁽¹⁾	271.0*	272.0 ⁽¹⁾	228.0	233.0 ⁽¹⁾	199.0	201.0 ⁽¹⁾	171.0	172.0 ⁽¹⁾
120	B		543.0 ⁽¹¹⁾		541.0 ⁽⁶⁾	434.0*	544.0 ⁽⁶⁾	495.0*	539.0 ⁽⁴⁾	467.0*	524.0 ⁽²⁾	429.0*	459.0 ⁽¹⁾	347.0*	355.0 ⁽¹⁾	267.0*	268.0 ⁽¹⁾	230.0*	230.0	196.0	200.0 ⁽¹⁾	169.0	171.0 ⁽¹⁾
	BV		626.0 ⁽⁷⁾		620.0 ⁽³⁾	436.0*	624.0 ⁽⁵⁾	498.0*	620.0 ⁽⁴⁾	483.0*	590.0 ⁽²⁾	445.0*	474.0 ⁽¹⁾	353.0*	361.0 ⁽¹⁾	270.0*	271.0 ⁽¹⁾	231.0*	232.0 ⁽¹⁾	197.0	201.0 ⁽¹⁾	170.0	171.0 ⁽¹⁾
125	B		518.0 ⁽¹¹⁾		515.0 ⁽⁶⁾		520.0 ⁽⁷⁾	466.0*	516.0 ⁽⁵⁾	451.0*	503.0 ⁽²⁾	419.0*	449.0 ⁽²⁾	344.0*	353.0 ⁽¹⁾	265.0*	267.0 ⁽¹⁾	227.0*	228.0 ⁽¹⁾	198.0*	199.0 ⁽¹⁾	168.0	170.0 ⁽¹⁾
	BV		596.0 ⁽⁹⁾		592.0 ⁽⁴⁾		594.0 ⁽⁵⁾	466.0*	593.0 ⁽⁴⁾	460.0*	568.0 ⁽²⁾	436.0*	470.0 ⁽¹⁾	350.0*	360.0 ⁽¹⁾	268.0*	270.0 ⁽¹⁾	229.0*	230.0 ⁽¹⁾	199.0*	200.0 ⁽¹⁾	168.0	171.0 ⁽¹⁾
130	B		493.0 ⁽¹⁴⁾		493.0 ⁽⁶⁾		497.0 ⁽⁸⁾	431.0*	494.0 ⁽⁸⁾	434.0*	484.0 ⁽⁵⁾	409.0*	449.0 ⁽²⁾	341.0*	352.0 ⁽¹⁾	263.0*	266.0 ⁽¹⁾	225.0*	227.0 ⁽¹⁾	197.0*	197.0	169.0*	169.0
	BV		568.0 ⁽⁹⁾		567.0 ⁽⁵⁾		565.0 ⁽⁶⁾	431.0*	566.0 ⁽⁴⁾	436.0*	546.0 ⁽²⁾	422.0*	465.0 ⁽¹⁾	348.0*	359.0 ⁽¹⁾	267.0*	269.0 ⁽¹⁾	227.0*	229.0 ⁽¹⁾	198.0*	199.0 ⁽¹⁾	170.0*	170.0
135	B		468.0 ⁽¹¹⁾		473.0 ⁽⁹⁾		477.0 ⁽¹⁰⁾	400.0*	474.0 ⁽⁶⁾	416.0*	465.0 ⁽⁵⁾	397.0*	449.0 ⁽²⁾	338.0*	351.0 ⁽¹⁾	262.0*	264.0 ⁽¹⁾	223.0*	225.0 ⁽¹⁾	196.0*	196.0	168.0*	168.0
	BV		544.0 ⁽¹¹⁾		542.0 ⁽⁶⁾		539.0 ⁽⁶⁾	400.0*	538.0 ⁽⁴⁾	415.0*	524.0 ⁽²⁾	404.0*	466.0 ⁽²⁾	345.0*	358.0 ⁽¹⁾	265.0*	268.0 ⁽¹⁾	225.0*	227.0 ⁽¹⁾	197.0*	197.0	169.0*	169.0
140	B		447.0 ⁽¹¹⁾		454.0 ⁽¹⁰⁾		457.0 ⁽¹⁰⁾	357.0*	454.0 ⁽⁷⁾	396.0*	445.0 ⁽⁵⁾	383.0*	434.0 ⁽²⁾	335.0*	348.0 ⁽¹⁾	260.0*	263.0 ⁽¹⁾	220.0*	224.0 ⁽¹⁾	194.0*	195.0 ⁽¹⁾	167.0*	167.0
	BV		519.0 ⁽¹⁴⁾		519.0 ⁽⁶⁾		514.0 ⁽⁷⁾	358.0*	515.0 ⁽⁵⁾	394.0*	502.0 ⁽²⁾	387.0*	457.0 ⁽²⁾	342.0*	356.0 ⁽¹⁾	263.0*	267.0 ⁽¹⁾	223.0*	226.0 ⁽¹⁾	196.0*	196.0	168.0*	168.0
145	B		427.0 ⁽¹¹⁾		435.0 ⁽¹¹⁾		436.0 ⁽⁸⁾		436.0 ⁽⁸⁾	377.0*	429.0 ⁽⁴⁾	367.0*	418.0 ⁽²⁾	331.0*	347.0 ⁽²⁾	258.0*	262.0 ⁽¹⁾	218.0*	222.0 ⁽¹⁾	193.0*	194.0 ⁽¹⁾	166.0*	166.0
	BV		495.0 ⁽¹¹⁾		496.0 ⁽⁷⁾		494.0 ⁽⁸⁾		492.0 ⁽⁵⁾	375.0*	480.0 ⁽¹⁾	369.0*	451.0 ⁽¹⁾	337.0*	355.0 ⁽²⁾	262.0*	266.0 ⁽¹⁾						

HSDWB / HSDWBV



HS 217 ft



		HS 217 ft																					
ft	ft	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
38	B	915.0	915.0																				
	BV	920.0	920.0																				
40	B	932.0	932.0																				
	BV	939.0	939.0																				
45	B	925.0	938.0 ⁽¹⁾	847.0	853.0 ⁽¹⁾																		
	BV	938.0	951.0 ⁽¹⁾	857.0	864.0 ⁽¹⁾																		
50	B	957.0*	957.0	814.0	853.0 ⁽¹⁾	767.0	772.0 ⁽¹⁾																
	BV	976.0*	976.0	826.0	867.0 ⁽¹⁾	778.0	783.0 ⁽¹⁾																
55	B	922.0*	933.0 ⁽¹⁾	848.0*	851.0 ⁽¹⁾	743.0	772.0 ⁽¹⁾	683.0	687.0 ⁽¹⁾														
	BV	942.0*	966.0 ⁽¹⁾	864.0*	870.0 ⁽¹⁾	753.0	787.0 ⁽¹⁾	691.0	695.0 ⁽¹⁾														
60	B	884.0*	921.0 ⁽¹⁾	818.0*	841.0 ⁽¹⁾	772.0*	772.0	663.0	687.0 ⁽¹⁾														
	BV	903.0*	968.0 ⁽¹⁾	835.0*	871.0 ⁽¹⁾	790.0*	791.0 ⁽¹⁾	672.0	699.0 ⁽¹⁾														
65	B	849.0*	910.0 ⁽¹⁾	788.0*	832.0 ⁽¹⁾	751.0*	764.0 ⁽¹⁾	691.0*	691.0	549.0	550.0 ⁽¹⁾												
	BV	866.0*	970.0 ⁽¹⁾	805.0*	872.0 ⁽¹⁾	768.0*	792.0 ⁽¹⁾	705.0*	705.0	554.0	556.0 ⁽¹⁾												
70	B	813.0*	899.0 ⁽¹⁾	760.0*	822.0 ⁽¹⁾	727.0*	756.0 ⁽¹⁾	673.0*	685.0 ⁽¹⁾	538.0	551.0 ⁽¹⁾												
	BV	827.0*	972.0 ⁽¹⁾	776.0*	873.0 ⁽¹⁾	745.0*	793.0 ⁽¹⁾	688.0*	705.0 ⁽¹⁾	545.0	560.0 ⁽¹⁾												
75	B	750.0*	866.0 ⁽¹⁾	732.0*	812.0 ⁽¹⁾	705.0*	748.0 ⁽¹⁾	655.0*	681.0 ⁽¹⁾	558.0*	558.0	434.0	434.0										
	BV	751.0*	949.0 ⁽¹⁾	748.0*	874.0 ⁽¹⁾	722.0*	794.0 ⁽¹⁾	670.0*	708.0 ⁽¹⁾	568.0*	568.0	437.0	437.0										
80	B	675.0*	819.0 ⁽¹⁾	705.0*	799.0 ⁽¹⁾	681.0*	740.0 ⁽¹⁾	636.0*	676.0 ⁽¹⁾	549.0*	553.0 ⁽¹⁾	428.0	434.0 ⁽¹⁾	343.0	343.0								
	BV	677.0*	911.0 ⁽¹⁾	718.0*	871.0 ⁽¹⁾	699.0*	796.0 ⁽¹⁾	652.0*	711.0 ⁽¹⁾	560.0*	565.0 ⁽¹⁾	433.0	439.0 ⁽¹⁾	345.0	345.0								
85	B	573.0*	773.0 ⁽²⁾	666.0*	760.0 ⁽²⁾	653.0*	731.0 ⁽²⁾	617.0*	672.0 ⁽²⁾	535.0*	552.0 ⁽¹⁾	423.0	435.0 ⁽¹⁾	339.0	340.0 ⁽¹⁾								
	BV	572.0*	878.0 ⁽²⁾	670.0*	838.0 ⁽²⁾	675.0*	797.0 ⁽²⁾	634.0*	714.0 ⁽¹⁾	549.0*	565.0 ⁽¹⁾	428.0	441.0 ⁽¹⁾	342.0	342.0								
90	B		732.0 ⁽⁴⁾	613.0*	701.0 ⁽²⁾	624.0*	707.0 ⁽¹⁾	595.0*	668.0 ⁽¹⁾	522.0*	550.0 ⁽¹⁾	434.0*	435.0 ⁽¹⁾	336.0	339.0 ⁽¹⁾	263.0	263.0						
	BV		837.0 ⁽⁴⁾	614.0*	827.0 ⁽²⁾	647.0*	778.0 ⁽¹⁾	616.0*	716.0 ⁽¹⁾	537.0*	566.0 ⁽¹⁾	442.0*	443.0 ⁽¹⁾	339.0	342.0 ⁽¹⁾	264.0	264.0						
95	B		694.0 ⁽³⁾	560.0*	685.0 ⁽²⁾	595.0*	674.0 ⁽¹⁾	570.0*	659.0 ⁽¹⁾	508.0*	548.0 ⁽¹⁾	428.0*	433.0 ⁽¹⁾	332.0	338.0 ⁽¹⁾	260.0	260.0	227.0	227.0				
	BV		796.0 ⁽⁴⁾	561.0*	779.0 ⁽³⁾	621.0*	756.0 ⁽²⁾	596.0*	715.0 ⁽¹⁾	523.0*	567.0 ⁽¹⁾	437.0*	443.0 ⁽¹⁾	335.0	342.0 ⁽¹⁾	262.0	262.0	227.0	227.0				
100	B		660.0 ⁽³⁾	503.0*	652.0 ⁽³⁾	569.0*	642.0 ⁽²⁾	546.0*	631.0 ⁽¹⁾	494.0*	547.0 ⁽¹⁾	421.0*	432.0 ⁽¹⁾	338.0*	338.0	258.0	260.0 ⁽¹⁾	224.0	224.0	194.0	194.0		
	BV		755.0 ⁽³⁾	503.0*	744.0 ⁽³⁾	593.0*	725.0 ⁽²⁾	572.0*	691.0 ⁽¹⁾	509.0*	567.0 ⁽¹⁾	432.0*	442.0 ⁽¹⁾	342.0*	342.0	259.0	261.0 ⁽¹⁾	224.0	224.0	195.0	195.0		
105	B		628.0 ⁽³⁾	405.0*	622.0 ⁽³⁾	544.0*	613.0 ⁽³⁾	525.0*	603.0 ⁽²⁾	479.0*	545.0 ⁽¹⁾	414.0*	431.0 ⁽¹⁾	335.0*	337.0 ⁽¹⁾	255.0	259.0 ⁽¹⁾	221.0	223.0 ⁽¹⁾	193.0	193.0	166.0	166.0
	BV		716.0 ⁽³⁾	406.0*	709.0 ⁽³⁾	571.0*	702.0 ⁽³⁾	550.0*	679.0 ⁽²⁾	496.0*	568.0 ⁽¹⁾	426.0*	442.0 ⁽¹⁾	340.0*	342.0 ⁽¹⁾	257.0	261.0 ⁽¹⁾	222.0	224.0 ⁽¹⁾	193.0	193.0	166.0	166.0
110	B		597.0 ⁽³⁾		594.0 ⁽⁴⁾	523.0*	585.0 ⁽³⁾	506.0*	577.0 ⁽²⁾	465.0*	540.0 ⁽¹⁾	407.0*	430.0 ⁽¹⁾	332.0*	336.0 ⁽¹⁾	257.0*	259.0 ⁽¹⁾	218.0	222.0 ⁽¹⁾	191.0	192.0 ⁽¹⁾	164.0	164.0
	BV		680.0 ⁽³⁾		676.0 ⁽⁴⁾	549.0*	674.0 ⁽⁴⁾	530.0*	653.0 ⁽²⁾	483.0*	566.0 ⁽¹⁾	419.0*	442.0 ⁽¹⁾	338.0*	342.0 ⁽¹⁾	255.0	261.0 ⁽¹⁾	219.0	223.0 ⁽¹⁾	191.0	192.0 ⁽¹⁾	165.0	165.0
115	B		566.0 ⁽²⁾		567.0 ⁽⁷⁾	503.0*	559.0 ⁽³⁾	489.0*	553.0 ⁽³⁾	450.0*	521.0 ⁽¹⁾	400.0*	429.0 ⁽¹⁾	330.0*	335.0 ⁽¹⁾	257.0*	258.0 ⁽¹⁾	215.0	221.0 ⁽¹⁾	189.0	192.0 ⁽¹⁾	163.0	164.0 ⁽¹⁾
	BV		647.0 ⁽⁴⁾		643.0 ⁽⁴⁾	520.0*	647.0 ⁽⁵⁾	511.0*	635.0 ⁽³⁾	470.0*	554.0 ⁽¹⁾	412.0*	442.0 ⁽¹⁾	336.0*	341.0 ⁽¹⁾	260.0*	260.0	217.0	222.0 ⁽¹⁾	189.0	192.0 ⁽¹⁾	164.0	164.0
120	B		537.0 ⁽¹¹⁾		541.0 ⁽⁷⁾	453.0*	535.0 ⁽³⁾	471.0*	530.0 ⁽⁴⁾	436.0*	507.0 ⁽²⁾	393.0*	427.0 ⁽¹⁾	327.0*	334.0 ⁽¹⁾	256.0*	256.0	219.0*	220.0 ⁽¹⁾	187.0	191.0 ⁽¹⁾	162.0	163.0 ⁽¹⁾
	BV		617.0 ⁽⁴⁾		613.0 ⁽²⁾	457.0*	619.0 ⁽³⁾	495.0*	609.0 ⁽³⁾	456.0*	554.0 ⁽²⁾	405.0*	441.0 ⁽¹⁾	334.0*	341.0 ⁽¹⁾	258.0*	259.0 ⁽¹⁾	221.0*	221.0	188.0	192.0 ⁽¹⁾	162.0	164.0 ⁽¹⁾
125	B		512.0 ⁽¹¹⁾		515.0 ⁽⁷⁾		513.0 ⁽³⁾	454.0*	508.0 ⁽⁴⁾	422.0*	491.0 ⁽²⁾	385.0*	424.0 ⁽¹⁾	325.0*	333.0 ⁽¹⁾	254.0*	255.0 ⁽¹⁾	217.0*	218.0 ⁽¹⁾	190.0*	190.0	161.0	163.0 ⁽¹⁾
	BV		589.0 ⁽⁷⁾		585.0 ⁽³⁾		593.0 ⁽³⁾	477.0*	585.0 ⁽⁴⁾	442.0*	542.0 ⁽²⁾	397.0*	440.0 ⁽¹⁾	332.0*	340.0 ⁽¹⁾	257.0*	258.0 ⁽¹⁾	219.0*	220.0 ⁽¹⁾	191.0*	191.0	161.0	164.0 ⁽¹⁾
130	B		489.0 ⁽¹¹⁾		490.0 ⁽⁸⁾		493.0 ⁽⁷⁾	437.0*	489.0 ⁽³⁾	410.0*	472.0 ⁽²⁾	375.0*	417.0 ⁽²⁾	322.0*	333.0 ⁽¹⁾	252.0*	254.0 ⁽¹⁾	215.0*	217.0 ⁽¹⁾	189.0*	189.0	162.0*	162.0
	BV		564.0 ⁽¹¹⁾		560.0 ⁽⁴⁾		567.0 ⁽⁷⁾	445.0*	561.0 ⁽³⁾	429.0*	524.0 ⁽²⁾	389.0*	437.0 ⁽¹⁾	329.0*	340.0 ⁽¹⁾	255.0*	258.0 ⁽¹⁾	217.0*	218.0 ⁽¹⁾	190.0*	190.0	163.0*	163.0
135	B		465.0 ⁽¹¹⁾		466.0 ⁽⁶⁾		473.0 ⁽⁹⁾	413.0*	470.0 ⁽⁶⁾	398.0*	456.0 ⁽³⁾	366.0*	418.0 ⁽²⁾	319.0*	332.0 ⁽¹⁾	250.0*	253.0 ⁽¹⁾	213.0*	215.0 ⁽¹⁾	187.0*	188.0 ⁽¹⁾	161.0*	161.0
	BV		539.0 ⁽¹¹⁾		537.0 ⁽⁶⁾		543.0 ⁽⁶⁾	414.0*	538.0 ⁽³⁾	416.0*	517.0 ⁽³⁾	381.0*	438.0 ⁽²⁾	326.0*	340.0 ⁽¹⁾	254.0*	257.0 ⁽¹⁾	215.0*	217.0 ⁽¹⁾	189.0*	189.0	162.0*	162.0
140	B		442.0 ⁽¹¹⁾		447.0 ⁽⁸⁾		454.0 ⁽¹⁰⁾	377.0*	451.0 ⁽⁶⁾	386.0*	438.0 ⁽³⁾	357.0*	416.0 ⁽²⁾	314.0*	330.0 ⁽¹⁾	249.0*	252.0 ⁽¹⁾	210.0*	214.0 ⁽¹⁾	186.0*	187.0 ⁽¹⁾	160.0*	160.0
	BV		514.0 ⁽¹¹⁾		515.0 ⁽⁸⁾		518.0 ⁽⁷⁾	377.0*	515.0 ⁽³⁾	401.0*	498.0 ⁽³⁾	373.0*	437.0 ⁽²⁾	323.0*	339.0 ⁽¹⁾	252.0*	256.0 ⁽¹⁾	213.0*	216.0 ⁽¹⁾	188.0*	188.0	161.0*	161.0
145	B		422.0 ⁽¹¹⁾		430.0 ⁽¹¹⁾		434.0 ⁽¹⁰⁾		432.0 ⁽⁷⁾	374.0*	423.0 ⁽⁴⁾	347.0*	402.0 ⁽²⁾	310.0*	329.0 ⁽²⁾	247.0*	251.0 ⁽¹⁾	208.0*	212.0 ⁽¹⁾	185.0*	186.0 ⁽¹⁾	159.0*	159.0
	BV		491.0 ⁽¹¹⁾		495.0 ⁽⁸⁾		493.0 ⁽⁸⁾		494.0 ⁽⁶⁾	384.0*	480.0 ⁽³⁾	363.0*	429.0 ⁽²⁾	319.0*	337.0 ⁽¹⁾	251.0*	255.0 ⁽¹⁾	211.0*	215.0 ⁽¹⁾	186.0*	187.0 ⁽¹⁾	160.0*	160.0
150	B		403.0 ⁽¹¹⁾		413.0 ⁽¹¹⁾		414.0 ⁽¹⁰⁾		416.0 ⁽⁶⁾	362.0*	407.0 ⁽⁴⁾	338.0*	388.0 ⁽³⁾	304.0*	329.0 ⁽²⁾	245.0*	250.0 ⁽¹⁾	206.0*	211.0 ⁽¹⁾	183.0*	185.0 ⁽¹⁾	158.0*	158.0
	BV		469.0 ⁽¹¹⁾		474.0 ⁽⁸⁾		472.0 ⁽⁸⁾		473.0 ⁽⁶⁾	367.0*	461.0 ⁽³⁾	353.0*	425.0 ⁽¹⁾	315.0*	338.0 ⁽²⁾	249.0*	254.0 ⁽¹⁾	208.0*	213.0 ⁽¹⁾	185.0*	186.0 ⁽¹⁾	159.0*	159.0
155	B		384.0 ⁽¹¹⁾		396.0 ⁽¹¹⁾		396.0 ⁽¹¹⁾		400.0 ⁽⁹⁾	349.0*	391.0 ⁽⁵⁾	329.0*	385.0 ⁽³⁾	300.0*	329.0 ⁽²⁾	244.0*	249.0 ⁽¹⁾	204.0*	210.0 ⁽¹⁾	182.0*	184.0 ⁽¹⁾	157.0*	157.0
	BV		447.0 ⁽¹¹⁾		454.0 ⁽⁹⁾		453.0 ⁽⁹⁾		453.0 ⁽⁶⁾	350.0*	443.0 ⁽³⁾	340.0*	421.0 ⁽¹⁾	310.0*	338.0 ⁽²⁾	247.0*	253.0 ⁽¹⁾	206.0*	212.0 ⁽¹⁾	184.0*	186.0 ⁽¹⁾	158.0*	158.0
160	B		366.0 ⁽¹⁰⁾		379.0 ⁽¹¹⁾		378.0 ⁽¹¹⁾		386.0 ⁽¹⁰⁾	331.0*	377.0 ^{(5)</}												

HSDWB / HSDWBV



HS 236 ft



		HS 236 ft																					
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
40	B	850.0	850.0																				
	BV	856.0	856.0																				
45	B	827.0	853.0 ⁽¹⁾	755.0	756.0 ⁽¹⁾																		
	BV	836.0	864.0 ⁽¹⁾	761.0	761.0																		
50	B	858.0*	858.0	730.0	754.0 ⁽¹⁾	681.0	681.0																
	BV	873.0*	873.0	735.0	763.0 ⁽¹⁾	687.0	687.0																
55	B	828.0*	852.0 ⁽¹⁾	701.0	754.0 ⁽¹⁾	660.0	681.0 ⁽¹⁾	605.0	605.0														
	BV	843.0*	874.0 ⁽¹⁾	708.0	766.0 ⁽¹⁾	668.0	690.0 ⁽¹⁾	611.0	611.0														
60	B	795.0*	847.0 ⁽¹⁾	733.0*	751.0 ⁽¹⁾	688.0*	688.0	589.0	605.0 ⁽¹⁾														
	BV	811.0*	876.0 ⁽¹⁾	746.0*	767.0 ⁽¹⁾	699.0*	699.0	595.0	613.0 ⁽¹⁾														
65	B	765.0*	842.0 ⁽¹⁾	710.0*	750.0 ⁽¹⁾	668.0*	678.0 ⁽¹⁾	614.0*	614.0	487.0	487.0												
	BV	780.0*	877.0 ⁽¹⁾	721.0*	769.0 ⁽¹⁾	682.0*	695.0 ⁽¹⁾	624.0*	624.0	491.0	491.0												
70	B	732.0*	836.0 ⁽¹⁾	684.0*	748.0 ⁽¹⁾	649.0*	677.0 ⁽¹⁾	599.0*	605.0 ⁽¹⁾	477.0	487.0 ⁽¹⁾												
	BV	751.0*	879.0 ⁽¹⁾	697.0*	771.0 ⁽¹⁾	663.0*	697.0 ⁽¹⁾	610.0*	618.0 ⁽¹⁾	481.0	493.0 ⁽¹⁾												
75	B	699.0*	831.0 ⁽¹⁾	659.0*	746.0 ⁽¹⁾	629.0*	675.0 ⁽¹⁾	584.0*	603.0 ⁽¹⁾	465.0	488.0 ⁽¹⁾	388.0	388.0										
	BV	717.0*	880.0 ⁽¹⁾	673.0*	772.0 ⁽¹⁾	643.0*	699.0 ⁽¹⁾	596.0*	619.0 ⁽¹⁾	471.0	495.0 ⁽¹⁾	391.0	391.0										
80	B	666.0*	794.0 ⁽¹⁾	632.0*	745.0 ⁽¹⁾	605.0*	673.0 ⁽¹⁾	570.0*	601.0 ⁽¹⁾	487.0*	488.0 ⁽¹⁾	384.0	388.0 ⁽¹⁾										
	BV	685.0*	856.0 ⁽¹⁾	648.0*	774.0 ⁽¹⁾	622.0*	701.0 ⁽¹⁾	581.0*	620.0 ⁽¹⁾	495.0*	497.0 ⁽¹⁾	387.0	391.0 ⁽¹⁾										
85	B	632.0*	756.0 ⁽¹⁾	606.0*	730.0 ⁽¹⁾	581.0*	671.0 ⁽¹⁾	551.0*	599.0 ⁽¹⁾	477.0*	487.0 ⁽¹⁾	378.0	389.0 ⁽¹⁾	305.0	305.0								
	BV	633.0*	829.0 ⁽¹⁾	621.0*	766.0 ⁽¹⁾	598.0*	703.0 ⁽¹⁾	564.0*	621.0 ⁽¹⁾	486.0*	497.0 ⁽¹⁾	382.0	393.0 ⁽¹⁾	306.0	306.0								
90	B	718.0 ⁽³⁾	582.0*	703.0 ⁽²⁾	556.0*	669.0 ⁽³⁾	529.0*	597.0 ⁽¹⁾	464.0*	485.0 ⁽¹⁾	389.0*	389.0	301.0	304.0 ⁽¹⁾									
	BV	801.0 ⁽⁴⁾	597.0*	746.0 ⁽¹⁾	575.0*	705.0 ⁽¹⁾	546.0*	622.0 ⁽¹⁾	475.0*	496.0 ⁽¹⁾	394.0*	394.0	303.0	306.0 ⁽¹⁾									
95	B	682.0 ⁽⁴⁾	556.0*	672.0 ⁽¹⁾	531.0*	644.0 ⁽¹⁾	506.0*	595.0 ⁽¹⁾	452.0*	483.0 ⁽¹⁾	384.0*	387.0 ⁽¹⁾	297.0	303.0 ⁽¹⁾	235.0	235.0	204.0	204.0					
	BV	771.0 ⁽⁵⁾	572.0*	726.0 ⁽¹⁾	552.0*	688.0 ⁽¹⁾	526.0*	622.0 ⁽¹⁾	464.0*	496.0 ⁽¹⁾	390.0*	393.0 ⁽¹⁾	300.0	302.0 ⁽¹⁾	236.0	236.0							
100	B	649.0 ⁽⁴⁾	526.0*	641.0 ⁽⁵⁾	509.0*	625.0 ⁽²⁾	486.0*	584.0 ⁽¹⁾	440.0*	482.0 ⁽¹⁾	378.0*	386.0 ⁽¹⁾	293.0	301.0 ⁽¹⁾	233.0	235.0 ⁽¹⁾	203.0	203.0	177.0	177.0			
	BV	738.0 ⁽⁵⁾	523.0*	706.0 ⁽¹⁾	528.0*	671.0 ⁽²⁾	505.0*	617.0 ⁽¹⁾	451.0*	495.0 ⁽¹⁾	384.0*	393.0 ⁽¹⁾	296.0	306.0 ⁽¹⁾	234.0	236.0 ⁽¹⁾	204.0	204.0	178.0	178.0			
105	B	620.0 ⁽⁵⁾	459.0*	612.0 ⁽⁴⁾	490.0*	599.0 ⁽²⁾	467.0*	570.0 ⁽²⁾	427.0*	480.0 ⁽¹⁾	369.0*	384.0 ⁽¹⁾	301.0*	302.0 ⁽¹⁾	230.0	234.0 ⁽¹⁾	201.0	202.0 ⁽¹⁾	176.0	176.0	152.0	152.0	
	BV	705.0 ⁽⁵⁾	457.0*	685.0 ⁽¹⁾	508.0*	655.0 ⁽²⁾	485.0*	606.0 ⁽¹⁾	439.0*	495.0 ⁽¹⁾	378.0*	392.0 ⁽¹⁾	305.0*	306.0 ⁽¹⁾	232.0	236.0 ⁽¹⁾	202.0	203.0 ⁽¹⁾	176.0	176.0	152.0	152.0	
110	B	592.0 ⁽¹⁾	586.0 ⁽⁵⁾	472.0*	574.0 ⁽⁵⁾	451.0*	556.0 ⁽²⁾	413.0*	479.0 ⁽¹⁾	362.0*	383.0 ⁽¹⁾	298.0*	301.0 ⁽¹⁾	229.0*	234.0 ⁽¹⁾	199.0	202.0 ⁽¹⁾	175.0	175.0	150.0	150.0	150.0	150.0
	BV	672.0 ⁽²⁾	664.0 ⁽¹⁾	490.0*	636.0 ⁽¹⁾	469.0*	594.0 ⁽¹⁾	426.0*	494.0 ⁽¹⁾	372.0*	392.0 ⁽¹⁾	302.0*	306.0 ⁽¹⁾	230.0	236.0 ⁽¹⁾	200.0	203.0 ⁽¹⁾	175.0	176.0 ⁽¹⁾	151.0	151.0	151.0	151.0
115	B	564.0 ⁽¹⁾	561.0 ⁽⁷⁾	456.0*	549.0 ⁽⁴⁾	436.0*	538.0 ⁽³⁾	399.0*	472.0 ⁽¹⁾	356.0*	383.0 ⁽¹⁾	296.0*	300.0 ⁽¹⁾	233.0*	233.0	197.0	201.0 ⁽¹⁾	174.0	175.0 ⁽¹⁾	150.0	150.0	150.0	150.0
	BV	641.0 ⁽³⁾	635.0 ⁽¹⁾	475.0*	618.0 ⁽¹⁾	453.0*	583.0 ⁽¹⁾	413.0*	492.0 ⁽¹⁾	365.0*	391.0 ⁽¹⁾	300.0*	305.0 ⁽¹⁾	235.0*	235.0	198.0	202.0 ⁽¹⁾	174.0	176.0 ⁽¹⁾	150.0	151.0 ⁽¹⁾	151.0 ⁽¹⁾	151.0 ⁽¹⁾
120	B	537.0 ⁽¹⁾	538.0 ⁽⁸⁾	439.0*	527.0 ⁽⁵⁾	423.0*	519.0 ⁽²⁾	386.0*	460.0 ⁽¹⁾	349.0*	382.0 ⁽¹⁾	294.0*	299.0 ⁽¹⁾	232.0*	232.0	200.0*	201.0 ⁽¹⁾	172.0	175.0 ⁽¹⁾	149.0	150.0 ⁽¹⁾	150.0 ⁽¹⁾	150.0 ⁽¹⁾
	BV	611.0 ⁽³⁾	607.0 ⁽¹⁾	454.0*	598.0 ⁽¹⁾	439.0*	572.0 ⁽¹⁾	400.0*	488.0 ⁽¹⁾	358.0*	391.0 ⁽¹⁾	298.0*	305.0 ⁽¹⁾	234.0*	235.0 ⁽¹⁾	202.0*	202.0	173.0	176.0 ⁽¹⁾	149.0	150.0 ⁽¹⁾	150.0 ⁽¹⁾	150.0 ⁽¹⁾
125	B	509.0 ⁽¹⁾	514.0 ⁽⁸⁾	403.0*	506.0 ⁽⁴⁾	410.0*	500.0 ⁽⁴⁾	374.0*	459.0 ⁽²⁾	341.0*	381.0 ⁽¹⁾	291.0*	298.0 ⁽¹⁾	231.0*	231.0	199.0*	199.0	175.0*	175.0	148.0*	150.0 ⁽¹⁾	150.0 ⁽¹⁾	150.0 ⁽¹⁾
	BV	584.0 ⁽³⁾	580.0 ⁽²⁾	406.0*	573.0 ⁽¹⁾	425.0*	560.0 ⁽¹⁾	388.0*	484.0 ⁽¹⁾	351.0*	390.0 ⁽¹⁾	295.0*	305.0 ⁽¹⁾	233.0*	234.0 ⁽¹⁾	200.0*	201.0 ⁽¹⁾	176.0*	176.0	148.0*	150.0 ⁽¹⁾	150.0 ⁽¹⁾	150.0 ⁽¹⁾
130	B	484.0 ⁽¹⁾	492.0 ⁽⁹⁾	487.0 ⁽⁹⁾	396.0*	480.0 ⁽⁴⁾	363.0*	445.0 ⁽¹⁾	332.0*	378.0 ⁽¹⁾	288.0*	297.0 ⁽¹⁾	229.0*	231.0 ⁽¹⁾	197.0*	198.0 ⁽¹⁾	174.0*	174.0	149.0*	149.0	149.0	149.0	149.0
	BV	559.0 ⁽¹⁰⁾	555.0 ⁽⁹⁾	548.0 ⁽¹⁾	412.0*	543.0 ⁽¹⁾	377.0*	480.0 ⁽²⁾	343.0*	389.0 ⁽¹⁾	292.0*	297.0 ⁽¹⁾	232.0*	234.0 ⁽¹⁾	199.0*	200.0 ⁽¹⁾	175.0*	175.0	150.0*	150.0	150.0	150.0	150.0
135	B	463.0 ⁽¹⁾	470.0 ⁽⁹⁾	469.0 ⁽⁸⁾	383.0*	462.0 ⁽³⁾	352.0*	439.0 ⁽⁵⁾	323.0*	373.0 ⁽¹⁾	283.0*	290.0 ⁽¹⁾	228.0*	230.0 ⁽¹⁾	195.0*	197.0 ⁽¹⁾	173.0*	173.0	149.0*	149.0	149.0	149.0	149.0
	BV	535.0 ⁽¹⁾	532.0 ⁽⁴⁾	525.0 ⁽²⁾	400.0*	521.0 ⁽¹⁾	366.0*	476.0 ⁽¹⁾	334.0*	388.0 ⁽¹⁾	288.0*	304.0 ⁽¹⁾	231.0*	233.0 ⁽¹⁾	197.0*	199.0 ⁽¹⁾	174.0*	174.0	149.0*	149.0	149.0	149.0	149.0
140	B	442.0 ⁽¹⁾	447.0 ⁽⁹⁾	451.0 ⁽⁹⁾	371.0*	446.0 ⁽⁶⁾	342.0*	428.0 ⁽⁵⁾	314.0*	372.0 ⁽²⁾	279.0*	296.0 ⁽¹⁾	227.0*	229.0 ⁽¹⁾	193.0*	196.0 ⁽¹⁾	171.0*	172.0 ⁽¹⁾	148.0*	148.0	148.0	148.0	148.0
	BV	512.0 ⁽¹⁾	510.0 ⁽⁶⁾	503.0 ⁽⁵⁾	385.0*	500.0 ⁽¹⁾	356.0*	472.0 ⁽¹⁾	325.0*	386.0 ⁽¹⁾	284.0*	304.0 ⁽¹⁾	229.0*	233.0 ⁽¹⁾	195.0*	198.0 ⁽¹⁾	173.0*	173.0	148.0*	148.0	148.0	148.0	148.0
145	B	421.0 ⁽¹⁾	427.0 ⁽⁸⁾	433.0 ⁽¹⁰⁾	339.0*	430.0 ⁽⁷⁾	333.0*	412.0 ⁽⁵⁾	305.0*	368.0 ⁽²⁾	275.0*	295.0 ⁽¹⁾	225.0*	228.0 ⁽¹⁾	191.0*	195.0 ⁽¹⁾	170.0*	171.0 ⁽¹⁾	147.0*	147.0	147.0	147.0	147.0
	BV	489.0 ⁽¹⁾	491.0 ⁽⁹⁾	483.0 ⁽⁴⁾	341.0*	480.0 ⁽²⁾	346.0*	468.0 ⁽¹⁾	317.0*	384.0 ⁽¹⁾	280.0*	303.0 ⁽¹⁾	228.0*	232.0 ⁽¹⁾	193.0*	197.0 ⁽¹⁾	172.0*	173.0 ⁽¹⁾	148.0*	148.0	148.0	148.0	148.0
150	B	402.0 ⁽¹⁾	410.0 ⁽¹⁾	415.0 ⁽¹⁾	313.0*	413.0 ⁽⁷⁾	324.0*	402.0 ⁽⁴⁾	298.0*	359.0 ⁽²⁾	270.0*	294.0 ⁽²⁾	223.0*	228.0 ⁽¹⁾	189.0*	193.0 ⁽¹⁾	169.0*	170.0 ⁽¹⁾	146.0*	146.0	146.0	146.0	146.0
	BV	467.0 ⁽¹⁾	473.0 ⁽¹⁾	465.0 ⁽⁹⁾	327.0*	462.0 ⁽³⁾	336.0*	451.0 ⁽¹⁾	309.0*	383.0 ⁽¹⁾	275.0*	301.0 ⁽¹⁾	226.0*	232.0 ⁽¹⁾	191.0*	196.0 ⁽¹⁾	171.0*	172.0 ⁽¹⁾	147.0*	147.0	147.0	147.0	147.0
155	B	384.0 ⁽¹⁾	395.0 ⁽¹⁾	397.0 ⁽¹⁾	298.0*	398.0 ⁽¹⁾	315.0*	387.0 ⁽⁴⁾	290.0*	357.0 ⁽⁵⁾	264.0*	294.0 ⁽²⁾	221.0*	227.0 ⁽¹⁾	187.0*	192.0 ⁽¹⁾	168.0*	169.0 ⁽¹⁾	145.0*	145.0	145.0	145.0	145.0
	BV	447.0 ⁽¹⁾	454.0 ⁽¹⁰⁾	448.0 ⁽⁸⁾	327.0*	445.0 ⁽⁴⁾	327.0*	435.0 ⁽¹⁾	301.0*	381.0 ⁽¹⁾	270.0*	300.0 ⁽¹⁾	225.0*	231.0 ⁽¹⁾	190.0*	195.0 ⁽¹⁾	170.0*	170.0 ⁽¹⁾	144.0*	144.0	144.0	144.0	144.0

HSDWB / HSDWBV



HS 256 ft



		HS 256 ft																					
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
40	B	783.0	783.0																				
	BV	788.0	788.0																				
45	B	753.0	776.0 ⁽¹⁾	688.0	688.0																		
	BV	760.0	784.0 ⁽¹⁾	692.0	692.0																		
50	B	724.0	774.0 ⁽¹⁾	664.0	682.0 ⁽¹⁾	621.0	621.0																
	BV	731.0	785.0 ⁽¹⁾	670.0	689.0 ⁽¹⁾	625.0	625.0																
55	B	756.0*	771.0 ⁽¹⁾	641.0	682.0 ⁽¹⁾	602.0	617.0 ⁽¹⁾	553.0	553.0														
	BV	769.0*	786.0 ⁽¹⁾	648.0	691.0 ⁽¹⁾	608.0	624.0 ⁽¹⁾	557.0	557.0														
60	B	728.0*	768.0 ⁽¹⁾	672.0*	679.0 ⁽¹⁾	583.0	617.0 ⁽¹⁾	538.0	550.0 ⁽¹⁾														
	BV	742.0*	786.0 ⁽¹⁾	682.0*	692.0 ⁽¹⁾	589.0	626.0 ⁽¹⁾	544.0	556.0 ⁽¹⁾														
65	B	702.0*	766.0 ⁽¹⁾	650.0*	676.0 ⁽¹⁾	613.0*	615.0 ⁽¹⁾	524.0	550.0 ⁽¹⁾	445.0	445.0												
	BV	714.0*	787.0 ⁽¹⁾	660.0*	692.0 ⁽¹⁾	622.0*	627.0 ⁽¹⁾	529.0	558.0 ⁽¹⁾	448.0	448.0												
70	B	676.0*	764.0 ⁽¹⁾	627.0*	674.0 ⁽¹⁾	594.0*	613.0 ⁽¹⁾	549.0*	550.0 ⁽¹⁾	435.0	442.0 ⁽¹⁾												
	BV	688.0*	787.0 ⁽¹⁾	639.0*	693.0 ⁽¹⁾	606.0*	627.0 ⁽¹⁾	557.0*	559.0 ⁽¹⁾	439.0	447.0 ⁽¹⁾												
75	B	648.0*	761.0 ⁽¹⁾	607.0*	672.0 ⁽¹⁾	577.0*	610.0 ⁽¹⁾	535.0*	547.0 ⁽¹⁾	426.0	443.0 ⁽¹⁾	359.0	359.0										
	BV	663.0*	788.0 ⁽¹⁾	617.0*	693.0 ⁽¹⁾	589.0*	628.0 ⁽¹⁾	545.0*	559.0 ⁽¹⁾	430.0	449.0 ⁽¹⁾	362.0	362.0										
80	B	621.0*	752.0 ⁽¹⁾	587.0*	670.0 ⁽¹⁾	561.0*	608.0 ⁽¹⁾	521.0*	545.0 ⁽¹⁾	443.0*	444.0 ⁽¹⁾	352.0	357.0 ⁽¹⁾										
	BV	639.0*	784.0 ⁽¹⁾	597.0*	694.0 ⁽¹⁾	572.0*	628.0 ⁽¹⁾	531.0*	559.0 ⁽¹⁾	419.0	450.0 ⁽¹⁾	356.0	360.0 ⁽¹⁾										
85	B	599.0*	725.0 ⁽²⁾	562.0*	667.0 ⁽²⁾	541.0*	606.0 ⁽²⁾	506.0*	542.0 ⁽²⁾	435.0*	442.0 ⁽²⁾	345.0	356.0 ⁽²⁾	283.0	283.0								
	BV	617.0*	765.0 ⁽²⁾	577.0*	694.0 ⁽²⁾	553.0*	628.0 ⁽²⁾	518.0*	559.0 ⁽²⁾	443.0*	450.0 ⁽²⁾	350.0	361.0 ⁽²⁾	285.0	285.0								
90	B	698.0 ⁽³⁾	538.0*	649.0 ⁽³⁾	520.0*	604.0 ⁽³⁾	491.0*	540.0 ⁽³⁾	424.0*	440.0 ⁽³⁾	337.0	355.0 ⁽³⁾	280.0	282.0 ⁽¹⁾									
	BV	746.0 ⁽³⁾	555.0*	685.0 ⁽³⁾	534.0*	629.0 ⁽³⁾	491.0*	558.0 ⁽³⁾	432.0*	449.0 ⁽³⁾	342.0	361.0 ⁽³⁾	282.0	284.0 ⁽¹⁾									
95	B	666.0 ⁽⁴⁾	514.0*	629.0 ⁽²⁾	497.0*	597.0 ⁽¹⁾	472.0*	538.0 ⁽¹⁾	413.0*	438.0 ⁽¹⁾	352.0*	355.0 ⁽¹⁾	277.0	281.0 ⁽¹⁾	220.0	220.0							
	BV	726.0 ⁽⁴⁾	535.0*	673.0 ⁽¹⁾	513.0*	626.0 ⁽¹⁾	487.0*	558.0 ⁽¹⁾	422.0*	449.0 ⁽¹⁾	357.0*	361.0 ⁽¹⁾	279.0	284.0 ⁽¹⁾	220.0	220.0							
100	B	636.0 ⁽³⁾	494.0*	608.0 ⁽³⁾	475.0*	578.0 ⁽³⁾	454.0*	536.0 ⁽³⁾	402.0*	436.0 ⁽¹⁾	345.0*	354.0 ⁽¹⁾	271.0	281.0 ⁽¹⁾	217.0	219.0 ⁽¹⁾	190.0	190.0					
	BV	707.0 ⁽³⁾	514.0*	661.0 ⁽³⁾	491.0*	616.0 ⁽³⁾	469.0*	558.0 ⁽³⁾	411.0*	448.0 ⁽¹⁾	350.0*	360.0 ⁽¹⁾	274.0	284.0 ⁽¹⁾	218.0	220.0 ⁽¹⁾	190.0	190.0					
105	B	607.0 ⁽³⁾	474.0*	590.0 ⁽⁴⁾	465.0*	562.0 ⁽³⁾	437.0*	524.0 ⁽¹⁾	391.0*	435.0 ⁽¹⁾	338.0*	352.0 ⁽¹⁾	280.0*	280.0	215.0	219.0 ⁽¹⁾	189.0	189.0	165.0	165.0			
	BV	688.0 ⁽³⁾	489.0*	649.0 ⁽²⁾	472.0*	606.0 ⁽³⁾	451.0*	553.0 ⁽¹⁾	402.0*	448.0 ⁽¹⁾	344.0*	359.0 ⁽¹⁾	283.0*	284.0 ⁽¹⁾	217.0	220.0 ⁽¹⁾	189.0	190.0 ⁽¹⁾	165.0	165.0			
110	B	581.0 ⁽¹⁾	571.0 ⁽¹⁾	440.0*	552.0 ⁽³⁾	423.0*	517.0 ⁽²⁾	381.0*	433.0 ⁽¹⁾	332.0*	351.0 ⁽¹⁾	278.0*	280.0 ⁽¹⁾	214.0	218.0 ⁽¹⁾	187.0	189.0 ⁽¹⁾	164.0	164.0	142.0	142.0		
	BV	659.0 ⁽²⁾	637.0 ⁽¹⁾	447.0*	597.0 ⁽¹⁾	435.0*	547.0 ⁽¹⁾	392.0*	447.0 ⁽¹⁾	338.0*	358.0 ⁽¹⁾	281.0*	283.0 ⁽¹⁾	215.0	220.0 ⁽¹⁾	188.0	190.0 ⁽¹⁾	164.0	165.0 ⁽¹⁾	142.0	142.0		
115	B	556.0 ⁽¹⁾	548.0 ⁽¹⁾	426.0*	534.0 ⁽⁴⁾	407.0*	502.0 ⁽¹⁾	369.0*	432.0 ⁽¹⁾	326.0*	350.0 ⁽¹⁾	275.0*	279.0 ⁽¹⁾	219.0*	219.0	185.0	189.0 ⁽¹⁾	163.0	164.0 ⁽¹⁾	141.0	141.0		
	BV	631.0 ⁽²⁾	623.0 ⁽²⁾	443.0*	587.0 ⁽²⁾	421.0*	541.0 ⁽¹⁾	381.0*	447.0 ⁽¹⁾	332.0*	358.0 ⁽¹⁾	278.0*	283.0 ⁽¹⁾	220.0*	220.0	186.0	190.0 ⁽¹⁾	164.0	165.0 ⁽¹⁾	141.0	142.0 ⁽¹⁾		
120	B	530.0 ⁽¹⁾	526.0 ⁽¹⁾	412.0*	515.0 ⁽⁴⁾	393.0*	493.0 ⁽³⁾	358.0*	425.0 ⁽¹⁾	320.0*	349.0 ⁽¹⁾	271.0*	278.0 ⁽¹⁾	217.0*	218.0 ⁽¹⁾	183.0	189.0 ⁽¹⁾	162.0	164.0 ⁽¹⁾	140.0	141.0 ⁽¹⁾		
	BV	603.0 ⁽³⁾	597.0 ⁽¹⁾	430.0*	577.0 ⁽¹⁾	408.0*	536.0 ⁽¹⁾	369.0*	445.0 ⁽¹⁾	326.0*	357.0 ⁽¹⁾	275.0*	282.0 ⁽¹⁾	219.0*	220.0 ⁽¹⁾	184.0	190.0 ⁽¹⁾	163.0	165.0 ⁽¹⁾	141.0	142.0 ⁽¹⁾		
125	B	505.0 ⁽¹⁾	506.0 ⁽¹⁾	401.0*	495.0 ⁽³⁾	381.0*	478.0 ⁽⁴⁾	347.0*	417.0 ⁽¹⁾	313.0*	349.0 ⁽¹⁾	268.0*	277.0 ⁽¹⁾	216.0*	217.0 ⁽¹⁾	188.0*	188.0	161.0	164.0 ⁽¹⁾	139.0	141.0 ⁽¹⁾		
	BV	576.0 ⁽⁴⁾	572.0 ⁽²⁾	412.0*	562.0 ⁽¹⁾	396.0*	530.0 ⁽¹⁾	358.0*	442.0 ⁽¹⁾	321.0*	356.0 ⁽¹⁾	272.0*	282.0 ⁽¹⁾	218.0*	220.0 ⁽¹⁾	189.0*	190.0 ⁽¹⁾	162.0	165.0 ⁽¹⁾	140.0	142.0 ⁽¹⁾		
130	B	480.0 ⁽¹⁾	486.0 ⁽¹⁾	477.0 ⁽³⁾	370.0*	469.0 ⁽⁴⁾	337.0*	412.0 ⁽²⁾	306.0*	349.0 ⁽¹⁾	264.0*	277.0 ⁽¹⁾	215.0*	216.0 ⁽¹⁾	186.0*	187.0 ⁽¹⁾	164.0*	164.0	138.0*	141.0 ⁽¹⁾			
	BV	551.0 ⁽⁴⁾	547.0 ⁽²⁾	540.0 ⁽¹⁾	385.0*	524.0 ⁽¹⁾	347.0*	440.0 ⁽¹⁾	314.0*	355.0 ⁽¹⁾	268.0*	281.0 ⁽¹⁾	217.0*	219.0 ⁽¹⁾	188.0*	189.0 ⁽¹⁾	165.0*	165.0	139.0	142.0 ⁽¹⁾			
135	B	457.0 ⁽¹⁾	466.0 ⁽¹⁾	459.0 ⁽⁷⁾	360.0*	453.0 ⁽³⁾	328.0*	402.0 ⁽¹⁾	298.0*	346.0 ⁽¹⁾	260.0*	270.0 ⁽¹⁾	213.0*	213.0*	185.0*	186.0 ⁽¹⁾	163.0*	163.0	141.0*	141.0			
	BV	528.0 ⁽¹⁾	524.0 ⁽⁴⁾	517.0 ⁽²⁾	375.0*	511.0 ⁽¹⁾	338.0*	438.0 ⁽¹⁾	307.0*	354.0 ⁽¹⁾	265.0*	281.0 ⁽¹⁾	216.0*	219.0 ⁽¹⁾	186.0*	188.0 ⁽¹⁾	164.0*	165.0 ⁽¹⁾	141.0*	141.0			
140	B	438.0 ⁽¹⁾	445.0 ⁽¹⁾	443.0 ⁽⁸⁾	350.0*	436.0 ⁽³⁾	318.0*	397.0 ⁽⁵⁾	291.0*	343.0 ⁽¹⁾	257.0*	276.0 ⁽¹⁾	212.0*	215.0 ⁽¹⁾	183.0*	185.0 ⁽¹⁾	162.0*	163.0 ⁽¹⁾	140.0*	140.0			
	BV	507.0 ⁽¹⁾	503.0 ⁽⁴⁾	496.0 ⁽²⁾	364.0*	491.0 ⁽¹⁾	328.0*	435.0 ⁽¹⁾	299.0*	352.0 ⁽¹⁾	261.0*	281.0 ⁽¹⁾	214.0*	218.0 ⁽¹⁾	184.0*	187.0 ⁽¹⁾	164.0*	164.0	141.0*	141.0			
145	B	418.0 ⁽¹⁾	424.0 ⁽¹⁾	428.0 ⁽¹⁰⁾	343.0*	422.0 ⁽⁶⁾	308.0*	383.0 ⁽¹⁾	283.0*	349.0 ⁽¹⁾	253.0*	272.0 ⁽¹⁾	210.0*	214.0 ⁽¹⁾	181.0*	184.0 ⁽¹⁾	161.0*	162.0 ⁽¹⁾	139.0*	139.0			
	BV	485.0 ⁽¹⁾	484.0 ⁽⁶⁾	477.0 ⁽³⁾	351.0*	473.0 ⁽²⁾	319.0*	433.0 ⁽¹⁾	292.0*	351.0 ⁽¹⁾	257.0*	280.0 ⁽¹⁾	212.0*	218.0 ⁽¹⁾	183.0*	186.0 ⁽¹⁾	163.0*	163.0	140.0*	140.0			
150	B	399.0 ⁽¹⁾	404.0 ⁽¹⁾	412.0 ⁽¹⁾	340.0*	408.0 ⁽⁷⁾	299.0*	381.0 ⁽⁴⁾	276.0*	336.0 ⁽¹⁾	248.0*	274.0 ⁽¹⁾	208.0*	214.0 ⁽¹⁾	179.0*	183.0 ⁽¹⁾	160.0*	161.0 ⁽¹⁾	138.0*	138.0			
	BV	464.0 ⁽¹⁾	466.0 ⁽³⁾	458.0 ⁽⁴⁾	345.0 ⁽¹⁾	455.0 ⁽³⁾	311.0*	431.0 ⁽¹⁾	284.0*	349.0 ⁽¹⁾	253.0*	279.0 ⁽¹⁾	210.0*	217.0 ⁽¹⁾	181.0*	185.0 ⁽¹⁾	162.0*	163.0 ⁽¹⁾	139.0*	140.0 ⁽¹⁾			
155	B	380.0 ⁽¹⁾	388.0 ⁽¹⁾	395.0 ⁽¹⁾	291.0*	395.0 ⁽¹⁾	291.0*	371.0 ⁽⁴⁾	269.0*	333.0 ⁽¹⁾	243.0*	272.0 ⁽¹⁾	206.0*	213.0 ⁽¹⁾	177.0*	182.0 ⁽¹⁾	159.0*	160.0 ⁽¹⁾	137.0*	138.0 ⁽¹⁾			
	BV	442.0 ⁽¹⁾	449.0 ⁽¹⁾	441.0 ⁽³⁾	291.0*	439.0 ⁽³⁾	303.0*	417.0 ⁽¹⁾	277.0*	348.0 ⁽¹⁾	248.0*	277.0 ⁽¹⁾	208.0*	217.0 ⁽¹⁾	179.0*	185.0 ⁽¹⁾	161.0*	162.0 ⁽¹⁾	138.0*	139.0 ⁽¹⁾			
160	B	364.0 ⁽¹⁾	373.0 ⁽¹⁾	378.0 ⁽¹⁾	284.0*	381.0 ⁽²⁾	284.0*	364.0 ⁽⁵⁾	262.0*	330.0 ⁽¹⁾	237.0*	270.0 ⁽¹⁾	203.0*	213.0 ⁽¹⁾	175.0*	181.0 ⁽¹⁾	158.0*	160.0 ⁽¹⁾	136.0*	137.0 ⁽¹⁾			
	BV	424.0 ⁽¹⁾	433.0																				

HSDWB / HSDWBV



HS 256 ft



		HS 256 ft																																	
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft													
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax												
210	B		231.0 ⁽⁹⁾		241.0 ⁽¹⁰⁾		246.0 ⁽¹¹⁾		256.0 ⁽¹²⁾		263.0 ⁽¹⁰⁾		204.0*		262.0 ⁽⁹⁾		189.0*		242.0 ⁽²⁾		171.0*		205.0 ⁽²⁾		155.0*		171.0 ⁽²⁾		144.0*		154.0 ⁽²⁾		126.0*		132.0 ⁽²⁾
210	BV		277.0 ⁽⁹⁾		287.0 ⁽¹⁰⁾		291.0 ⁽¹¹⁾		301.0 ⁽¹²⁾		295.0 ⁽⁷⁾		211.0*		285.0 ⁽³⁾		196.0*		263.0 ⁽²⁾		177.0*		209.0 ⁽²⁾		158.0*		174.0 ⁽²⁾		147.0*		157.0 ⁽²⁾		128.0*		134.0 ⁽²⁾
220	B		212.0 ⁽⁹⁾		221.0 ⁽⁹⁾		225.0 ⁽¹⁰⁾		236.0 ⁽¹¹⁾		244.0 ⁽¹¹⁾		186.0*		246.0 ⁽⁸⁾		179.0*		232.0 ⁽³⁾		164.0*		203.0 ⁽²⁾		151.0*		168.0 ⁽³⁾		140.0*		152.0 ⁽³⁾		123.0*		130.0 ⁽²⁾
220	BV		256.0 ⁽⁹⁾		265.0 ⁽⁹⁾		268.0 ⁽¹⁰⁾		279.0 ⁽¹¹⁾		279.0 ⁽⁹⁾		188.0*		270.0 ⁽⁴⁾		186.0*		259.0 ⁽³⁾		169.0*		208.0 ⁽³⁾		154.0*		172.0 ⁽³⁾		143.0*		156.0 ⁽³⁾		125.0*		132.0 ⁽²⁾
230	B		195.0 ⁽⁹⁾		204.0 ⁽⁹⁾		206.0 ⁽¹⁰⁾		217.0 ⁽¹¹⁾		226.0 ⁽¹¹⁾				230.0 ⁽⁸⁾		169.0*		226.0 ⁽⁴⁾		156.0*		198.0 ⁽³⁾		146.0*		166.0 ⁽³⁾		136.0*		151.0 ⁽³⁾		120.0*		129.0 ⁽³⁾
230	BV		237.0 ⁽⁹⁾		245.0 ⁽⁹⁾		247.0 ⁽¹⁰⁾		258.0 ⁽¹¹⁾		265.0 ⁽¹¹⁾				255.0 ⁽³⁾		176.0*		246.0 ⁽³⁾		162.0*		207.0 ⁽³⁾		150.0*		170.0 ⁽³⁾		139.0*		154.0 ⁽³⁾		122.0*		131.0 ⁽³⁾
240	B		180.0 ⁽⁷⁾		187.0 ⁽⁸⁾		188.0 ⁽⁹⁾		198.0 ⁽¹⁰⁾		211.0 ⁽¹¹⁾				214.0 ⁽⁹⁾		160.0*		212.0 ⁽⁴⁾		148.0*		194.0 ⁽³⁾		140.0*		164.0 ⁽³⁾		130.0*		149.0 ⁽³⁾		117.0*		128.0 ⁽³⁾
240	BV		220.0 ⁽⁷⁾		227.0 ⁽⁸⁾		228.0 ⁽⁹⁾		238.0 ⁽¹⁰⁾		249.0 ⁽¹¹⁾				241.0 ⁽⁴⁾		167.0*		234.0 ⁽³⁾		154.0*		205.0 ⁽³⁾		144.0*		169.0 ⁽³⁾		134.0*		153.0 ⁽³⁾		119.0*		130.0 ⁽³⁾
250	B				172.0 ⁽⁸⁾		173.0 ⁽⁹⁾		182.0 ⁽¹⁰⁾		195.0 ⁽¹¹⁾				200.0 ⁽⁹⁾		151.0*		201.0 ⁽⁷⁾		140.0*		186.0 ⁽³⁾		133.0*		162.0 ⁽³⁾		125.0*		148.0 ⁽³⁾		113.0*		126.0 ⁽³⁾
250	BV				211.0 ⁽⁸⁾		211.0 ⁽⁹⁾		220.0 ⁽¹⁰⁾		233.0 ⁽¹¹⁾				230.0 ⁽⁹⁾		158.0*		222.0 ⁽⁴⁾		146.0*		201.0 ⁽³⁾		137.0*		167.0 ⁽³⁾		129.0*		151.0 ⁽³⁾		116.0*		129.0 ⁽³⁾
260	B				158.0 ⁽⁷⁾		158.0 ⁽⁸⁾		167.0 ⁽⁹⁾		181.0 ⁽¹⁰⁾				188.0 ⁽¹⁰⁾		139.0*		188.0 ⁽⁷⁾		132.0*		180.0 ⁽⁶⁾		126.0*		159.0 ⁽⁴⁾		119.0*		146.0 ⁽³⁾		110.0*		125.0 ⁽³⁾
260	BV				195.0 ⁽⁷⁾		195.0 ⁽⁸⁾		203.0 ⁽⁹⁾		217.0 ⁽¹¹⁾				218.0 ⁽⁹⁾		139.0*		211.0 ⁽³⁾		138.0*		200.0 ⁽⁴⁾		130.0*		165.0 ⁽³⁾		123.0*		150.0 ⁽³⁾		113.0*		127.0 ⁽³⁾
270	B						145.0 ⁽⁸⁾		153.0 ⁽⁹⁾		166.0 ⁽¹¹⁾				178.0 ⁽¹¹⁾				177.0 ⁽⁹⁾		126.0*		171.0 ⁽⁶⁾		119.0*		157.0 ⁽⁴⁾		113.0*		144.0 ⁽⁴⁾		105.0*		123.0 ⁽³⁾
270	BV						180.0 ⁽⁸⁾		188.0 ⁽⁹⁾		201.0 ⁽¹¹⁾				207.0 ⁽⁹⁾				201.0 ⁽⁶⁾		131.0*		193.0 ⁽⁴⁾		123.0*		163.0 ⁽⁴⁾		117.0*		148.0 ⁽³⁾		109.0*		126.0 ⁽³⁾
280	B						132.0 ⁽⁷⁾		140.0 ⁽⁸⁾		151.0 ⁽¹⁰⁾				166.0 ⁽¹¹⁾				166.0 ⁽⁹⁾		119.0*		163.0 ⁽⁷⁾		113.0*		153.0 ⁽⁴⁾		107.0*		142.0 ⁽⁴⁾		100.0*		121.0 ⁽³⁾
280	BV						167.0 ⁽⁷⁾		174.0 ⁽⁸⁾		185.0 ⁽¹⁰⁾				191.0 ⁽⁷⁾				191.0 ⁽⁷⁾		124.0*		185.0 ⁽⁴⁾		117.0*		161.0 ⁽⁴⁾		111.0*		147.0 ⁽⁴⁾		104.0*		124.0 ⁽³⁾
290	B								127.0 ⁽⁸⁾		138.0 ⁽¹⁰⁾				155.0 ⁽¹¹⁾				157.0 ⁽⁹⁾		112.0*		154.0 ⁽⁷⁾		107.0*		147.0 ⁽³⁾		102.0*		140.0 ⁽⁴⁾		94.7*		120.0 ⁽⁴⁾
290	BV								161.0 ⁽⁸⁾		171.0 ⁽¹⁰⁾				187.0 ⁽¹¹⁾				182.0 ⁽⁷⁾		117.0*		176.0 ⁽⁴⁾		111.0*		158.0 ⁽³⁾		105.0*		145.0 ⁽⁴⁾		98.3*		123.0 ⁽⁴⁾
300	B								116.0 ⁽⁷⁾		126.0 ⁽⁹⁾				143.0 ⁽¹¹⁾				150.0 ⁽¹⁰⁾		104.0*		146.0 ⁽⁷⁾		101.0*		140.0 ⁽⁹⁾		96.0*		134.0 ⁽⁵⁾		89.6*		119.0 ⁽⁴⁾
300	BV								149.0 ⁽⁷⁾		158.0 ⁽⁹⁾				175.0 ⁽¹¹⁾				174.0 ⁽⁷⁾		104.0*		168.0 ⁽³⁾		105.0*		156.0 ⁽⁴⁾		99.3*		143.0 ⁽⁴⁾		93.0*		122.0 ⁽⁴⁾
310	B										115.0 ⁽⁹⁾				131.0 ⁽¹¹⁾				142.0 ⁽¹¹⁾				139.0 ⁽⁸⁾		95.8*		134.0 ⁽⁶⁾		90.4*		131.0 ⁽⁵⁾		84.6*		117.0 ⁽⁵⁾
310	BV										146.0 ⁽⁹⁾				162.0 ⁽¹¹⁾				165.0 ⁽⁹⁾				160.0 ⁽³⁾		98.3*		153.0 ⁽⁴⁾		93.8*		142.0 ⁽⁵⁾		87.9*		121.0 ⁽⁴⁾
320	B										104.0 ⁽⁸⁾				119.0 ⁽¹⁰⁾				133.0 ⁽¹¹⁾				132.0 ⁽⁸⁾		87.7*		127.0 ⁽⁷⁾		85.3*		123.0 ⁽⁶⁾		79.8*		116.0 ⁽⁵⁾
320	BV										134.0 ⁽⁸⁾				149.0 ⁽¹⁰⁾				158.0 ⁽⁹⁾				153.0 ⁽⁶⁾		87.6*		147.0 ⁽⁴⁾		88.6*		139.0 ⁽⁴⁾		83.1*		120.0 ⁽⁵⁾
330	B										94.0 ⁽⁸⁾				109.0 ⁽¹⁰⁾				122.0 ⁽¹¹⁾				122.0 ⁽⁹⁾				118.0 ⁽⁷⁾		80.7*		118.0 ⁽⁷⁾		75.0*		111.0 ⁽⁵⁾
330	BV										123.0 ⁽⁸⁾				138.0 ⁽¹⁰⁾				151.0 ⁽¹⁰⁾				146.0 ⁽⁶⁾				142.0 ⁽⁵⁾		83.1*		137.0 ⁽⁴⁾		78.3*		119.0 ⁽⁵⁾
340	B										84.8 ⁽⁷⁾				98.3 ⁽⁹⁾				113.0 ⁽¹¹⁾				120.0 ⁽¹⁰⁾				116.0 ⁽⁸⁾		73.1*		113.0 ⁽⁷⁾		70.3*		109.0 ⁽⁶⁾
340	BV										113.0 ⁽⁷⁾				126.0 ⁽⁹⁾				140.0 ⁽¹⁰⁾				140.0 ⁽⁷⁾				136.0 ⁽⁶⁾		73.6*		131.0 ⁽⁵⁾		73.7*		118.0 ⁽⁵⁾
350	B														89.0 ⁽⁹⁾				104.0 ⁽¹¹⁾				112.0 ⁽¹¹⁾				110.0 ⁽⁹⁾				108.0 ⁽⁸⁾		66.2*		103.0 ⁽⁶⁾
350	BV														116.0 ⁽⁹⁾				130.0 ⁽¹¹⁾				134.0 ⁽⁸⁾				129.0 ⁽⁶⁾				126.0 ⁽⁵⁾		69.1*		117.0 ⁽⁵⁾
360	B														79.8 ⁽⁸⁾				93.3 ⁽¹⁰⁾				105.0 ⁽¹¹⁾				105.0 ⁽¹⁰⁾				102.0 ⁽⁶⁾		59.2*		98.7 ⁽⁷⁾
360	BV														106.0 ⁽⁸⁾				120.0 ⁽¹⁰⁾				127.0 ⁽⁹⁾				124.0 ⁽⁷⁾				121.0 ⁽⁶⁾		60.5*		116.0 ⁽⁵⁾
370	B														70.9 ⁽⁷⁾				84.4 ⁽¹⁰⁾				98.2 ⁽¹¹⁾				98.2 ⁽¹⁰⁾				97.0 ⁽⁹⁾				94.2 ⁽⁸⁾
370	BV														96.8 ⁽⁷⁾				110.0 ⁽¹⁰⁾				119.0 ⁽⁹⁾				115.0 ⁽⁸⁾				115.0 ⁽⁷⁾				110.0 ⁽⁵⁾
380	B														63.4 ⁽⁷⁾				75.6 ⁽⁹⁾				89.5 ⁽¹¹⁾				91.8 ⁽¹¹⁾				90.7 ⁽⁹⁾				88.6 ⁽⁸⁾
380	BV														88.7 ⁽⁷⁾				101.0 ⁽⁹⁾				112.0 ⁽¹⁰⁾				111.0 ⁽⁸⁾				110.0 ⁽⁷⁾				107.0 ⁽⁶⁾
390	B																		67.8 ⁽⁹⁾				80.8 ⁽¹¹⁾				85.8 ⁽¹¹⁾				85.3 ⁽¹⁰⁾				84.2 ⁽⁹⁾
390	BV																		105.0 ⁽⁹⁾				102.1 ⁽⁹⁾				104.0 ⁽⁹⁾				104.0 ⁽⁸⁾				100.0 ⁽⁷⁾
400	B																		59.5 ⁽⁸⁾				72.1 ⁽¹⁰⁾				77.8 ⁽¹¹⁾				80.2 ⁽¹¹⁾				78.6 ⁽⁹⁾
400	BV																		83.5 ⁽⁸⁾				96.0 ⁽¹⁰⁾				97.7 ⁽¹⁰⁾				97.6 ⁽⁸⁾				95.1 ⁽⁷⁾
410	B																		52.0 ⁽⁷⁾				64.3 ⁽¹⁰⁾				69.8 ⁽¹¹⁾				75.3 ⁽¹¹⁾				73.3 ⁽¹⁰⁾
410	BV																		75.1 ⁽⁷⁾				87.8 ⁽¹⁰⁾				92.4 ⁽¹¹⁾				91.1 ⁽⁹⁾				89.4 ⁽⁸⁾
420	B																		45.9 ⁽⁷⁾				56.5 ⁽⁹⁾				61.7 ⁽¹⁰⁾				67.9 ⁽¹¹⁾				68.9 ⁽¹¹⁾
420	BV																		68.1 ⁽⁷⁾				79.3 ⁽⁹⁾				84.3 ⁽¹⁰⁾				85.8 ⁽⁹⁾				84.0 ⁽

HSDWB / HSDWBV



HS 276 ft



		HS 276 ft																						
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	
45	B	677.0	692.0 ⁽¹⁾																					
45	BV	682.0	698.0 ⁽¹⁾																					
50	B	652.0	690.0 ⁽¹⁾	598.0	609.0 ⁽¹⁾	556.0	556.0																	
50	BV	658.0	699.0 ⁽¹⁾	602.0	614.0 ⁽¹⁾	560.0	560.0																	
55	B	683.0*	687.0 ⁽¹⁾	578.0	608.0 ⁽¹⁾	542.0	550.0 ⁽¹⁾	496.0	496.0															
55	BV	692.0*	699.0 ⁽¹⁾	583.0	615.0 ⁽¹⁾	545.0	555.0 ⁽¹⁾	500.0	500.0															
60	B	659.0*	683.0 ⁽¹⁾	605.0*	607.0 ⁽¹⁾	525.0	549.0 ⁽¹⁾	485.0	491.0 ⁽¹⁾															
60	BV	669.0*	698.0 ⁽¹⁾	613.0*	616.0 ⁽¹⁾	530.0	555.0 ⁽¹⁾	488.0	495.0 ⁽¹⁾															
65	B	637.0*	680.0 ⁽¹⁾	588.0*	603.0 ⁽¹⁾	550.0*	550.0	472.0	491.0 ⁽¹⁾	399.0	399.0													
65	BV	647.0*	697.0 ⁽¹⁾	595.0*	615.0 ⁽¹⁾	557.0*	557.0	476.0	496.0 ⁽¹⁾	401.0	401.0													
70	B	615.0*	677.0 ⁽¹⁾	569.0*	600.0 ⁽¹⁾	537.0*	546.0 ⁽¹⁾	493.0*	493.0	391.0	395.0 ⁽¹⁾													
70	BV	623.0*	696.0 ⁽¹⁾	576.0*	614.0 ⁽¹⁾	543.0*	556.0 ⁽¹⁾	499.0*	499.0	393.0	398.0 ⁽¹⁾													
75	B	592.0*	675.0 ⁽¹⁾	551.0*	597.0 ⁽¹⁾	522.0*	543.0 ⁽¹⁾	483.0*	489.0 ⁽¹⁾	383.0	394.0 ⁽¹⁾	323.0	323.0											
75	BV	602.0*	696.0 ⁽¹⁾	558.0*	613.0 ⁽¹⁾	529.0*	555.0 ⁽¹⁾	488.0*	496.0 ⁽¹⁾	385.0	399.0 ⁽¹⁾	325.0	325.0											
80	B	571.0*	672.0 ⁽¹⁾	533.0*	594.0 ⁽¹⁾	507.0*	540.0 ⁽¹⁾	470.0*	486.0 ⁽¹⁾	398.0*	398.0	316.0	319.0 ⁽¹⁾											
80	BV	582.0*	695.0 ⁽¹⁾	540.0*	613.0 ⁽¹⁾	514.0*	554.0 ⁽¹⁾	476.0*	495.0 ⁽¹⁾	376.0	399.0 ⁽¹⁾	319.0	322.0 ⁽¹⁾											
85	B	551.0*	659.0 ⁽¹⁾	514.0*	591.0 ⁽¹⁾	491.0*	538.0 ⁽¹⁾	457.0*	483.0 ⁽¹⁾	390.0*	393.0 ⁽¹⁾	310.0	318.0 ⁽¹⁾	258.0	258.0									
85	BV	563.0*	688.0 ⁽¹⁾	522.0*	612.0 ⁽¹⁾	500.0*	553.0 ⁽¹⁾	465.0*	494.0 ⁽¹⁾	395.0*	399.0 ⁽¹⁾	312.0	321.0 ⁽¹⁾	259.0	259.0									
90	B	532.0*	639.0 ⁽¹⁾	494.0*	588.0 ⁽¹⁾	474.0*	535.0 ⁽¹⁾	444.0*	480.0 ⁽¹⁾	381.0*	392.0 ⁽¹⁾	303.0	317.0 ⁽¹⁾	253.0	255.0 ⁽¹⁾									
90	BV	549.0*	677.0 ⁽¹⁾	506.0*	611.0 ⁽¹⁾	485.0*	552.0 ⁽¹⁾	452.0*	493.0 ⁽¹⁾	386.0*	398.0 ⁽¹⁾	305.0	321.0 ⁽¹⁾	255.0	256.0 ⁽¹⁾									
95	B		617.0 ⁽¹⁾	473.0*	573.0 ⁽¹⁾	454.0*	533.0 ⁽¹⁾	430.0*	478.0 ⁽¹⁾	371.0*	390.0 ⁽¹⁾	315.0*	316.0 ⁽¹⁾	248.0	254.0 ⁽¹⁾	198.0	198.0							
95	BV		667.0 ⁽¹⁾	480.0*	604.0 ⁽¹⁾	467.0*	552.0 ⁽¹⁾	438.0*	492.0 ⁽¹⁾	377.0*	397.0 ⁽¹⁾	319.0*	320.0 ⁽¹⁾	250.0	256.0 ⁽¹⁾	199.0	199.0							
100	B		595.0 ⁽¹⁾	455.0*	559.0 ⁽¹⁾	436.0*	525.0 ⁽¹⁾	415.0*	476.0 ⁽¹⁾	361.0*	388.0 ⁽¹⁾	310.0*	315.0 ⁽¹⁾	244.0	253.0 ⁽¹⁾	197.0	197.0	172.0	172.0					
100	BV		656.0 ⁽¹⁾	471.0*	598.0 ⁽¹⁾	449.0*	548.0 ⁽¹⁾	425.0*	491.0 ⁽¹⁾	367.0*	395.0 ⁽¹⁾	314.0*	319.0 ⁽¹⁾	245.0	255.0 ⁽¹⁾	198.0	198.0	173.0	173.0					
105	B		576.0 ⁽¹⁾	440.0*	544.0 ⁽¹⁾	419.0*	513.0 ⁽¹⁾	401.0*	473.0 ⁽¹⁾	353.0*	386.0 ⁽¹⁾	304.0*	314.0 ⁽¹⁾	254.0*	254.0	195.0	197.0 ⁽¹⁾	171.0	171.0	150.0	150.0			
105	BV		645.0 ⁽¹⁾	455.0*	591.0 ⁽¹⁾	433.0*	543.0 ⁽¹⁾	411.0*	490.0 ⁽¹⁾	358.0*	394.0 ⁽¹⁾	308.0*	319.0 ⁽¹⁾	255.0*	255.0	196.0	198.0 ⁽¹⁾	171.0	172.0 ⁽¹⁾	150.0	150.0			
110	B		560.0 ⁽¹⁾	415.0*	530.0 ⁽¹⁾	404.0*	501.0 ⁽¹⁾	387.0*	465.0 ⁽¹⁾	345.0*	385.0 ⁽¹⁾	298.0*	313.0 ⁽¹⁾	251.0*	253.0 ⁽¹⁾	192.0	197.0 ⁽¹⁾	170.0	171.0 ⁽¹⁾	148.0	149.0 ⁽¹⁾	129.0	129.0	
110	BV		634.0 ⁽¹⁾	416.0*	585.0 ⁽¹⁾	418.0*	537.0 ⁽¹⁾	398.0*	488.0 ⁽¹⁾	350.0*	393.0 ⁽¹⁾	301.0*	318.0 ⁽¹⁾	252.0*	254.0 ⁽¹⁾	194.0	199.0 ⁽¹⁾	170.0	172.0 ⁽¹⁾	149.0	149.0	129.0	129.0	
115	B		544.0 ⁽¹⁾		516.0 ⁽¹⁾	392.0*	489.0 ⁽¹⁾	374.0*	457.0 ⁽¹⁾	336.0*	383.0 ⁽¹⁾	293.0*	312.0 ⁽¹⁾	247.0*	252.0 ⁽¹⁾	190.0	197.0 ⁽¹⁾	168.0	172.0 ⁽¹⁾	148.0	149.0 ⁽¹⁾	128.0	128.0	
115	BV		610.0 ⁽¹⁾		578.0 ⁽¹⁾	406.0*	532.0 ⁽¹⁾	385.0*	485.0 ⁽¹⁾	341.0*	392.0 ⁽¹⁾	296.0*	317.0 ⁽¹⁾	249.0*	254.0 ⁽¹⁾	191.0	199.0 ⁽¹⁾	169.0	173.0 ⁽¹⁾	148.0	150.0 ⁽¹⁾	128.0	128.0 ⁽¹⁾	
120	B		521.0 ⁽¹⁾		500.0 ⁽¹⁾	381.0*	477.0 ⁽¹⁾	363.0*	449.0 ⁽¹⁾	326.0*	381.0 ⁽¹⁾	288.0*	311.0 ⁽¹⁾	244.0*	249.0 ⁽¹⁾	197.0*	197.0	167.0	172.0 ⁽¹⁾	147.0	149.0 ⁽¹⁾	127.0	128.0 ⁽¹⁾	
120	BV		585.0 ⁽¹⁾		570.0 ⁽¹⁾	394.0*	527.0 ⁽¹⁾	374.0*	482.0 ⁽¹⁾	333.0*	391.0 ⁽¹⁾	290.0*	316.0 ⁽¹⁾	246.0*	253.0 ⁽¹⁾	198.0*	199.0 ⁽¹⁾	168.0	173.0 ⁽¹⁾	148.0	150.0 ⁽¹⁾	128.0	129.0 ⁽¹⁾	
125	B		498.0 ⁽¹⁾		481.0 ⁽¹⁾	369.0*	466.0 ⁽¹⁾	351.0*	441.0 ⁽¹⁾	317.0*	377.0 ⁽¹⁾	283.0*	311.0 ⁽¹⁾	241.0*	250.0 ⁽¹⁾	196.0*	196.0	171.0*	171.0	146.0	149.0 ⁽¹⁾	127.0	128.0 ⁽¹⁾	
125	BV		560.0 ⁽¹⁾		549.0 ⁽¹⁾	381.0*	521.0 ⁽¹⁾	362.0*	480.0 ⁽¹⁾	325.0*	389.0 ⁽¹⁾	284.0*	315.0 ⁽¹⁾	242.0*	253.0 ⁽¹⁾	197.0*	198.0 ⁽¹⁾	173.0*	173.0	147.0	150.0 ⁽¹⁾	127.0	129.0 ⁽¹⁾	
130	B		475.0 ⁽¹⁾		473.0 ⁽¹⁾		452.0 ⁽¹⁾	341.0*	434.0 ⁽¹⁾	308.0*	379.0 ⁽¹⁾	277.0*	310.0 ⁽¹⁾	237.0*	249.0 ⁽¹⁾	194.0*	196.0 ⁽¹⁾	170.0*	171.0 ⁽¹⁾	149.0*	149.0	128.0*	128.0	
130	BV		535.0 ⁽¹⁾		528.0 ⁽¹⁾		512.0 ⁽¹⁾	352.0*	477.0 ⁽¹⁾	316.0*	388.0 ⁽¹⁾	278.0*	315.0 ⁽¹⁾	239.0*	252.0 ⁽¹⁾	195.0*	198.0 ⁽¹⁾	172.0*	172.0	150.0*	150.0	126.0	129.0 ⁽¹⁾	
135	B		452.0 ⁽¹⁾		459.0 ⁽¹⁾		441.0 ⁽¹⁾	332.0*	426.0 ⁽¹⁾	299.0*	371.0 ⁽¹⁾	271.0*	309.0 ⁽¹⁾	234.0*	248.0 ⁽¹⁾	192.0*	195.0 ⁽¹⁾	169.0*	170.0 ⁽¹⁾	149.0*	149.0	128.0*	128.0	
135	BV		513.0 ⁽¹⁾		508.0 ⁽¹⁾		494.0 ⁽¹⁾	343.0*	475.0 ⁽¹⁾	308.0*	386.0 ⁽¹⁾	273.0*	314.0 ⁽¹⁾	235.0*	252.0 ⁽¹⁾	193.0*	197.0 ⁽¹⁾	171.0*	172.0 ⁽¹⁾	150.0*	150.0	129.0*	129.0	
140	B		432.0 ⁽¹⁾		440.0 ⁽¹⁾		430.0 ⁽¹⁾	323.0*	414.0 ⁽¹⁾	290.0*	367.0 ⁽¹⁾	265.0*	307.0 ⁽¹⁾	230.0*	248.0 ⁽¹⁾	190.0*	195.0 ⁽¹⁾	168.0*	169.0 ⁽¹⁾	148.0*	148.0	128.0*	128.0	
140	BV		493.0 ⁽¹⁾		487.0 ⁽¹⁾		477.0 ⁽¹⁾	333.0*	465.0 ⁽¹⁾	299.0*	384.0 ⁽¹⁾	267.0*	312.0 ⁽¹⁾	231.0*	251.0 ⁽¹⁾	191.0*	197.0 ⁽¹⁾	169.0*	171.0 ⁽¹⁾	149.0*	150.0 ⁽¹⁾	129.0*	129.0	
145	B		414.0 ⁽¹⁾		422.0 ⁽¹⁾		419.0 ⁽¹⁾	315.0*	399.0 ⁽¹⁾	283.0*	364.0 ⁽¹⁾	258.0*	305.0 ⁽¹⁾	227.0*	247.0 ⁽¹⁾	188.0*	194.0 ⁽¹⁾	166.0*	168.0 ⁽¹⁾	147.0*	147.0	128.0*	128.0	
145	BV		473.0 ⁽¹⁾		468.0 ⁽¹⁾		459.0 ⁽¹⁾	326.0*	450.0 ⁽¹⁾	291.0*	383.0 ⁽¹⁾	262.0*	311.0 ⁽¹⁾	227.0*	251.0 ⁽¹⁾	189.0*	196.0 ⁽¹⁾	168.0*	171.0 ⁽¹⁾	148.0*	149.0 ⁽¹⁾	128.0*	128.0	
150	B		396.0 ⁽¹⁾		403.0 ⁽¹⁾		404.0 ⁽¹⁾		387.0 ⁽¹⁾	274.0*	360.0 ⁽¹⁾	252.0*	303.0 ⁽¹⁾	223.0*	246.0 ⁽¹⁾	186.0*	194.0 ⁽¹⁾	164.0*	166.0 ⁽¹⁾	146.0*	146.0	127.0*	127.0	
150	BV		454.0 ⁽¹⁾		450.0 ⁽¹⁾		441.0 ⁽¹⁾		436.0 ⁽¹⁾	284.0*	381.0 ⁽¹⁾	256.0*	310.0 ⁽¹⁾	223.0*	250.0 ⁽¹⁾	186.0*	196.0 ⁽¹⁾	166.0*	170.0 ⁽¹⁾	147.0*	149.0 ⁽¹⁾	128.0*	128.0	
155	B		378.0 ⁽¹⁾		384.0 ⁽¹⁾		390.0 ⁽¹⁾		380.0 ⁽¹⁾	267.0*	357.0 ⁽¹⁾	245.0*	301.0 ⁽¹⁾	219.0*	245.0 ⁽¹⁾	183.0*	193.0 ⁽¹⁾	163.0*	167.0 ⁽¹⁾	146.0*	146.0	126.0*	126.0	
155	BV		437.0 ⁽¹⁾		434.0 ⁽¹⁾		425.0 ⁽¹⁾		421.0 ⁽¹⁾	277.0*	379.0 ⁽¹⁾	251.0*	308.0 ⁽¹⁾	219.0*	249.0 ⁽¹⁾	184.0*	195.0 ⁽¹⁾	164.0*	169.0 ⁽¹⁾	146.0*	148.0 ⁽¹⁾	127.0*	127.0	
160	B		360.0 ⁽¹⁾		368.0 ⁽¹⁾		374.0 ⁽¹⁾		372.0 ⁽¹⁾	261.0*	345.0 ⁽¹⁾	239.0*	299.0 ⁽¹⁾	215.0*	244.0 ⁽¹⁾	181.0*	193.0 ⁽¹⁾	161.0*	166.0 ⁽¹⁾	144.0*	146.0 ⁽¹⁾	125.0*	126.0 ⁽¹⁾	
160	BV		420.0 ⁽¹⁾		419.0 ⁽¹⁾		409.0 ⁽¹⁾		406.0 ⁽¹⁾	270.0*	371.0 ⁽¹⁾	246.0*												

HSDWB / HSDWBV



HS 276 ft



		HS 276 ft																							
ft	ft	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft			
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax		
220	B		210.0 ⁽⁹⁾		220.0 ⁽¹⁰⁾		224.0 ⁽¹¹⁾		235.0 ⁽¹¹⁾		245.0 ⁽¹¹⁾		179.0*		234.0 ⁽⁹⁾	165.0*	220.0 ⁽⁹⁾	146.0*	181.0 ⁽²⁾	136.0*	155.0 ⁽³⁾	125.0*	140.0 ⁽²⁾	111.0*	120.0 ⁽²⁾
	BV		254.0 ⁽⁹⁾		263.0 ⁽¹⁰⁾		267.0 ⁽¹¹⁾		278.0 ⁽¹¹⁾		266.0 ⁽⁴⁾		186.0*		260.0 ⁽²⁾	170.0*	233.0 ⁽³⁾	150.0*	186.0 ⁽²⁾	137.0*	159.0 ⁽²⁾	125.0*	142.0 ⁽²⁾	111.0*	122.0 ⁽²⁾
230	B		193.0 ⁽⁹⁾		202.0 ⁽⁹⁾		204.0 ⁽¹⁰⁾		216.0 ⁽¹¹⁾		225.0 ⁽¹¹⁾				226.0 ⁽⁹⁾	157.0*	212.0 ⁽³⁾	140.0*	179.0 ⁽²⁾	130.0*	153.0 ⁽³⁾	121.0*	139.0 ⁽³⁾	108.0*	118.0 ⁽³⁾
	BV		234.0 ⁽⁹⁾		243.0 ⁽⁹⁾		246.0 ⁽¹⁰⁾		257.0 ⁽¹¹⁾		252.0 ⁽⁶⁾				246.0 ⁽³⁾	162.0*	229.0 ⁽³⁾	144.0*	184.0 ⁽²⁾	132.0*	157.0 ⁽³⁾	121.0*	140.0 ⁽²⁾	108.0*	121.0 ⁽³⁾
240	B		177.0 ⁽⁹⁾		185.0 ⁽⁹⁾		187.0 ⁽¹⁰⁾		197.0 ⁽¹¹⁾		209.0 ⁽¹¹⁾				216.0 ⁽¹⁰⁾	149.0*	201.0 ⁽⁴⁾	133.0*	178.0 ⁽³⁾	124.0*	152.0 ⁽³⁾	116.0*	137.0 ⁽³⁾	105.0*	118.0 ⁽³⁾
	BV		217.0 ⁽⁹⁾		225.0 ⁽⁹⁾		227.0 ⁽¹⁰⁾		237.0 ⁽¹¹⁾		239.0 ⁽⁷⁾				233.0 ⁽³⁾	153.0*	223.0 ⁽³⁾	138.0*	182.0 ⁽³⁾	128.0*	156.0 ⁽³⁾	117.0*	139.0 ⁽³⁾	105.0*	120.0 ⁽³⁾
250	B		162.0 ⁽⁷⁾		170.0 ⁽⁸⁾		171.0 ⁽⁹⁾		181.0 ⁽¹⁰⁾		194.0 ⁽¹¹⁾				202.0 ⁽¹⁰⁾	140.0*	189.0 ⁽⁷⁾	127.0*	176.0 ⁽³⁾	119.0*	150.0 ⁽³⁾	111.0*	136.0 ⁽³⁾	101.0*	116.0 ⁽³⁾
	BV		201.0 ⁽⁷⁾		208.0 ⁽⁸⁾		209.0 ⁽⁹⁾		219.0 ⁽¹⁰⁾		227.0 ⁽⁹⁾				222.0 ⁽⁴⁾	145.0*	216.0 ⁽²⁾	132.0*	181.0 ⁽³⁾	123.0*	154.0 ⁽³⁾	113.0*	138.0 ⁽³⁾	101.0*	119.0 ⁽³⁾
260	B		149.0 ⁽⁴⁾		156.0 ⁽⁸⁾		156.0 ⁽⁹⁾		166.0 ⁽¹⁰⁾		179.0 ⁽¹⁰⁾				188.0 ⁽¹⁰⁾	133.0*	183.0 ⁽⁶⁾	120.0*	168.0 ⁽⁴⁾	113.0*	148.0 ⁽³⁾	106.0*	134.0 ⁽³⁾	97.5*	115.0 ⁽³⁾
	BV		186.0 ⁽⁷⁾		193.0 ⁽⁸⁾		193.0 ⁽⁹⁾		202.0 ⁽¹⁰⁾		216.0 ⁽¹¹⁾				211.0 ⁽³⁾	138.0*	205.0 ⁽³⁾	125.0*	178.0 ⁽³⁾	117.0*	153.0 ⁽³⁾	109.0*	137.0 ⁽³⁾	98.2*	118.0 ⁽³⁾
270	B				143.0 ⁽⁷⁾		143.0 ⁽⁸⁾		151.0 ⁽⁹⁾		165.0 ⁽¹¹⁾				176.0 ⁽¹¹⁾	140.0*	177.0 ⁽⁹⁾	114.0*	164.0 ⁽⁴⁾	107.0*	146.0 ⁽⁴⁾	101.0*	133.0 ⁽³⁾	93.2*	113.0 ⁽³⁾
	BV				179.0 ⁽⁷⁾		178.0 ⁽⁸⁾		187.0 ⁽⁹⁾		200.0 ⁽¹¹⁾				201.0 ⁽⁴⁾	140.0*	194.0 ⁽⁴⁾	118.0*	175.0 ⁽³⁾	111.0*	151.0 ⁽³⁾	105.0*	136.0 ⁽³⁾	95.1*	116.0 ⁽³⁾
280	B				131.0 ⁽⁶⁾		130.0 ⁽⁸⁾		138.0 ⁽⁹⁾		151.0 ⁽¹¹⁾				165.0 ⁽¹¹⁾	140.0*	167.0 ⁽⁹⁾	107.0*	154.0 ⁽³⁾	101.0*	145.0 ⁽⁴⁾	95.5*	131.0 ⁽⁴⁾	88.6*	112.0 ⁽³⁾
	BV				166.0 ⁽⁷⁾		165.0 ⁽⁸⁾		173.0 ⁽⁹⁾		185.0 ⁽¹¹⁾				191.0 ⁽⁸⁾	140.0*	186.0 ⁽⁴⁾	112.0*	172.0 ⁽³⁾	105.0*	150.0 ⁽⁴⁾	99.5*	134.0 ⁽³⁾	91.5*	115.0 ⁽³⁾
290	B				118.0 ⁽¹⁰⁾		126.0 ⁽⁹⁾		126.0 ⁽⁹⁾		138.0 ⁽¹⁰⁾				154.0 ⁽¹¹⁾	140.0*	157.0 ⁽¹⁰⁾	102.0*	147.0 ⁽³⁾	95.5*	139.0 ⁽³⁾	90.2*	130.0 ⁽⁴⁾	83.5*	110.0 ⁽⁴⁾
	BV				152.0 ⁽⁷⁾		159.0 ⁽⁸⁾		159.0 ⁽⁸⁾		170.0 ⁽¹⁰⁾				182.0 ⁽⁹⁾	140.0*	177.0 ⁽³⁾	106.0*	169.0 ⁽³⁾	99.9*	148.0 ⁽⁴⁾	94.0*	133.0 ⁽⁴⁾	87.1*	113.0 ⁽³⁾
300	B				107.0 ⁽⁷⁾		115.0 ⁽⁸⁾		115.0 ⁽⁸⁾		125.0 ⁽¹⁰⁾				143.0 ⁽¹¹⁾	140.0*	149.0 ⁽¹⁰⁾	97.0*	141.0 ⁽⁶⁾	90.0*	137.0 ⁽³⁾	85.3*	125.0 ⁽⁵⁾	78.8*	109.0 ⁽⁴⁾
	BV				140.0 ⁽⁷⁾		147.0 ⁽⁸⁾		147.0 ⁽⁸⁾		157.0 ⁽¹⁰⁾				174.0 ⁽¹¹⁾	140.0*	169.0 ⁽⁶⁾	101.0*	160.0 ⁽⁴⁾	94.4*	146.0 ⁽⁴⁾	89.0*	132.0 ⁽⁶⁾	82.3*	113.0 ⁽⁴⁾
310	B						104.0 ⁽⁷⁾		104.0 ⁽⁷⁾		113.0 ⁽⁹⁾				131.0 ⁽¹¹⁾	140.0*	141.0 ⁽¹¹⁾		135.0 ⁽⁹⁾	84.8*	128.0 ⁽³⁾	80.4*	124.0 ⁽⁵⁾	74.2*	107.0 ⁽⁴⁾
	BV						144.0 ⁽⁷⁾		135.0 ⁽⁷⁾		144.0 ⁽⁹⁾				161.0 ⁽¹¹⁾	140.0*	161.0 ⁽¹¹⁾		154.0 ⁽⁴⁾	88.9*	144.0 ⁽⁴⁾	84.1*	131.0 ⁽⁶⁾	77.7*	112.0 ⁽⁴⁾
320	B						94.2 ⁽⁷⁾		94.2 ⁽⁷⁾		103.0 ⁽⁹⁾				119.0 ⁽¹¹⁾	140.0*	132.0 ⁽¹¹⁾		129.0 ⁽⁹⁾	81.0*	123.0 ⁽⁶⁾	75.5*	119.0 ⁽³⁾	70.0*	107.0 ⁽³⁾
	BV						124.0 ⁽⁷⁾		124.0 ⁽⁷⁾		133.0 ⁽⁹⁾				149.0 ⁽¹¹⁾	140.0*	155.0 ⁽⁹⁾		147.0 ⁽³⁾	84.8*	141.0 ⁽⁴⁾	79.2*	129.0 ⁽⁶⁾	73.3*	110.0 ⁽⁴⁾
330	B										92.8 ⁽⁸⁾				108.0 ⁽¹⁰⁾	140.0*	123.0 ⁽¹¹⁾		122.0 ⁽⁹⁾		118.0 ⁽⁷⁾	71.0*	114.0 ⁽⁶⁾	65.7*	105.0 ⁽⁵⁾
	BV										137.0 ⁽⁹⁾				137.0 ⁽⁹⁾	140.0*	148.0 ⁽¹⁰⁾		140.0 ⁽⁶⁾		135.0 ⁽⁵⁾	74.6*	128.0 ⁽⁶⁾	68.9*	109.0 ⁽⁵⁾
340	B										83.5 ⁽⁸⁾				98.2 ⁽¹⁰⁾	140.0*	113.0 ⁽¹¹⁾		116.0 ⁽¹⁰⁾		112.0 ⁽⁹⁾	67.6*	108.0 ⁽⁷⁾	61.4*	102.0 ⁽⁶⁾
	BV										112.0 ⁽⁸⁾				126.0 ⁽¹⁰⁾	140.0*	141.0 ⁽¹¹⁾		134.0 ⁽⁶⁾		130.0 ⁽⁵⁾	70.7*	124.0 ⁽⁴⁾	64.6*	108.0 ⁽⁵⁾
350	B										74.5 ⁽⁷⁾				88.0 ⁽⁹⁾	140.0*	103.0 ⁽¹¹⁾		111.0 ⁽¹¹⁾		107.0 ⁽⁹⁾		103.0 ⁽⁷⁾	57.5*	99.2 ⁽⁴⁾
	BV										102.0 ⁽⁷⁾				115.0 ⁽⁹⁾	140.0*	131.0 ⁽¹¹⁾		129.0 ⁽⁷⁾		125.0 ⁽⁶⁾		120.0 ⁽⁵⁾	60.7*	107.0 ⁽⁵⁾
360	B										66.1 ⁽⁷⁾				79.1 ⁽⁹⁾	140.0*	93.8 ⁽¹¹⁾		103.0 ⁽¹¹⁾		102.0 ⁽¹⁰⁾		99.0 ⁽⁸⁾	54.6*	94.4 ⁽⁷⁾
	BV										92.8 ⁽⁷⁾				106.0 ⁽⁹⁾	140.0*	120.0 ⁽¹¹⁾		123.0 ⁽⁸⁾		118.0 ⁽⁷⁾		114.0 ⁽⁶⁾	57.3*	106.0 ⁽⁵⁾
370	B										70.5 ⁽⁸⁾				70.5 ⁽⁸⁾	140.0*	84.1 ⁽¹⁰⁾		95.7 ⁽¹¹⁾		97.6 ⁽¹¹⁾		94.4 ⁽⁹⁾		89.4 ⁽⁸⁾
	BV										96.3 ⁽⁸⁾				96.3 ⁽⁸⁾	140.0*	110.0 ⁽¹⁰⁾		118.0 ⁽¹⁰⁾		113.0 ⁽⁸⁾		111.0 ⁽⁶⁾		105.0 ⁽⁵⁾
380	B										62.7 ⁽⁸⁾				62.7 ⁽⁸⁾	140.0*	75.4 ⁽¹⁰⁾		87.8 ⁽¹¹⁾		90.6 ⁽¹¹⁾		90.4 ⁽¹⁰⁾		85.9 ⁽⁸⁾
	BV										87.7 ⁽⁸⁾				87.7 ⁽⁸⁾	140.0*	101.0 ⁽¹⁰⁾		111.0 ⁽¹⁰⁾		109.0 ⁽⁹⁾		106.0 ⁽⁷⁾		99.3 ⁽⁴⁾
390	B										54.7 ⁽⁷⁾				54.7 ⁽⁷⁾	140.0*	67.0 ⁽⁹⁾		79.4 ⁽¹¹⁾		83.6 ⁽¹¹⁾		85.5 ⁽¹¹⁾		82.4 ⁽⁹⁾
	BV										79.3 ⁽⁷⁾				79.3 ⁽⁷⁾	140.0*	91.5 ⁽⁹⁾		103.0 ⁽¹¹⁾		105.0 ⁽¹⁰⁾		101.0 ⁽⁸⁾		95.2 ⁽⁴⁾
400	B										47.5 ⁽⁷⁾				47.5 ⁽⁷⁾	140.0*	59.4 ⁽⁹⁾		71.0 ⁽¹¹⁾		76.2 ⁽¹¹⁾		79.2 ⁽¹¹⁾		78.4 ⁽¹⁰⁾
	BV										71.6 ⁽⁷⁾				71.6 ⁽⁷⁾	140.0*	83.3 ⁽⁹⁾		94.8 ⁽¹¹⁾		98.1 ⁽¹⁰⁾		92.4 ⁽⁹⁾		92.4 ⁽⁷⁾
410	B															51.8 ⁽⁸⁾			62.8 ⁽¹⁰⁾		68.3 ⁽¹¹⁾		72.8 ⁽¹¹⁾		72.9 ⁽¹¹⁾
	BV															75.0 ⁽⁸⁾			86.0 ⁽¹⁰⁾		90.2 ⁽¹¹⁾		91.8 ⁽⁹⁾		88.3 ⁽⁸⁾
420	B															45.1 ⁽⁸⁾			55.5 ⁽¹⁰⁾		59.5 ⁽¹⁰⁾		66.1 ⁽¹¹⁾		67.5 ⁽¹¹⁾
	BV															67.6 ⁽⁸⁾			78.1 ⁽¹⁰⁾		82.3 ⁽¹⁰⁾		84.6 ⁽⁹⁾		83.9 ⁽⁹⁾
430	B															39.2 ⁽⁷⁾			48.3 ⁽⁹⁾		52.6 ⁽¹⁰⁾		59.0 ⁽¹¹⁾		62.1 ⁽¹¹⁾
	BV															60.1 ⁽⁷⁾			69.9 ⁽⁹⁾		74.9 ⁽¹⁰⁾		78.4 ⁽¹⁰⁾		78.8 ⁽⁹⁾
440	B																		42.1 ⁽⁹⁾		45.8 ⁽¹⁰⁾		51.0 ⁽¹⁰⁾		56.0 ⁽¹¹⁾
	BV																		62.8 ⁽⁹⁾		67.5 ⁽¹⁰⁾		72.2 ⁽¹⁰⁾		72.7 ⁽⁹⁾
450	B																		36.2 ⁽⁸⁾		40.1 ⁽⁹⁾		45.2 ⁽¹⁰⁾		49.5 ⁽¹¹⁾
	BV																		55.4 ⁽⁸⁾		59.8 ⁽⁹⁾		65.3 ⁽¹⁰⁾		67.5 ⁽¹⁰⁾
460	B																		31.5 ⁽⁸⁾		35.0 ⁽⁹⁾		39.3 ⁽¹⁰⁾		42.2 ⁽¹⁰⁾
	BV																		49.0 ⁽⁸⁾		53.2 ⁽⁹⁾		58.5 ⁽¹⁰⁾		62.2 ⁽¹⁰⁾
470	B																		26.5 ⁽⁷⁾		29.6 ⁽⁸⁾		33.6 ⁽⁹⁾		37.4 ⁽¹⁰⁾
	BV																		43.1 ⁽⁷⁾		46.7 ⁽⁸⁾		51.2 ⁽⁹⁾		55.7 ⁽¹⁰⁾
480	B																		25.0 ⁽⁸⁾		25.0 ⁽⁸⁾		29.0 ⁽⁹⁾		32.5 ⁽¹⁰⁾
	BV																								

HSDWB / HSDWBV



HS 295 ft



ft		HS 295 ft																					
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
45	B	607.0	616.0 ⁽¹⁾																				
45	BV	612.0	620.0 ⁽¹⁾																				
50	B	588.0	614.0 ⁽¹⁾	537.0	543.0 ⁽¹⁾																		
50	BV	591.0	619.0 ⁽¹⁾	540.0	546.0 ⁽¹⁾																		
55	B	613.0*	613.0	520.0	542.0 ⁽¹⁾	485.0	490.0 ⁽¹⁾																
55	BV	619.0*	619.0	523.0	546.0 ⁽¹⁾	488.0	493.0 ⁽¹⁾																
60	B	594.0*	611.0 ⁽¹⁾	504.0	541.0 ⁽¹⁾	472.0	489.0 ⁽¹⁾	432.0	436.0 ⁽¹⁾														
60	BV	600.0*	617.0 ⁽¹⁾	506.0	546.0 ⁽¹⁾	475.0	493.0 ⁽¹⁾	435.0	439.0 ⁽¹⁾														
65	B	576.0*	609.0 ⁽¹⁾	529.0*	539.0 ⁽¹⁾	493.0*	493.0	421.0	436.0 ⁽¹⁾	355.0	355.0												
65	BV	581.0*	615.0 ⁽¹⁾	533.0*	544.0 ⁽¹⁾	497.0*	497.0	424.0	439.0 ⁽¹⁾	356.0	356.0												
70	B	557.0*	607.0 ⁽¹⁾	513.0*	538.0 ⁽¹⁾	481.0*	488.0 ⁽¹⁾	440.0*	440.0	348.0	350.0 ⁽¹⁾												
70	BV	561.0*	614.0 ⁽¹⁾	517.0*	542.0 ⁽¹⁾	485.0*	491.0 ⁽¹⁾	444.0*	444.0	349.0	351.0 ⁽¹⁾												
75	B	538.0*	606.0 ⁽¹⁾	499.0*	536.0 ⁽¹⁾	469.0*	486.0 ⁽¹⁾	432.0*	435.0 ⁽¹⁾	339.0	348.0 ⁽¹⁾	286.0	286.0										
75	BV	542.0*	612.0 ⁽¹⁾	501.0*	540.0 ⁽¹⁾	473.0*	489.0 ⁽¹⁾	435.0*	438.0 ⁽¹⁾	341.0	350.0 ⁽¹⁾	287.0	287.0										
80	B	523.0*	604.0 ⁽¹⁾	483.0*	534.0 ⁽¹⁾	457.0*	484.0 ⁽¹⁾	421.0*	434.0 ⁽¹⁾	331.0	347.0 ⁽¹⁾	280.0	281.0 ⁽¹⁾										
80	BV	522.0*	610.0 ⁽¹⁾	484.0*	538.0 ⁽¹⁾	460.0*	486.0 ⁽¹⁾	424.0*	436.0 ⁽¹⁾	332.0	350.0 ⁽¹⁾	281.0	283.0 ⁽¹⁾										
85	B	503.0*	603.0 ⁽¹⁾	468.0*	533.0 ⁽¹⁾	443.0*	482.0 ⁽¹⁾	409.0*	432.0 ⁽¹⁾	346.0*	347.0 ⁽¹⁾	275.0	280.0 ⁽¹⁾	228.0	228.0								
85	BV	503.0*	609.0 ⁽¹⁾	467.0*	536.0 ⁽¹⁾	446.0*	484.0 ⁽¹⁾	412.0*	433.0 ⁽¹⁾	348.0*	349.0 ⁽¹⁾	275.0	281.0 ⁽¹⁾	229.0	229.0								
90	B	485.0*	590.0 ⁽¹⁾	452.0*	531.0 ⁽¹⁾	429.0*	480.0 ⁽¹⁾	398.0*	431.0 ⁽¹⁾	339.0*	346.0 ⁽¹⁾	268.0	279.0 ⁽¹⁾	224.0	225.0 ⁽¹⁾								
90	BV	495.0*	604.0 ⁽¹⁾	451.0*	534.0 ⁽¹⁾	431.0*	482.0 ⁽¹⁾	400.0*	431.0 ⁽¹⁾	340.0*	347.0 ⁽¹⁾	269.0	280.0 ⁽¹⁾	225.0	226.0 ⁽¹⁾								
95	B	575.0 ⁽¹⁾	435.0*	526.0 ⁽¹⁾	415.0*	479.0 ⁽¹⁾	387.0*	429.0 ⁽¹⁾	331.0*	346.0 ⁽¹⁾	279.0*	279.0	221.0	224.0 ⁽¹⁾	178.0	178.0							
95	BV	599.0 ⁽¹⁾	434.0*	532.0 ⁽¹⁾	417.0*	479.0 ⁽¹⁾	387.0*	428.0 ⁽¹⁾	331.0*	345.0 ⁽¹⁾	280.0*	280.0	221.0	225.0 ⁽¹⁾	179.0	179.0							
100	B	560.0 ⁽¹⁾	418.0*	517.0 ⁽¹⁾	399.0*	477.0 ⁽¹⁾	375.0*	428.0 ⁽¹⁾	323.0*	345.0 ⁽¹⁾	274.0*	278.0 ⁽¹⁾	216.0	223.0 ⁽¹⁾	175.0	176.0 ⁽¹⁾	155.0	155.0					
100	BV	594.0 ⁽¹⁾	418.0*	530.0 ⁽¹⁾	403.0*	477.0 ⁽¹⁾	375.0*	426.0 ⁽¹⁾	323.0*	344.0 ⁽¹⁾	275.0*	278.0 ⁽¹⁾	217.0	224.0 ⁽¹⁾	176.0	176.0	155.0	155.0					
105	B	545.0 ⁽¹⁾	404.0*	507.0 ⁽¹⁾	385.0*	470.0 ⁽¹⁾	363.0*	426.0 ⁽¹⁾	316.0*	344.0 ⁽¹⁾	270.0*	278.0 ⁽¹⁾	213.0*	223.0 ⁽¹⁾	173.0	175.0 ⁽¹⁾	153.0	154.0 ⁽¹⁾	134.0	134.0			
105	BV	588.0 ⁽¹⁾	404.0*	528.0 ⁽¹⁾	390.0*	476.0 ⁽¹⁾	364.0*	424.0 ⁽¹⁾	314.0*	342.0 ⁽¹⁾	270.0*	277.0 ⁽¹⁾	212.0	223.0 ⁽¹⁾	174.0	176.0 ⁽¹⁾	154.0	154.0	135.0	135.0			
110	B	530.0 ⁽¹⁾	393.0*	498.0 ⁽¹⁾	373.0*	463.0 ⁽¹⁾	352.0*	424.0 ⁽¹⁾	309.0*	344.0 ⁽¹⁾	266.0*	278.0 ⁽¹⁾	221.0*	222.0 ⁽¹⁾	171.0	175.0 ⁽¹⁾	152.0	153.0 ⁽¹⁾	134.0	134.0	116.0	116.0	
110	BV	583.0 ⁽¹⁾	400.0*	527.0 ⁽¹⁾	379.0*	475.0 ⁽¹⁾	354.0*	422.0 ⁽¹⁾	306.0*	340.0 ⁽¹⁾	265.0*	276.0 ⁽¹⁾	221.0*	223.0 ⁽¹⁾	171.0	176.0 ⁽¹⁾	152.0	154.0 ⁽¹⁾	134.0	134.0	116.0	116.0	
115	B	515.0 ⁽¹⁾	488.0 ⁽¹⁾	360.0*	455.0 ⁽¹⁾	341.0*	419.0 ⁽¹⁾	302.0*	343.0 ⁽¹⁾	261.0*	278.0 ⁽¹⁾	219.0*	223.0 ⁽¹⁾	176.0*	176.0	150.0	153.0 ⁽¹⁾	133.0	134.0 ⁽¹⁾	115.0	115.0		
115	BV	578.0 ⁽¹⁾	525.0 ⁽¹⁾	368.0*	474.0 ⁽¹⁾	344.0*	421.0 ⁽¹⁾	299.0*	338.0 ⁽¹⁾	259.0*	275.0 ⁽¹⁾	219.0*	222.0 ⁽¹⁾	169.0	176.0 ⁽¹⁾	150.0	154.0 ⁽¹⁾	133.0	134.0 ⁽¹⁾	115.0	115.0		
120	B	495.0 ⁽¹⁾	479.0 ⁽¹⁾	350.0*	448.0 ⁽¹⁾	331.0*	415.0 ⁽¹⁾	294.0*	343.0 ⁽¹⁾	256.0*	278.0 ⁽¹⁾	217.0*	223.0 ⁽¹⁾	175.0*	176.0 ⁽¹⁾	154.0*	154.0	132.0	134.0 ⁽¹⁾	114.0	115.0 ⁽¹⁾		
120	BV	560.0 ⁽¹⁾	524.0 ⁽¹⁾	358.0*	473.0 ⁽¹⁾	335.0*	420.0 ⁽¹⁾	292.0*	337.0 ⁽¹⁾	254.0*	274.0 ⁽¹⁾	216.0*	221.0 ⁽¹⁾	175.0*	175.0	149.0	154.0 ⁽¹⁾	132.0	134.0 ⁽¹⁾	115.0	115.0		
125	B	477.0 ⁽¹⁾	469.0 ⁽¹⁾	339.0*	441.0 ⁽¹⁾	321.0*	410.0 ⁽¹⁾	287.0*	342.0 ⁽¹⁾	252.0*	278.0 ⁽¹⁾	214.0*	223.0 ⁽¹⁾	173.0*	175.0 ⁽¹⁾	153.0*	153.0	134.0*	134.0	113.0	115.0 ⁽¹⁾		
125	BV	539.0 ⁽¹⁾	521.0 ⁽¹⁾	349.0*	472.0 ⁽¹⁾	326.0*	420.0 ⁽¹⁾	285.0*	336.0 ⁽¹⁾	249.0*	273.0 ⁽¹⁾	213.0*	221.0 ⁽¹⁾	173.0*	175.0 ⁽¹⁾	154.0*	154.0	131.0	134.0 ⁽¹⁾	114.0	116.0 ⁽¹⁾		
130	B	460.0 ⁽¹⁾	451.0 ⁽¹⁾	332.0*	434.0 ⁽¹⁾	311.0*	405.0 ⁽¹⁾	279.0*	340.0 ⁽¹⁾	247.0*	278.0 ⁽¹⁾	211.0*	220.0 ⁽¹⁾	172.0*	175.0 ⁽¹⁾	152.0*	153.0 ⁽¹⁾	134.0*	134.0	115.0*	115.0		
130	BV	519.0 ⁽¹⁾	504.0 ⁽¹⁾	343.0*	470.0 ⁽¹⁾	317.0*	419.0 ⁽¹⁾	278.0*	335.0 ⁽¹⁾	244.0*	272.0 ⁽¹⁾	209.0*	220.0 ⁽¹⁾	171.0*	174.0 ⁽¹⁾	152.0*	153.0 ⁽¹⁾	135.0*	135.0	113.0	116.0 ⁽¹⁾		
135	B	442.0 ⁽¹⁾	434.0 ⁽¹⁾	303.0*	401.0 ⁽¹⁾	271.0*	338.0 ⁽¹⁾	243.0*	278.0 ⁽¹⁾	209.0*	223.0 ⁽¹⁾	170.0*	175.0 ⁽¹⁾	151.0*	152.0 ⁽¹⁾	133.0*	133.0	115.0*	115.0				
135	BV	499.0 ⁽¹⁾	488.0 ⁽¹⁾	309.0*	418.0 ⁽¹⁾	271.0*	334.0 ⁽¹⁾	239.0*	271.0 ⁽¹⁾	205.0*	220.0 ⁽¹⁾	169.0*	174.0 ⁽¹⁾	151.0*	153.0 ⁽¹⁾	134.0*	134.0	112.0	116.0 ⁽¹⁾				
140	B	425.0 ⁽¹⁾	419.0 ⁽¹⁾	295.0*	396.0 ⁽¹⁾	264.0*	336.0 ⁽¹⁾	237.0*	277.0 ⁽¹⁾	206.0*	223.0 ⁽¹⁾	169.0*	175.0 ⁽¹⁾	150.0*	152.0 ⁽¹⁾	132.0*	133.0 ⁽¹⁾	115.0*	115.0				
140	BV	479.0 ⁽¹⁾	472.0 ⁽¹⁾	302.0*	417.0 ⁽¹⁾	264.0*	334.0 ⁽¹⁾	234.0*	271.0 ⁽¹⁾	202.0*	219.0 ⁽¹⁾	167.0*	173.0 ⁽¹⁾	149.0*	152.0 ⁽¹⁾	133.0*	134.0 ⁽¹⁾	116.0*	116.0				
145	B	408.0 ⁽¹⁾	405.0 ⁽¹⁾	287.0*	387.0 ⁽¹⁾	257.0*	335.0 ⁽¹⁾	232.0*	276.0 ⁽¹⁾	202.0*	223.0 ⁽¹⁾	167.0*	174.0 ⁽¹⁾	148.0*	151.0 ⁽¹⁾	131.0*	132.0 ⁽¹⁾	114.0*	114.0				
145	BV	460.0 ⁽¹⁾	455.0 ⁽¹⁾	296.0*	412.0 ⁽¹⁾	258.0*	333.0 ⁽¹⁾	229.0*	270.0 ⁽¹⁾	199.0*	218.0 ⁽¹⁾	165.0*	173.0 ⁽¹⁾	148.0*	152.0 ⁽¹⁾	131.0*	133.0 ⁽¹⁾	115.0*	115.0				
150	B	391.0 ⁽¹⁾	391.0 ⁽¹⁾	283.0*	383.0 ⁽¹⁾	250.0*	333.0 ⁽¹⁾	227.0*	275.0 ⁽¹⁾	199.0*	223.0 ⁽¹⁾	165.0*	174.0 ⁽¹⁾	147.0*	151.0 ⁽¹⁾	130.0*	132.0 ⁽¹⁾	113.0*	114.0 ⁽¹⁾				
150	BV	443.0 ⁽¹⁾	439.0 ⁽¹⁾	292.0*	403.0 ⁽¹⁾	252.0*	332.0 ⁽¹⁾	224.0*	269.0 ⁽¹⁾	195.0*	218.0 ⁽¹⁾	163.0*	172.0 ⁽¹⁾	146.0*	151.0 ⁽¹⁾	130.0*	133.0 ⁽¹⁾	114.0*	115.0 ⁽¹⁾				
155	B	375.0 ⁽¹⁾	377.0 ⁽¹⁾	276.0 ⁽¹⁾	362.0 ⁽¹⁾	243.0*	331.0 ⁽¹⁾	221.0*	274.0 ⁽¹⁾	195.0*	223.0 ⁽¹⁾	163.0*	174.0 ⁽¹⁾	146.0*	151.0 ⁽¹⁾	129.0*	132.0 ⁽¹⁾	113.0*	113.0				
155	BV	426.0 ⁽¹⁾	423.0 ⁽¹⁾	285.0 ⁽¹⁾	395.0 ⁽¹⁾	246.0*	331.0 ⁽¹⁾	219.0*	268.0 ⁽¹⁾	192.0*	217.0 ⁽¹⁾	161.0*	172.0 ⁽¹⁾	144.0*	151.0 ⁽¹⁾	129.0*	132.0 ⁽¹⁾	113.0*	113.0 ⁽¹⁾				
160	B	358.0 ⁽¹⁾	364.0 ⁽¹⁾	263.0 ⁽¹⁾	350.0 ⁽¹⁾	237.0*	330.0 ⁽¹⁾	216.0*	273.0 ⁽¹⁾	192.0*	223.0 ⁽¹⁾	161.0*	174.0 ⁽¹⁾	144.0*	150.0 ⁽¹⁾	128.0*	131.0 ⁽¹⁾	112.0*	113.0 ⁽¹⁾				
160	BV	411.0 ⁽¹⁾	408.0 ⁽¹⁾	269.0 ⁽¹⁾	384.0 ⁽¹⁾	241.0*	331.0 ⁽¹⁾	214.0*	268.0 ⁽¹⁾	188.0*	216.0 ⁽¹⁾	159.0*	171.0 ⁽¹⁾	142.0*	150.0 ⁽¹⁾	127.0*	132.0 ⁽¹⁾	112.0*	114.0 ⁽¹⁾				
165	B	342.0 ⁽¹⁾	350.0 ⁽¹⁾	250.0 ⁽¹⁾	338.0 ⁽¹⁾	231.0*	319.0 ⁽¹⁾	211.0*	272.0 ⁽¹⁾														

HSDWB / HSDWBV



HS 295 ft



		HS 295 ft																					
ft	ft	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
230	B		190.0 ⁽⁶⁾		200.0 ⁽¹⁰⁾		203.0 ⁽¹¹⁾		213.0 ⁽¹¹⁾		220.0 ⁽¹¹⁾		211.0 ⁽⁹⁾	141.0*	205.0 ⁽⁵⁾	125.0*	166.0 ⁽²⁾	116.0*	140.0 ⁽³⁾	106.0*	126.0 ⁽³⁾	95.1*	107.0 ⁽²⁾
	BV		232.0 ⁽⁸⁾		241.0 ⁽¹⁰⁾		244.0 ⁽¹¹⁾		254.0 ⁽¹¹⁾		244.0 ⁽⁴⁾		238.0 ⁽²⁾	143.0*	207.0 ⁽²⁾	124.0*	162.0 ⁽²⁾	113.0*	141.0 ⁽²⁾	103.0*	124.0 ⁽²⁾	92.7*	107.0 ⁽²⁾
240	B		174.0 ⁽⁶⁾		183.0 ⁽⁹⁾		186.0 ⁽¹⁰⁾		195.0 ⁽¹¹⁾		205.0 ⁽¹¹⁾		200.0 ⁽⁹⁾	134.0*	193.0 ⁽⁵⁾	119.0*	165.0 ⁽⁵⁾	111.0*	139.0 ⁽³⁾	102.0*	125.0 ⁽⁵⁾	92.0*	107.0 ⁽⁵⁾
	BV		214.0 ⁽⁸⁾		223.0 ⁽⁹⁾		225.0 ⁽¹⁰⁾		235.0 ⁽¹¹⁾		231.0 ⁽⁶⁾		225.0 ⁽⁹⁾	137.0*	205.0 ⁽²⁾	119.0*	161.0 ⁽²⁾	109.0*	140.0 ⁽²⁾	99.7*	123.0 ⁽²⁾	89.4*	106.0 ⁽²⁾
250	B		159.0 ⁽⁷⁾		168.0 ⁽⁹⁾		169.0 ⁽¹⁰⁾		178.0 ⁽¹¹⁾		190.0 ⁽¹¹⁾		192.0 ⁽¹¹⁾	127.0*	185.0 ⁽⁴⁾	113.0*	164.0 ⁽³⁾	106.0*	137.0 ⁽³⁾	97.9*	123.0 ⁽³⁾	88.7*	105.0 ⁽³⁾
	BV		198.0 ⁽⁷⁾		206.0 ⁽⁹⁾		208.0 ⁽¹⁰⁾		216.0 ⁽¹¹⁾		220.0 ⁽⁷⁾		213.0 ⁽⁹⁾	131.0*	204.0 ⁽²⁾	114.0*	160.0 ⁽²⁾	105.0*	139.0 ⁽²⁾	96.0*	122.0 ⁽²⁾	86.2*	105.0 ⁽²⁾
260	B		146.0 ⁽⁷⁾		153.0 ⁽⁸⁾		154.0 ⁽⁹⁾		163.0 ⁽¹⁰⁾		176.0 ⁽¹¹⁾		182.0 ⁽¹¹⁾	121.0*	175.0 ⁽⁶⁾	108.0*	159.0 ⁽³⁾	101.0*	136.0 ⁽³⁾	93.7*	122.0 ⁽³⁾	85.2*	104.0 ⁽³⁾
	BV		183.0 ⁽⁷⁾		190.0 ⁽⁸⁾		191.0 ⁽⁹⁾		199.0 ⁽¹⁰⁾		209.0 ⁽⁹⁾		203.0 ⁽⁴⁾	126.0*	197.0 ⁽²⁾	110.0*	160.0 ⁽²⁾	101.0*	138.0 ⁽³⁾	92.4*	120.0 ⁽²⁾	83.0*	104.0 ⁽²⁾
270	B		133.0 ⁽⁶⁾		140.0 ⁽⁸⁾		141.0 ⁽⁹⁾		148.0 ⁽¹⁰⁾		162.0 ⁽¹¹⁾		172.0 ⁽¹¹⁾	115.0*	165.0 ⁽⁶⁾	103.0*	157.0 ⁽⁴⁾	95.2*	133.0 ⁽⁴⁾	89.4*	121.0 ⁽³⁾	81.5*	103.0 ⁽³⁾
	BV		169.0 ⁽⁶⁾		176.0 ⁽⁸⁾		176.0 ⁽⁹⁾		184.0 ⁽¹⁰⁾		197.0 ⁽¹¹⁾		193.0 ⁽⁹⁾	118.0*	189.0 ⁽³⁾	105.0*	159.0 ⁽²⁾	97.0*	137.0 ⁽³⁾	89.0*	119.0 ⁽³⁾	79.9*	103.0 ⁽³⁾
280	B				128.0 ⁽⁷⁾		128.0 ⁽⁸⁾		135.0 ⁽⁹⁾		149.0 ⁽¹¹⁾		162.0 ⁽¹¹⁾	117.0*	178.0 ⁽⁴⁾	100.0*	157.0 ⁽²⁾	92.8*	135.0 ⁽³⁾	85.6*	119.0 ⁽³⁾	76.9*	102.0 ⁽³⁾
	BV				163.0 ⁽⁷⁾		162.0 ⁽⁸⁾		169.0 ⁽⁹⁾		183.0 ⁽¹¹⁾		184.0 ⁽⁴⁾	120.0*	188.0 ⁽⁴⁾	100.0*	157.0 ⁽²⁾	92.8*	135.0 ⁽³⁾	85.6*	119.0 ⁽³⁾	76.9*	102.0 ⁽³⁾
290	B				117.0 ⁽⁷⁾		116.0 ⁽⁸⁾		123.0 ⁽⁹⁾		135.0 ⁽¹¹⁾		151.0 ⁽¹¹⁾	115.0*	150.0 ⁽⁹⁾	91.6*	143.0 ⁽⁵⁾	85.4*	129.0 ⁽⁴⁾	80.0*	118.0 ⁽⁴⁾	73.6*	100.0 ⁽³⁾
	BV				151.0 ⁽⁷⁾		150.0 ⁽⁸⁾		156.0 ⁽⁹⁾		168.0 ⁽¹¹⁾		176.0 ⁽⁴⁾	117.0*	170.0 ⁽⁴⁾	94.7*	157.0 ⁽³⁾	88.3*	134.0 ⁽³⁾	82.2*	118.0 ⁽³⁾	74.1*	102.0 ⁽³⁾
300	B						105.0 ⁽⁷⁾		111.0 ⁽⁸⁾		123.0 ⁽¹⁰⁾		140.0 ⁽¹¹⁾	113.0*	143.0 ⁽⁹⁾	86.8*	134.0 ⁽⁶⁾	80.6*	128.0 ⁽⁵⁾	75.2*	116.0 ⁽⁴⁾	69.5*	99.3 ⁽⁴⁾
	BV						137.0 ⁽⁷⁾		143.0 ⁽⁸⁾		155.0 ⁽¹⁰⁾		168.0 ⁽¹⁰⁾	116.0*	163.0 ⁽⁵⁾	90.4*	154.0 ⁽⁵⁾	83.5*	133.0 ⁽⁵⁾	78.0*	118.0 ⁽⁵⁾	70.8*	101.0 ⁽⁵⁾
310	B						95.3 ⁽⁷⁾		101.0 ⁽⁸⁾		111.0 ⁽¹⁰⁾		128.0 ⁽¹¹⁾	112.0*	137.0 ⁽¹¹⁾	85.0*	128.0 ⁽⁶⁾	75.7*	123.0 ⁽⁵⁾	70.9*	115.0 ⁽⁵⁾	65.5*	98.4 ⁽⁴⁾
	BV						126.0 ⁽⁷⁾		132.0 ⁽⁸⁾		142.0 ⁽¹⁰⁾		159.0 ⁽¹¹⁾	114.0*	156.0 ⁽⁶⁾		146.0 ⁽⁴⁾	78.7*	131.0 ⁽⁵⁾	73.6*	117.0 ⁽⁵⁾	67.3*	99.6 ⁽⁴⁾
320	B								90.8 ⁽⁷⁾		100.0 ⁽⁹⁾		117.0 ⁽¹¹⁾	111.0*	129.0 ⁽¹¹⁾		123.0 ⁽⁷⁾	72.3*	119.0 ⁽⁶⁾	66.7*	113.0 ⁽⁵⁾	61.5*	96.7 ⁽⁵⁾
	BV								121.0 ⁽⁷⁾		130.0 ⁽⁹⁾		147.0 ⁽¹¹⁾	114.0*	149.0 ⁽⁷⁾		140.0 ⁽⁴⁾	75.1*	130.0 ⁽⁴⁾	69.3*	116.0 ⁽⁵⁾	63.3*	99.1 ⁽⁴⁾
330	B								81.7 ⁽⁷⁾		90.3 ⁽⁹⁾		105.0 ⁽¹⁰⁾	110.0*	120.0 ⁽¹¹⁾		118.0 ⁽⁸⁾		112.0 ⁽⁷⁾	62.6*	108.0 ⁽⁶⁾	57.4*	96.3 ⁽⁵⁾
	BV								111.0 ⁽⁷⁾		119.0 ⁽⁹⁾		134.0 ⁽¹⁰⁾	112.0*	142.0 ⁽⁸⁾		135.0 ⁽⁵⁾		127.0 ⁽⁴⁾	65.1*	115.0 ⁽⁴⁾	59.4*	98.5 ⁽⁴⁾
340	B										80.5 ⁽⁸⁾		95.6 ⁽¹⁰⁾	110.0*	111.0 ⁽¹¹⁾		112.0 ⁽⁹⁾		107.0 ⁽⁷⁾	59.5*	104.0 ⁽⁶⁾	53.5*	94.3 ⁽⁵⁾
	BV										109.0 ⁽⁸⁾		124.0 ⁽¹⁰⁾	112.0*	137.0 ⁽¹⁰⁾		129.0 ⁽⁶⁾		122.0 ⁽⁶⁾	62.0*	115.0 ⁽⁴⁾	55.7*	97.9 ⁽⁴⁾
350	B										71.6 ⁽⁸⁾		86.0 ⁽¹⁰⁾	109.0*	101.0 ⁽¹¹⁾		107.0 ⁽¹¹⁾		102.0 ⁽⁸⁾		99.6 ⁽⁷⁾	49.8*	94.3 ⁽⁵⁾
	BV										99.1 ⁽⁸⁾		113.0 ⁽¹⁰⁾	110.0*	129.0 ⁽¹¹⁾		122.0 ⁽⁷⁾		117.0 ⁽⁵⁾		110.0 ⁽⁴⁾	52.2*	97.3 ⁽⁴⁾
360	B										63.0 ⁽⁷⁾		76.8 ⁽⁹⁾	108.0*	91.9 ⁽¹¹⁾		101.0 ⁽¹¹⁾		97.7 ⁽⁹⁾		94.2 ⁽⁸⁾	47.1*	88.7 ⁽⁶⁾
	BV										89.7 ⁽⁷⁾		103.0 ⁽⁹⁾	110.0*	119.0 ⁽¹¹⁾		117.0 ⁽⁸⁾		113.0 ⁽⁶⁾		107.0 ⁽⁵⁾	49.5*	95.6 ⁽⁴⁾
370	B										55.3 ⁽⁷⁾		68.3 ⁽⁹⁾	107.0*	81.9 ⁽¹⁰⁾		93.1 ⁽¹¹⁾		93.6 ⁽¹¹⁾		89.9 ⁽⁹⁾		86.4 ⁽⁷⁾
	BV										81.3 ⁽⁷⁾		94.2 ⁽⁹⁾	108.0 ⁽¹⁰⁾	108.0 ⁽¹⁰⁾		113.0 ⁽⁹⁾		108.0 ⁽⁷⁾		101.0 ⁽⁶⁾		94.9 ⁽⁵⁾
380	B										59.6 ⁽⁸⁾		73.6 ⁽¹⁰⁾	105.0*	73.6 ⁽¹⁰⁾		85.6 ⁽¹¹⁾		88.0 ⁽¹¹⁾		85.8 ⁽⁹⁾		82.2 ⁽⁸⁾
	BV										85.0 ⁽⁸⁾		98.8 ⁽¹⁰⁾	109.0 ⁽¹⁰⁾	98.8 ⁽¹⁰⁾		109.0 ⁽¹⁰⁾		103.0 ⁽⁸⁾		97.5 ⁽⁶⁾		92.2 ⁽⁵⁾
390	B										52.2 ⁽⁸⁾		65.3 ⁽¹⁰⁾	103.0*	65.3 ⁽¹⁰⁾		77.6 ⁽¹¹⁾		81.0 ⁽¹¹⁾		82.3 ⁽¹¹⁾		77.9 ⁽⁹⁾
	BV										76.9 ⁽⁸⁾		89.8 ⁽¹⁰⁾	102.0 ⁽¹¹⁾	89.8 ⁽¹⁰⁾		102.0 ⁽¹¹⁾		99.3 ⁽⁹⁾		94.0 ⁽⁷⁾		88.3 ⁽⁶⁾
400	B										45.2 ⁽⁷⁾		56.9 ⁽⁹⁾	100.0*	56.9 ⁽⁹⁾		69.5 ⁽¹¹⁾		74.0 ⁽¹¹⁾		77.0 ⁽¹¹⁾		74.0 ⁽¹⁰⁾
	BV										68.7 ⁽⁷⁾		81.0 ⁽⁹⁾	101.0*	81.0 ⁽⁹⁾		93.3 ⁽¹¹⁾		95.5 ⁽¹¹⁾		90.1 ⁽⁸⁾		83.6 ⁽⁵⁾
410	B										39.5 ⁽⁷⁾		49.6 ⁽⁹⁾	99.0*	49.6 ⁽⁹⁾		60.4 ⁽¹⁰⁾		66.7 ⁽¹¹⁾		70.5 ⁽¹¹⁾		71.3 ⁽¹¹⁾
	BV										61.4 ⁽⁷⁾		73.1 ⁽⁹⁾	100.0*	73.1 ⁽⁹⁾		83.8 ⁽¹⁰⁾		89.2 ⁽¹¹⁾		86.7 ⁽⁹⁾		80.7 ⁽⁷⁾
420	B												43.0 ⁽⁸⁾	98.0*	43.0 ⁽⁸⁾		53.3 ⁽¹⁰⁾		59.2 ⁽¹¹⁾		64.0 ⁽¹¹⁾		66.1 ⁽¹¹⁾
	BV												65.1 ⁽⁸⁾	100.0*	65.1 ⁽⁸⁾		76.2 ⁽¹⁰⁾		81.5 ⁽¹¹⁾		83.7 ⁽¹¹⁾		77.7 ⁽⁸⁾
430	B												37.6 ⁽⁸⁾	96.0*	37.6 ⁽⁸⁾		46.1 ⁽¹⁰⁾		51.1 ⁽¹⁰⁾		57.1 ⁽¹¹⁾		60.2 ⁽¹¹⁾
	BV												58.0 ⁽⁸⁾	100.0*	58.0 ⁽⁸⁾		68.5 ⁽¹⁰⁾		72.8 ⁽¹⁰⁾		77.9 ⁽¹¹⁾		74.5 ⁽⁹⁾
440	B												32.0 ⁽⁷⁾	94.0*	32.0 ⁽⁷⁾		40.2 ⁽⁹⁾		45.0 ⁽¹⁰⁾		50.1 ⁽¹¹⁾		54.2 ⁽¹¹⁾
	BV												50.9 ⁽⁷⁾	100.0*	50.9 ⁽⁷⁾		60.6 ⁽⁹⁾		65.6 ⁽¹⁰⁾		71.2 ⁽¹¹⁾		71.3 ⁽¹¹⁾
450	B												27.2 ⁽⁷⁾	90.0*	27.2 ⁽⁷⁾		35.0 ⁽⁹⁾		38.9 ⁽¹⁰⁾		42.7 ⁽¹⁰⁾		48.2 ⁽¹¹⁾
	BV												44.8 ⁽⁷⁾	100.0*	44.8 ⁽⁷⁾		53.7 ⁽⁹⁾		58.4 ⁽¹⁰⁾		63.3 ⁽¹⁰⁾		66.3 ⁽¹¹⁾
460	B												29.6 ⁽⁸⁾	86.0*	29.6 ⁽⁸⁾		33.2 ⁽⁹⁾		33.2 ⁽⁹⁾		37.7 ⁽¹⁰⁾		42.2 ⁽¹¹⁾
	BV												47.1 ⁽⁸⁾	100.0*	47.1 ⁽⁸⁾		51.2 ⁽⁹⁾		51.2 ⁽⁹⁾		56.6 ⁽¹⁰⁾		60.7 ⁽¹¹⁾
470	B												25.0 ⁽⁸⁾	81.0*	25.0 ⁽⁸⁾		28.3 ⁽⁹⁾		28.3 ⁽⁹⁾		32.7 ⁽¹⁰⁾		35.6 ⁽¹⁰⁾
	BV												41.5 ⁽⁸⁾	100.0*	41.5 ⁽⁸⁾		49.9 ⁽⁹⁾		49.9 ⁽⁹⁾		53.8 ⁽¹⁰⁾		53.8 ⁽¹⁰⁾
480	B												20.0 ⁽⁷⁾	76.0*	20.0 ⁽⁷⁾		23.2 ⁽⁸⁾		23.2 ⁽⁸⁾		27.4 ⁽⁹⁾		30.9 ⁽¹⁰⁾
	BV												36.0 ⁽⁷⁾	100.0*	36.0 ⁽⁷⁾		39.1 ⁽⁸⁾		39.1 ⁽⁸⁾		43.7 ⁽⁹⁾		47.8 ⁽¹⁰⁾
490	B												15.8 ⁽⁷⁾	71.0*	15.8 ⁽⁷⁾		18.9 ⁽⁸⁾		18.9 ⁽⁸⁾		22.8 ⁽⁹⁾		26.2 ⁽¹⁰⁾
	BV												31.5 ⁽⁷⁾	100.0*	31.5 ⁽⁷⁾		34.5 ⁽⁸⁾		34.5 ⁽⁸⁾		38.5 ⁽⁹⁾		41.8 ⁽¹⁰⁾
500	B																				17.7 ⁽⁸⁾		21.1 ⁽⁹⁾
	BV																						

HSDWB / HSDWBV



HS 315 ft



ft		HS 315 ft																					
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft	
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax
45	B	546.0	550.0 ⁽¹⁾																				
	BV	548.0	552.0 ⁽¹⁾																				
50	B	529.0	548.0 ⁽¹⁾	483.0	485.0 ⁽¹⁾																		
	BV	531.0	550.0 ⁽¹⁾	485.0	487.0 ⁽¹⁾																		
55	B	512.0	548.0 ⁽¹⁾	468.0	484.0 ⁽¹⁾	434.0	435.0 ⁽¹⁾																
	BV	513.0	549.0 ⁽¹⁾	469.0	485.0 ⁽¹⁾	435.0	437.0 ⁽¹⁾																
60	B	539.0*	547.0 ⁽¹⁾	455.0	485.0 ⁽¹⁾	423.0	434.0 ⁽¹⁾	387.0	388.0 ⁽¹⁾														
	BV	539.0*	547.0 ⁽¹⁾	453.0	482.0 ⁽¹⁾	423.0	435.0 ⁽¹⁾	388.0	389.0 ⁽¹⁾														
65	B	525.0*	546.0 ⁽¹⁾	481.0*	485.0 ⁽¹⁾	411.0	434.0 ⁽¹⁾	378.0	388.0 ⁽¹⁾														
	BV	521.0*	544.0 ⁽¹⁾	475.0*	480.0 ⁽¹⁾	410.0	433.0 ⁽¹⁾	378.0	387.0 ⁽¹⁾														
70	B	508.0*	544.0 ⁽¹⁾	469.0*	484.0 ⁽¹⁾	432.0*	434.0 ⁽¹⁾	368.0	388.0 ⁽¹⁾	310.0	310.0												
	BV	502.0*	542.0 ⁽¹⁾	461.0*	478.0 ⁽¹⁾	429.0*	431.0 ⁽¹⁾	367.0	386.0 ⁽¹⁾	310.0	310.0												
75	B	493.0*	542.0 ⁽¹⁾	455.0*	483.0 ⁽¹⁾	423.0*	433.0 ⁽¹⁾	388.0*	389.0 ⁽¹⁾	303.0	309.0 ⁽¹⁾												
	BV	483.0*	539.0 ⁽¹⁾	446.0*	475.0 ⁽¹⁾	418.0*	429.0 ⁽¹⁾	384.0*	385.0 ⁽¹⁾	303.0	309.0 ⁽¹⁾												
80	B	479.0*	541.0 ⁽¹⁾	442.0*	481.0 ⁽¹⁾	413.0*	432.0 ⁽¹⁾	379.0*	387.0 ⁽¹⁾	295.0	309.0 ⁽¹⁾	249.0	250.0 ⁽¹⁾										
	BV	465.0*	536.0 ⁽¹⁾	431.0*	472.0 ⁽¹⁾	407.0*	426.0 ⁽¹⁾	375.0*	382.0 ⁽¹⁾	295.0	307.0 ⁽¹⁾	249.0	250.0 ⁽¹⁾										
85	B	462.0*	539.0 ⁽¹⁾	428.0*	480.0 ⁽¹⁾	400.0*	431.0 ⁽¹⁾	371.0*	387.0 ⁽¹⁾	309.0*	309.0	244.0	249.0 ⁽¹⁾	202.0	202.0								
	BV	448.0*	534.0 ⁽¹⁾	416.0*	470.0 ⁽¹⁾	395.0*	424.0 ⁽¹⁾	365.0*	380.0 ⁽¹⁾	287.0	305.0 ⁽¹⁾	244.0	248.0 ⁽¹⁾	202.0	202.0								
90	B	445.0*	536.0 ⁽¹⁾	414.0*	479.0 ⁽¹⁾	389.0*	430.0 ⁽¹⁾	362.0*	386.0 ⁽¹⁾	303.0*	308.0 ⁽¹⁾	239.0	248.0 ⁽¹⁾	199.0	199.0								
	BV	435.0*	532.0 ⁽¹⁾	401.0*	467.0 ⁽¹⁾	382.0*	421.0 ⁽¹⁾	355.0*	378.0 ⁽¹⁾	299.0*	304.0 ⁽¹⁾	239.0	247.0 ⁽¹⁾	198.0	198.0								
95	B		527.0 ⁽¹⁾	399.0*	477.0 ⁽¹⁾	378.0*	429.0 ⁽¹⁾	351.0*	385.0 ⁽¹⁾	297.0*	308.0 ⁽¹⁾	250.0*	250.0	195.0	198.0 ⁽¹⁾	157.0	157.0						
	BV		533.0 ⁽¹⁾	386.0*	465.0 ⁽¹⁾	368.0*	419.0 ⁽¹⁾	343.0*	376.0 ⁽¹⁾	292.0*	302.0 ⁽¹⁾	247.0*	247.0	194.0	197.0 ⁽¹⁾	158.0	158.0						
100	B		518.0 ⁽¹⁾	385.0*	473.0 ⁽¹⁾	365.0*	428.0 ⁽¹⁾	342.0*	384.0 ⁽¹⁾	291.0*	307.0 ⁽¹⁾	245.0*	248.0 ⁽¹⁾	191.0	197.0 ⁽¹⁾	155.0	155.0	137.0	137.0				
	BV		535.0 ⁽¹⁾	371.0*	466.0 ⁽¹⁾	356.0*	416.0 ⁽¹⁾	333.0*	374.0 ⁽¹⁾	285.0*	301.0 ⁽¹⁾	242.0*	244.0 ⁽¹⁾	191.0	196.0 ⁽¹⁾	155.0	155.0	137.0	137.0				
105	B		509.0 ⁽¹⁾	373.0*	468.0 ⁽¹⁾	352.0*	426.0 ⁽¹⁾	333.0*	383.0 ⁽¹⁾	286.0*	307.0 ⁽¹⁾	242.0*	248.0 ⁽¹⁾	199.0*	199.0	153.0	155.0 ⁽¹⁾	135.0	135.0	120.0	120.0		
	BV		536.0 ⁽¹⁾	359.0*	468.0 ⁽¹⁾	345.0*	415.0 ⁽¹⁾	323.0*	372.0 ⁽¹⁾	278.0*	299.0 ⁽¹⁾	238.0*	243.0 ⁽¹⁾	187.0	195.0 ⁽¹⁾	153.0	155.0 ⁽¹⁾	136.0	136.0	120.0	120.0		
110	B		500.0 ⁽¹⁾	361.0*	462.0 ⁽¹⁾	341.0*	422.0 ⁽¹⁾	324.0*	383.0 ⁽¹⁾	280.0*	307.0 ⁽¹⁾	239.0*	248.0 ⁽¹⁾	197.0*	198.0 ⁽¹⁾	151.0	155.0 ⁽¹⁾	134.0	135.0 ⁽¹⁾	118.0	118.0	103.0	103.0
	BV		538.0 ⁽¹⁾	356.0*	471.0 ⁽¹⁾	335.0*	417.0 ⁽¹⁾	314.0*	370.0 ⁽¹⁾	271.0*	298.0 ⁽¹⁾	233.0*	242.0 ⁽¹⁾	194.0*	194.0	151.0	154.0 ⁽¹⁾	134.0	135.0 ⁽¹⁾	118.0	118.0	103.0	103.0
115	B		491.0 ⁽¹⁾		457.0 ⁽¹⁾	331.0*	418.0 ⁽¹⁾	314.0*	381.0 ⁽¹⁾	273.0*	307.0 ⁽¹⁾	235.0*	249.0 ⁽¹⁾	195.0*	198.0 ⁽¹⁾	157.0*	157.0	132.0	135.0 ⁽¹⁾	117.0	118.0 ⁽¹⁾	102.0	102.0
	BV		539.0 ⁽¹⁾		473.0 ⁽¹⁾	326.0*	420.0 ⁽¹⁾	305.0*	371.0 ⁽¹⁾	265.0*	296.0 ⁽¹⁾	229.0*	242.0 ⁽¹⁾	191.0*	194.0 ⁽¹⁾	148.0	154.0 ⁽¹⁾	132.0	135.0 ⁽¹⁾	117.0	118.0 ⁽¹⁾	102.0	102.0
120	B		482.0 ⁽¹⁾		451.0 ⁽¹⁾	322.0*	415.0 ⁽¹⁾	305.0*	378.0 ⁽¹⁾	268.0*	307.0 ⁽¹⁾	232.0*	249.0 ⁽¹⁾	193.0*	199.0 ⁽¹⁾	156.0*	156.0	130.0	136.0 ⁽¹⁾	116.0	118.0 ⁽¹⁾	101.0	102.0 ⁽¹⁾
	BV		541.0 ⁽¹⁾		476.0 ⁽¹⁾	317.0*	422.0 ⁽¹⁾	297.0*	372.0 ⁽¹⁾	258.0*	295.0 ⁽¹⁾	225.0*	241.0 ⁽¹⁾	189.0*	193.0 ⁽¹⁾	153.0*	153.0	130.0	134.0 ⁽¹⁾	116.0	118.0 ⁽¹⁾	101.0	102.0 ⁽¹⁾
125	B		465.0 ⁽¹⁾		446.0 ⁽¹⁾	312.0*	411.0 ⁽¹⁾	296.0*	376.0 ⁽¹⁾	262.0*	307.0 ⁽¹⁾	228.0*	249.0 ⁽¹⁾	190.0*	198.0 ⁽¹⁾	154.0*	155.0 ⁽¹⁾	136.0*	136.0	115.0	118.0 ⁽¹⁾	100.0	102.0 ⁽¹⁾
	BV		526.0 ⁽¹⁾		478.0 ⁽¹⁾	311.0*	425.0 ⁽¹⁾	289.0*	374.0 ⁽¹⁾	252.0*	294.0 ⁽¹⁾	220.0*	240.0 ⁽¹⁾	186.0*	193.0 ⁽¹⁾	151.0*	153.0 ⁽¹⁾	128.0	134.0 ⁽¹⁾	114.0	118.0 ⁽¹⁾	100.0	102.0 ⁽¹⁾
130	B		448.0 ⁽¹⁾		440.0 ⁽¹⁾	305.0*	407.0 ⁽¹⁾	288.0*	374.0 ⁽¹⁾	256.0*	305.0 ⁽¹⁾	225.0*	249.0 ⁽¹⁾	188.0*	198.0 ⁽¹⁾	153.0*	155.0 ⁽¹⁾	135.0*	136.0 ⁽¹⁾	119.0*	119.0	99.1	102.0 ⁽¹⁾
	BV		508.0 ⁽¹⁾		480.0 ⁽¹⁾	308.0*	427.0 ⁽¹⁾	282.0*	376.0 ⁽¹⁾	246.0*	294.0 ⁽¹⁾	216.0*	239.0 ⁽¹⁾	183.0*	192.0 ⁽¹⁾	150.0*	152.0 ⁽¹⁾	133.0*	134.0 ⁽¹⁾	114.0*	117.0 ⁽¹⁾	99.3	102.0 ⁽¹⁾
135	B		431.0 ⁽¹⁾		424.0 ⁽¹⁾		403.0 ⁽¹⁾	280.0*	371.0 ⁽¹⁾	249.0*	303.0 ⁽¹⁾	220.0*	250.0 ⁽¹⁾	186.0*	199.0 ⁽¹⁾	151.0*	155.0 ⁽¹⁾	134.0*	136.0 ⁽¹⁾	118.0*	118.0	102.0*	102.0
	BV		489.0 ⁽¹⁾		469.0 ⁽¹⁾		429.0 ⁽¹⁾	275.0*	378.0 ⁽¹⁾	240.0*	295.0 ⁽¹⁾	211.0*	238.0 ⁽¹⁾	180.0*	191.0 ⁽¹⁾	148.0*	151.0 ⁽¹⁾	131.0*	133.0 ⁽¹⁾	117.0*	117.0	98.4	101.0 ⁽¹⁾
140	B		416.0 ⁽¹⁾		409.0 ⁽¹⁾		396.0 ⁽¹⁾	273.0*	369.0 ⁽¹⁾	242.0*	302.0 ⁽¹⁾	216.0*	250.0 ⁽¹⁾	183.0*	199.0 ⁽¹⁾	150.0*	155.0 ⁽¹⁾	133.0*	135.0 ⁽¹⁾	118.0*	118.0	102.0*	102.0
	BV		471.0 ⁽¹⁾		457.0 ⁽¹⁾		428.0 ⁽¹⁾	268.0*	379.0 ⁽¹⁾	234.0*	296.0 ⁽¹⁾	207.0*	237.0 ⁽¹⁾	177.0*	191.0 ⁽¹⁾	146.0*	151.0 ⁽¹⁾	130.0*	133.0 ⁽¹⁾	115.0*	117.0 ⁽¹⁾	101.0*	101.0
145	B		401.0 ⁽¹⁾		395.0 ⁽¹⁾		383.0 ⁽¹⁾	266.0*	367.0 ⁽¹⁾	236.0*	300.0 ⁽¹⁾	212.0*	249.0 ⁽¹⁾	181.0*	199.0 ⁽¹⁾	148.0*	155.0 ⁽¹⁾	132.0*	135.0 ⁽¹⁾	117.0*	118.0 ⁽¹⁾	101.0*	101.0
	BV		453.0 ⁽¹⁾		443.0 ⁽¹⁾		417.0 ⁽¹⁾	266.0*	381.0 ⁽¹⁾	228.0*	297.0 ⁽¹⁾	202.0*	237.0 ⁽¹⁾	174.0*	190.0 ⁽¹⁾	144.0*	150.0 ⁽¹⁾	128.0*	132.0 ⁽¹⁾	114.0*	116.0 ⁽¹⁾	99.9*	101.0 ⁽¹⁾
150	B		387.0 ⁽¹⁾		383.0 ⁽¹⁾		370.0 ⁽¹⁾	261.0*	359.0 ⁽¹⁾	230.0*	298.0 ⁽¹⁾	208.0*	247.0 ⁽¹⁾	178.0*	199.0 ⁽¹⁾	147.0*	155.0 ⁽¹⁾	130.0*	135.0 ⁽¹⁾	116.0*	117.0 ⁽¹⁾	101.0*	101.0
	BV		436.0 ⁽¹⁾		429.0 ⁽¹⁾		408.0 ⁽¹⁾	263.0*	378.0 ⁽¹⁾	223.0*	298.0 ⁽¹⁾	198.0*	238.0 ⁽¹⁾	171.0*	190.0 ⁽¹⁾	142.0*	150.0 ⁽¹⁾	127.0*	132.0 ⁽¹⁾	113.0*	116.0 ⁽¹⁾	98.9*	100.0 ⁽¹⁾
155	B		372.0 ⁽¹⁾		371.0 ⁽¹⁾		359.0 ⁽¹⁾		352.0 ⁽¹⁾	224.0*	296.0 ⁽¹⁾	203.0*	245.0 ⁽¹⁾	175.0*	199.0 ⁽¹⁾	145.0*	154.0 ⁽¹⁾	129.0*	135.0 ⁽¹⁾	114.0*	117.0 ⁽¹⁾	100.0*	101.0 ⁽¹⁾
	BV		420.0 ⁽¹⁾		415.0 ⁽¹⁾		397.0 ⁽¹⁾		376.0 ⁽¹⁾	218.0*	299.0 ⁽¹⁾	194.0*	238.0 ⁽¹⁾	168.0*	189.0 ⁽¹⁾	140.0*	149.0 ⁽¹⁾	125.0*	131.0 ⁽¹⁾	112.0*	115.0 ⁽¹⁾	97.8*	99.6 ⁽¹⁾
160	B		356.0 ⁽¹⁾		357.0 ⁽¹⁾		347.0 ⁽¹⁾		342.0 ⁽¹⁾	219.0*	295.0 ⁽¹⁾	198.0*	244.0 ⁽¹⁾	172.0*	198.0 ⁽¹⁾	143.0*	154.0 ⁽¹⁾	128.0*	134.0 ⁽¹⁾	113.0*	117.0 ⁽¹⁾	99.5*	100.0 ⁽¹⁾
	BV		405.0 ⁽¹⁾		402.0 ⁽¹⁾		385.0 ⁽¹⁾		370.0 ⁽¹⁾	213.0*	300.0 ⁽¹⁾	189.0*	239.0 ⁽¹⁾	164.0*	189.0 ⁽¹⁾	138.0*	149.0 ⁽¹⁾	124.0*	130.0 ⁽¹⁾	110.0*	115.0 ⁽¹⁾	96.7*	99.1 ⁽¹⁾
165	B		341.0 ⁽¹⁾		345.0 ⁽¹⁾		336.0 ⁽¹⁾		332.0 ⁽¹⁾	213.0*	293.0 ⁽¹⁾	193.0*	242.0 ⁽¹⁾										

HSDWB / HSDWBV



HS 315 ft



		HS 315 ft																																	
ft	B BV	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft													
		87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax												
220	B		207.0 ⁽⁹⁾		217.0 ⁽¹¹⁾		221.0 ⁽¹¹⁾		230.0 ⁽¹¹⁾		225.0 ⁽⁶⁾		150.0*		216.0 ⁽⁴⁾		134.0*		185.0 ⁽²⁾		117.0*		148.0 ⁽²⁾		108.0*		128.0 ⁽²⁾		97.9*		114.0 ⁽²⁾		86.7*		97.3 ⁽²⁾
	BV		250.0 ⁽¹⁰⁾		260.0 ⁽¹¹⁾		264.0 ⁽¹¹⁾		265.0 ⁽⁷⁾		253.0 ⁽³⁾		151.0*		235.0 ⁽¹⁾		128.0*		188.0 ⁽²⁾		111.0*		145.0 ⁽¹⁾		101.0*		125.0 ⁽¹⁾		91.5*		109.0 ⁽¹⁾		81.5*		93.2 ⁽²⁾
230	B		189.0 ⁽⁹⁾		199.0 ⁽¹⁰⁾		202.0 ⁽¹¹⁾		212.0 ⁽¹¹⁾		213.0 ⁽⁶⁾		145.0*		208.0 ⁽⁴⁾		128.0*		182.0 ⁽³⁾		112.0*		146.0 ⁽³⁾		103.0*		127.0 ⁽³⁾		94.7*		112.0 ⁽³⁾		83.8*		95.8 ⁽²⁾
	BV		231.0 ⁽⁹⁾		241.0 ⁽¹⁰⁾		243.0 ⁽¹¹⁾		251.0 ⁽⁷⁾		240.0 ⁽⁴⁾		145.0*		228.0 ⁽²⁾		123.0*		187.0 ⁽²⁾		106.0*		145.0 ⁽²⁾		96.6*		125.0 ⁽²⁾		87.9*		109.0 ⁽²⁾		78.4*		92.9 ⁽²⁾
240	B		173.0 ⁽⁸⁾		182.0 ⁽¹⁰⁾		183.0 ⁽¹⁰⁾		195.0 ⁽¹¹⁾		202.0 ⁽¹⁰⁾				197.0 ⁽⁵⁾		122.0*		177.0 ⁽³⁾		107.0*		144.0 ⁽³⁾		98.6*		125.0 ⁽³⁾		90.8*		112.0 ⁽³⁾		81.2*		95.5 ⁽³⁾
	BV		213.0 ⁽⁹⁾		222.0 ⁽¹⁰⁾		222.0 ⁽¹⁰⁾		235.0 ⁽¹¹⁾		227.0 ⁽⁵⁾				222.0 ⁽²⁾		118.0*		186.0 ⁽²⁾		101.0*		145.0 ⁽²⁾		92.6*		125.0 ⁽²⁾		84.3*		108.0 ⁽²⁾		75.3*		92.6 ⁽²⁾
250	B		158.0 ⁽⁷⁾		167.0 ⁽⁹⁾		168.0 ⁽⁹⁾		179.0 ⁽¹¹⁾		190.0 ⁽¹¹⁾				187.0 ⁽⁶⁾		116.0*		175.0 ⁽⁴⁾		102.0*		143.0 ⁽³⁾		93.9*		124.0 ⁽³⁾		86.8*		111.0 ⁽³⁾		78.2*		94.9 ⁽³⁾
	BV		196.0 ⁽⁷⁾		205.0 ⁽⁹⁾		206.0 ⁽¹⁰⁾		217.0 ⁽¹¹⁾		216.0 ⁽⁶⁾				211.0 ⁽³⁾		115.0*		185.0 ⁽²⁾		97.2*		144.0 ⁽²⁾		88.7*		125.0 ⁽²⁾		80.8*		108.0 ⁽²⁾		72.2*		92.3 ⁽²⁾
260	B		145.0 ⁽⁷⁾		153.0 ⁽⁹⁾		152.0 ⁽⁹⁾		162.0 ⁽¹⁰⁾		176.0 ⁽¹¹⁾				177.0 ⁽⁷⁾		110.0*		166.0 ⁽⁵⁾		97.2*		141.0 ⁽³⁾		89.6*		123.0 ⁽³⁾		82.8*		109.0 ⁽³⁾		75.0*		93.7 ⁽³⁾
	BV		182.0 ⁽⁷⁾		190.0 ⁽⁹⁾		189.0 ⁽¹⁰⁾		198.0 ⁽¹⁰⁾		205.0 ⁽⁸⁾				200.0 ⁽⁴⁾		112.0*		184.0 ⁽²⁾		93.1*		144.0 ⁽³⁾		85.1*		124.0 ⁽³⁾		77.5*		108.0 ⁽²⁾		69.2*		92.0 ⁽²⁾
270	B		132.0 ⁽⁶⁾		139.0 ⁽⁸⁾		139.0 ⁽⁹⁾		148.0 ⁽¹⁰⁾		162.0 ⁽¹¹⁾				168.0 ⁽⁹⁾		107.0*		161.0 ⁽⁵⁾		92.7*		138.0 ⁽⁴⁾		85.5*		122.0 ⁽³⁾		79.0*		108.0 ⁽³⁾		71.6*		92.5 ⁽³⁾
	BV		167.0 ⁽⁸⁾		175.0 ⁽⁸⁾		174.0 ⁽⁹⁾		184.0 ⁽¹⁰⁾		196.0 ⁽¹⁰⁾				190.0 ⁽⁵⁾		109.0*		178.0 ⁽³⁾		89.4*		143.0 ⁽³⁾		81.4*		124.0 ⁽³⁾		74.2*		107.0 ⁽²⁾		66.2*		91.7 ⁽²⁾
280	B		121.0 ⁽⁶⁾		128.0 ⁽⁸⁾		126.0 ⁽⁹⁾		135.0 ⁽¹⁰⁾		149.0 ⁽¹¹⁾				160.0 ⁽¹⁰⁾				154.0 ⁽⁴⁾		88.2*		135.0 ⁽⁴⁾		81.4*		120.0 ⁽⁴⁾		75.2*		107.0 ⁽³⁾		68.2*		91.3 ⁽³⁾
	BV		155.0 ⁽⁶⁾		162.0 ⁽⁸⁾		160.0 ⁽⁹⁾		169.0 ⁽¹⁰⁾		183.0 ⁽¹¹⁾				181.0 ⁽⁶⁾				174.0 ⁽³⁾		85.8*		143.0 ⁽³⁾		78.0*		123.0 ⁽³⁾		71.1*		107.0 ⁽³⁾		63.4*		90.6 ⁽³⁾
290	B		109.0 ⁽⁵⁾		116.0 ⁽⁸⁾		114.0 ⁽⁸⁾		122.0 ⁽⁹⁾		136.0 ⁽¹¹⁾				150.0 ⁽¹¹⁾				146.0 ⁽⁷⁾		83.5*		133.0 ⁽⁵⁾		76.7*		119.0 ⁽⁴⁾		71.2*		105.0 ⁽⁴⁾		64.9*		90.1 ⁽³⁾
	BV		143.0 ⁽⁶⁾		149.0 ⁽⁸⁾		147.0 ⁽⁸⁾		156.0 ⁽⁹⁾		169.0 ⁽¹¹⁾				173.0 ⁽⁷⁾				165.0 ⁽⁴⁾		83.8*		142.0 ⁽³⁾		74.8*		122.0 ⁽⁴⁾		67.9*		107.0 ⁽³⁾		60.7*		91.0 ⁽³⁾
300	B				106.0 ⁽⁶⁾		103.0 ⁽⁸⁾		111.0 ⁽⁹⁾		122.0 ⁽¹⁰⁾				139.0 ⁽¹¹⁾				139.0 ⁽⁸⁾		79.0*		128.0 ⁽⁵⁾		72.2*		116.0 ⁽⁵⁾		67.0*		104.0 ⁽⁴⁾		61.1*		89.3 ⁽⁴⁾
	BV				138.0 ⁽⁷⁾		135.0 ⁽⁸⁾		143.0 ⁽⁹⁾		154.0 ⁽¹⁰⁾				165.0 ⁽⁸⁾				157.0 ⁽⁵⁾		80.9*		142.0 ⁽³⁾		71.8*		120.0 ⁽⁴⁾		65.1*		102.0 ⁽³⁾		59.7*		90.7 ⁽³⁾
310	B				95.9 ⁽⁷⁾		92.8 ⁽⁷⁾		100.0 ⁽⁸⁾		111.0 ⁽¹⁰⁾				129.0 ⁽¹¹⁾				132.0 ⁽⁹⁾		76.3*		125.0 ⁽⁶⁾		68.1*		115.0 ⁽⁵⁾		62.7*		101.0 ⁽⁵⁾		57.1*		88.6 ⁽⁴⁾
	BV				127.0 ⁽⁷⁾		124.0 ⁽⁷⁾		131.0 ⁽⁸⁾		142.0 ⁽¹⁰⁾				158.0 ⁽¹¹⁾				149.0 ⁽⁵⁾		78.8*		137.0 ⁽³⁾		69.6*		120.0 ⁽⁴⁾		62.4*		106.0 ⁽⁴⁾		55.3*		89.7 ⁽³⁾
320	B						83.6 ⁽⁷⁾		90.6 ⁽⁸⁾		100.0 ⁽¹⁰⁾				118.0 ⁽¹¹⁾				126.0 ⁽¹¹⁾				118.0 ⁽⁷⁾		64.5*		112.0 ⁽⁴⁾		58.9*		101.0 ⁽⁵⁾		53.2*		87.2 ⁽⁴⁾
	BV						114.0 ⁽⁷⁾		130.0 ⁽⁸⁾		148.0 ⁽¹¹⁾				148.0 ⁽¹¹⁾				143.0 ⁽⁶⁾				134.0 ⁽⁴⁾		66.9*		119.0 ⁽⁴⁾		59.7*		105.0 ⁽⁴⁾		53.0*		89.9 ⁽⁴⁾
330	B								80.6 ⁽⁷⁾		90.0 ⁽⁹⁾				107.0 ⁽¹¹⁾				118.0 ⁽¹¹⁾				112.0 ⁽⁷⁾		62.5*		108.0 ⁽⁶⁾		55.4*		97.5 ⁽⁶⁾		49.5*		86.1 ⁽⁵⁾
	BV								110.0 ⁽⁷⁾		119.0 ⁽⁹⁾				136.0 ⁽¹¹⁾				137.0 ⁽⁷⁾				126.0 ⁽⁵⁾		64.9*		117.0 ⁽⁴⁾		57.1*		105.0 ⁽⁴⁾		50.6*		89.1 ⁽⁴⁾
340	B								72.1 ⁽⁷⁾		80.6 ⁽⁹⁾				95.7 ⁽¹⁰⁾				109.0 ⁽¹¹⁾				107.0 ⁽⁸⁾				104.0 ⁽⁷⁾		52.2*		97.6 ⁽⁶⁾		46.3*		84.8 ⁽⁵⁾
	BV								100.0 ⁽⁷⁾		100.0 ⁽⁹⁾				154.0 ⁽¹⁰⁾				132.0 ⁽⁹⁾				121.0 ⁽⁵⁾				114.0 ⁽⁴⁾		54.5*		104.0 ⁽⁴⁾		47.8*		88.4 ⁽⁵⁾
350	B										71.3 ⁽⁸⁾				86.5 ⁽¹⁰⁾				99.7 ⁽¹¹⁾				102.0 ⁽¹⁰⁾				98.4 ⁽⁸⁾				93.2 ⁽⁷⁾		43.3*		83.6 ⁽⁴⁾
	BV										98.5 ⁽⁸⁾				114.0 ⁽¹⁰⁾				127.0 ⁽¹¹⁾				117.0 ⁽⁶⁾				110.0 ⁽⁵⁾				103.0 ⁽⁴⁾		44.9*		87.7 ⁽⁵⁾
360	B										63.0 ⁽⁸⁾				77.3 ⁽¹⁰⁾				90.7 ⁽¹¹⁾				98.5 ⁽¹¹⁾				93.6 ⁽⁹⁾				90.7 ⁽⁷⁾		41.1*		81.7 ⁽⁴⁾
	BV										89.6 ⁽⁸⁾				104.0 ⁽¹⁰⁾				117.0 ⁽¹¹⁾				112.0 ⁽⁷⁾				105.0 ⁽⁴⁾				98.5 ⁽⁸⁾		43.0*		87.1 ⁽⁵⁾
370	B										54.7 ⁽⁷⁾				68.3 ⁽⁹⁾				81.6 ⁽¹¹⁾				91.1 ⁽¹¹⁾				89.8 ⁽¹⁰⁾				87.1 ⁽⁸⁾				80.6 ⁽⁷⁾
	BV										80.5 ⁽⁷⁾				94.2 ⁽⁹⁾				107.0 ⁽¹¹⁾				107.0 ⁽⁸⁾				100.0 ⁽⁴⁾				96.0 ⁽⁵⁾				86.5 ⁽⁵⁾
380	B										47.7 ⁽⁷⁾				60.2 ⁽⁹⁾				72.1 ⁽¹⁰⁾				83.6 ⁽¹¹⁾				85.9 ⁽¹¹⁾				82.7 ⁽⁹⁾				76.5 ⁽⁷⁾
	BV										72.2 ⁽⁷⁾				85.5 ⁽⁹⁾				97.0 ⁽¹⁰⁾				103.0 ⁽⁹⁾				96.7 ⁽⁷⁾				91.8 ⁽⁶⁾				85.9 ⁽⁵⁾
390	B														52.2 ⁽⁸⁾				64.0 ⁽¹⁰⁾				76.2 ⁽¹¹⁾				78.9 ⁽¹¹⁾				79.0 ⁽¹⁰⁾				74.8 ⁽⁸⁾
	BV														76.7 ⁽⁹⁾				88.6 ⁽¹⁰⁾				99.4 ⁽¹¹⁾				92.9 ⁽⁸⁾				87.1 ⁽⁷⁾				81.8 ⁽⁵⁾
400	B														45.6 ⁽⁸⁾				56.0 ⁽¹⁰⁾				68.2 ⁽¹¹⁾				72.1 ⁽¹¹⁾				75.1 ⁽¹¹⁾				71.4 ⁽⁹⁾
	BV														69.0 ⁽⁸⁾				80.1 ⁽¹⁰⁾				91.4 ⁽¹¹⁾				88.9 ⁽⁹⁾				83.7 ⁽⁷⁾				78.9 ⁽⁴⁾
410	B														39.0 ⁽⁷⁾				48.8 ⁽⁹⁾				60.3 ⁽¹¹⁾				65.1 ⁽¹¹⁾				68.6 ⁽¹¹⁾				68.1 ⁽¹⁰⁾
	BV														60.7 ⁽⁷⁾				71.7 ⁽⁹⁾				83.4 ⁽¹¹⁾				85.8 ⁽¹¹⁾				80.4 ⁽⁸⁾				74.9 ⁽⁷⁾
420	B														33.9 ⁽⁷⁾				42.4 ⁽⁹⁾				52.1 ⁽¹⁰⁾				57.8 ⁽¹¹⁾				62.2 ⁽¹¹⁾				64.3 ⁽¹¹⁾
	BV														52.7 ⁽⁷⁾				64.1 ⁽⁹⁾				74.7 ⁽¹⁰⁾				78.9 ⁽¹¹⁾				77.2 ⁽¹⁰⁾				71.3 ⁽⁸⁾
430	B																		36.3 ⁽⁸⁾				45.9 ⁽¹⁰⁾				50.5 ⁽¹¹⁾				55.8 ⁽¹¹⁾				58

HSDWB / HSDWBV

HS 335 ft




HS 335 ft

ft	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 158 ft		W 197 ft		W 236 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		
	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	87/85*	Wmax	
45	B	486.0	487.0 ⁽¹⁾																				
	BV	487.0	487.0																				
50	B	472.0	484.0 ⁽¹⁾	429.0	429.0																		
	BV	471.0	483.0 ⁽¹⁾	428.0	428.0																		
55	B	458.0	485.0 ⁽¹⁾	418.0	428.0 ⁽¹⁾	384.0	384.0																
	BV	455.0	479.0 ⁽¹⁾	415.0	425.0 ⁽¹⁾	383.0	383.0																
60	B	483.0*	485.0 ⁽¹⁾	407.0	430.0 ⁽¹⁾	375.0	382.0 ⁽¹⁾	343.0	343.0														
	BV	472.0*	475.0 ⁽¹⁾	402.0	422.0 ⁽¹⁾	374.0	381.0 ⁽¹⁾	342.0	342.0														
65	B	471.0*	484.0 ⁽¹⁾	429.0*	430.0 ⁽¹⁾	365.0	383.0 ⁽¹⁾	335.0	342.0 ⁽¹⁾														
	BV	458.0*	471.0 ⁽¹⁾	418.0*	419.0 ⁽¹⁾	363.0	378.0 ⁽¹⁾	334.0	340.0 ⁽¹⁾														
70	B	458.0*	482.0 ⁽¹⁾	420.0*	429.0 ⁽¹⁾	384.0*	384.0	328.0	342.0 ⁽¹⁾	273.0	273.0												
	BV	443.0*	467.0 ⁽¹⁾	406.0*	415.0 ⁽¹⁾	376.0*	376.0	326.0	338.0 ⁽¹⁾	272.0	272.0												
75	B	445.0*	481.0 ⁽¹⁾	410.0*	427.0 ⁽¹⁾	377.0*	383.0 ⁽¹⁾	344.0*	344.0	266.0	272.0 ⁽¹⁾												
	BV	428.0*	463.0 ⁽¹⁾	394.0*	411.0 ⁽¹⁾	368.0*	373.0 ⁽¹⁾	337.0*	337.0	265.0	269.0 ⁽¹⁾												
80	B	431.0*	479.0 ⁽¹⁾	399.0*	426.0 ⁽¹⁾	368.0*	382.0 ⁽¹⁾	337.0*	342.0 ⁽¹⁾	260.0	271.0 ⁽¹⁾	219.0	219.0										
	BV	412.0*	459.0 ⁽¹⁾	382.0*	408.0 ⁽¹⁾	358.0*	370.0 ⁽¹⁾	329.0*	333.0 ⁽¹⁾	258.0	267.0 ⁽¹⁾	218.0	218.0										
85	B	418.0*	478.0 ⁽¹⁾	387.0*	424.0 ⁽¹⁾	359.0*	381.0 ⁽¹⁾	330.0*	342.0 ⁽¹⁾	273.0*	273.0	215.0	218.0 ⁽¹⁾										
	BV	398.0*	455.0 ⁽¹⁾	369.0*	404.0 ⁽¹⁾	357.0*	367.0 ⁽¹⁾	320.0*	331.0 ⁽¹⁾	267.0*	267.0	214.0	216.0 ⁽¹⁾										
90	B	404.0*	477.0 ⁽¹⁾	375.0*	423.0 ⁽¹⁾	350.0*	380.0 ⁽¹⁾	323.0*	341.0 ⁽¹⁾	267.0*	271.0 ⁽¹⁾	211.0	218.0 ⁽¹⁾	173.0	173.0								
	BV	382.0*	451.0 ⁽¹⁾	355.0*	400.0 ⁽¹⁾	337.0*	363.0 ⁽¹⁾	312.0*	328.0 ⁽¹⁾	261.0*	263.0 ⁽¹⁾	209.0	215.0 ⁽¹⁾	173.0	173.0								
95	B	393.0*	474.0 ⁽¹⁾	362.0*	421.0 ⁽¹⁾	340.0*	379.0 ⁽¹⁾	315.0*	341.0 ⁽¹⁾	262.0*	271.0 ⁽¹⁾	220.0*	220.0	171.0	173.0								
	BV	378.0*	450.0 ⁽¹⁾	342.0*	396.0 ⁽¹⁾	324.0*	360.0 ⁽¹⁾	303.0*	325.0 ⁽¹⁾	254.0*	261.0 ⁽¹⁾	215.0*	215.0	170.0	172.0 ⁽¹⁾								
100	B		469.0 ⁽¹⁾	349.0*	420.0 ⁽¹⁾	329.0*	378.0 ⁽¹⁾	307.0*	340.0 ⁽¹⁾	257.0*	270.0 ⁽¹⁾	217.0*	218.0 ⁽¹⁾	168.0	173.0 ⁽¹⁾	135.0	135.0	119.0	119.0				
	BV		454.0 ⁽¹⁾	329.0*	393.0 ⁽¹⁾	315.0*	357.0 ⁽¹⁾	294.0*	323.0 ⁽¹⁾	248.0*	259.0 ⁽¹⁾	211.0*	212.0 ⁽¹⁾	166.0	170.0 ⁽¹⁾	135.0	135.0						
105	B		465.0 ⁽¹⁾	339.0*	417.0 ⁽¹⁾	320.0*	377.0 ⁽¹⁾	300.0*	340.0 ⁽¹⁾	252.0*	270.0 ⁽¹⁾	214.0*	218.0 ⁽¹⁾	165.0	173.0 ⁽¹⁾	133.0	135.0 ⁽¹⁾	118.0	118.0	104.0	104.0		
	BV		458.0 ⁽¹⁾	318.0*	396.0 ⁽¹⁾	305.0*	353.0 ⁽¹⁾	285.0*	320.0 ⁽¹⁾	242.0*	257.0 ⁽¹⁾	207.0*	210.0 ⁽¹⁾	163.0	169.0 ⁽¹⁾	133.0	134.0 ⁽¹⁾	117.0	117.0	103.0	103.0		
110	B		461.0 ⁽¹⁾	329.0*	414.0 ⁽¹⁾	310.0*	375.0 ⁽¹⁾	293.0*	339.0 ⁽¹⁾	248.0*	270.0 ⁽¹⁾	210.0*	218.0 ⁽¹⁾	173.0*	173.0	131.0	135.0 ⁽¹⁾	116.0	118.0 ⁽¹⁾	103.0	103.0	88.9	88.9
	BV		462.0 ⁽¹⁾	312.0*	400.0 ⁽¹⁾	296.0*	353.0 ⁽¹⁾	278.0*	317.0 ⁽¹⁾	237.0*	256.0 ⁽¹⁾	203.0*	209.0 ⁽¹⁾	168.0*	168.0	131.0	133.0 ⁽¹⁾	116.0	116.0	102.0	102.0	88.1	88.1
115	B		456.0 ⁽¹⁾	324.0*	411.0 ⁽¹⁾	301.0*	372.0 ⁽¹⁾	285.0*	338.0 ⁽¹⁾	243.0*	270.0 ⁽¹⁾	207.0*	218.0 ⁽¹⁾	172.0*	173.0 ⁽¹⁾	130.0	136.0 ⁽¹⁾	115.0	118.0 ⁽¹⁾	102.0	103.0 ⁽¹⁾	88.2	88.2
	BV		466.0 ⁽¹⁾	308.0*	403.0 ⁽¹⁾	288.0*	356.0 ⁽¹⁾	270.0*	315.0 ⁽¹⁾	231.0*	254.0 ⁽¹⁾	199.0*	208.0 ⁽¹⁾	166.0*	167.0 ⁽¹⁾	129.0	133.0 ⁽¹⁾	114.0	116.0 ⁽¹⁾	101.0	101.0	87.2	87.2
120	B		452.0 ⁽¹⁾	322.0*	408.0 ⁽¹⁾	292.0*	369.0 ⁽¹⁾	276.0*	336.0 ⁽¹⁾	238.0*	269.0 ⁽¹⁾	204.0*	218.0 ⁽¹⁾	170.0*	173.0 ⁽¹⁾	136.0*	136.0	114.0	118.0 ⁽¹⁾	101.0	103.0 ⁽¹⁾	87.3	88.1 ⁽¹⁾
	BV		469.0 ⁽¹⁾	308.0*	406.0 ⁽¹⁾	280.0*	359.0 ⁽¹⁾	263.0*	317.0 ⁽¹⁾	226.0*	252.0 ⁽¹⁾	195.0*	207.0 ⁽¹⁾	164.0*	167.0 ⁽¹⁾	129.0*	132.0 ⁽¹⁾	112.0	116.0 ⁽¹⁾	99.5	101.0 ⁽¹⁾	86.3	86.9 ⁽¹⁾
125	B		448.0 ⁽¹⁾	325.0*	405.0 ⁽¹⁾	285.0*	366.0 ⁽¹⁾	269.0*	334.0 ⁽¹⁾	234.0*	269.0 ⁽¹⁾	201.0*	218.0 ⁽¹⁾	168.0*	173.0 ⁽¹⁾	135.0*	136.0 ⁽¹⁾	119.0*	119.0	99.4	103.0 ⁽¹⁾	86.4	88.3 ⁽¹⁾
	BV		473.0 ⁽¹⁾	309.0*	409.0 ⁽¹⁾	273.0*	362.0 ⁽¹⁾	256.0*	319.0 ⁽¹⁾	220.0*	250.0 ⁽¹⁾	191.0*	206.0 ⁽¹⁾	161.0*	166.0 ⁽¹⁾	131.0*	132.0 ⁽¹⁾	112.0*	116.0 ⁽¹⁾	98.2	101.0 ⁽¹⁾	85.4	86.7 ⁽¹⁾
130	B		435.0 ⁽²⁾	322.0*	402.0 ⁽¹⁾	276.0*	363.0 ⁽¹⁾	261.0*	331.0 ⁽¹⁾	229.0*	269.0 ⁽¹⁾	198.0*	218.0 ⁽¹⁾	165.0*	173.0 ⁽¹⁾	134.0*	136.0 ⁽¹⁾	118.0*	119.0 ⁽¹⁾	104.0*	104.0	85.5	88.4 ⁽¹⁾
	BV		468.0 ⁽²⁾	312.0*	413.0 ⁽¹⁾	272.0*	364.0 ⁽¹⁾	249.0*	321.0 ⁽¹⁾	215.0*	249.0 ⁽¹⁾	188.0*	205.0 ⁽¹⁾	158.0*	165.0 ⁽¹⁾	129.0*	131.0 ⁽¹⁾	115.0*	115.0	96.8	101.0 ⁽¹⁾	84.4	86.6 ⁽¹⁾
135	B		420.0 ⁽³⁾	325.0*	398.0 ⁽¹⁾	274.0*	360.0 ⁽¹⁾	254.0*	329.0 ⁽¹⁾	223.0*	267.0 ⁽¹⁾	195.0*	218.0 ⁽¹⁾	163.0*	174.0 ⁽¹⁾	133.0*	136.0 ⁽¹⁾	117.0*	118.0 ⁽¹⁾	103.0*	104.0 ⁽¹⁾	89.1*	89.1
	BV		456.0 ⁽³⁾	315.0*	415.0 ⁽¹⁾	268.0*	367.0 ⁽¹⁾	243.0*	323.0 ⁽¹⁾	209.0*	250.0 ⁽¹⁾	184.0*	204.0 ⁽¹⁾	156.0*	164.0 ⁽¹⁾	128.0*	130.0 ⁽¹⁾	113.0*	115.0 ⁽¹⁾	100.0*	101.0 ⁽¹⁾	83.3	86.4 ⁽¹⁾
140	B		405.0 ⁽⁴⁾	327.0*	394.0 ⁽²⁾	270.0*	357.0 ⁽¹⁾	248.0*	327.0 ⁽¹⁾	217.0*	265.0 ⁽¹⁾	192.0*	218.0 ⁽¹⁾	161.0*	174.0 ⁽¹⁾	131.0*	136.0 ⁽¹⁾	118.0*	118.0 ⁽¹⁾	103.0*	103.0	88.6*	88.7 ⁽¹⁾
	BV		444.0 ⁽³⁾	310.0*	410.0 ⁽²⁾	263.0*	370.0 ⁽¹⁾	237.0*	325.0 ⁽¹⁾	204.0*	251.0 ⁽¹⁾	180.0*	203.0 ⁽¹⁾	153.0*	164.0 ⁽¹⁾	126.0*	130.0 ⁽¹⁾	112.0*	114.0 ⁽¹⁾	99.2*	100.0 ⁽¹⁾	86.1*	86.2 ⁽¹⁾
145	B		391.0 ⁽⁴⁾	328.0*	383.0 ⁽³⁾	272.0*	354.0 ⁽²⁾	242.0*	325.0 ⁽¹⁾	212.0*	264.0 ⁽¹⁾	188.0*	218.0 ⁽¹⁾	159.0*	174.0 ⁽¹⁾	130.0*	136.0 ⁽¹⁾	115.0*	118.0 ⁽¹⁾	102.0*	103.0 ⁽¹⁾	88.2*	88.4 ⁽¹⁾
	BV		432.0 ⁽⁴⁾	315.0*	404.0 ⁽³⁾	264.0*	370.0 ⁽¹⁾	234.0*	327.0 ⁽¹⁾	199.0*	253.0 ⁽¹⁾	176.0*	202.0 ⁽¹⁾	150.0*	163.0 ⁽¹⁾	124.0*	129.0 ⁽¹⁾	110.0*	113.0 ⁽¹⁾	98.0*	99.4 ⁽¹⁾	85.3*	85.7 ⁽¹⁾
150	B		378.0 ⁽⁴⁾	322.0*	372.0 ⁽³⁾	270.0*	359.0 ⁽²⁾	248.0*	322.0 ⁽¹⁾	206.0*	262.0 ⁽¹⁾	185.0*	217.0 ⁽¹⁾	156.0*	174.0 ⁽¹⁾	128.0*	136.0 ⁽¹⁾	114.0*	118.0 ⁽¹⁾	101.0*	103.0 ⁽¹⁾	87.6*	88.1 ⁽¹⁾
	BV		420.0 ⁽⁴⁾	312.0*	397.0 ⁽³⁾	267.0*	367.0 ⁽²⁾	232.0*	329.0 ⁽¹⁾	194.0*	254.0 ⁽¹⁾	172.0*	202.0 ⁽¹⁾	147.0*	162.0 ⁽¹⁾	122.0*	128.0 ⁽¹⁾	109.0*	113.0 ⁽¹⁾	96.7*	98.9 ⁽¹⁾	84.4*	85.3 ⁽¹⁾
155	B		365.0 ⁽⁵⁾	325.0*	360.0 ⁽⁴⁾	270.0*	344.0 ⁽³⁾	240.0*	317.0 ⁽¹⁾	201.0*	260.0 ⁽¹⁾	180.0*	215.0 ⁽¹⁾	154.0*	174.0 ⁽¹⁾	127.0*	136.0 ⁽¹⁾	113.0*	118.0 ⁽¹⁾	100.0*	103.0 ⁽¹⁾	86.8*	87.8 ⁽¹⁾
	BV		408.0 ⁽⁴⁾	315.0*	389.0 ⁽⁴⁾	262.0*	362.0 ⁽²⁾	239.0*	329.0 ⁽¹⁾	190.0*	255.0 ⁽¹⁾	168.0*	203.0 ⁽¹⁾	145.0*	161.0 ⁽¹⁾	120.0*	128.0 ⁽¹⁾	107.0*	112.0 ⁽¹⁾	95.4*	98.4 ⁽¹⁾	83.3*	84.8 ⁽¹⁾
160	B		351.0 ⁽⁵⁾	328.0*	350.0 ⁽⁵⁾	270.0*	337.0 ⁽³⁾	240.0*	315.0 ⁽²⁾	196.0*	259.0 ⁽¹⁾	176.0*	214.0 ⁽¹⁾	152.0*	173.0 ⁽¹⁾	125.0*	136.0 ⁽¹⁾	111.0*	118.0 ⁽¹⁾	99.0*	102.0 ⁽¹⁾	86.0*	87.5 ⁽¹⁾
	BV		396.0 ⁽⁴⁾	318.0*	382.0 ⁽⁵⁾	265.0*	358.0 ⁽³⁾	238.0*	326.0 ⁽¹⁾	185.0*	256.0 ⁽¹⁾	164.0*	204.0 ⁽¹⁾	142.0*	161.0 ⁽¹⁾	118.0*	127.0 ⁽¹⁾	106.0*	112.0 ⁽¹⁾	94.1*	97.9 ⁽¹⁾	82.2*	84.4 ⁽¹⁾
165	B		337.0 ⁽⁵⁾	325.0*	339.0 ⁽⁷⁾	270.0*	327.0 ⁽⁴⁾	240.0*	310.0 ⁽³⁾	191.0*	257.0 ⁽¹⁾	172.0*	212.0 ⁽¹⁾	149.0*	172.0 ⁽¹								

Lifting heights


Hauteurs de levage

HSDWB / HSDWBV



Example Exemple

Wmax



1) 12°; 2) 17°; 3) 22°; 4) 27°; 5) 32°; 6) 37°; 7) 42°; 8) 47°; 9) 52°; 10) 57°; 11) 62°

SLF

SL 177 ft



ft	SL 177 ft																								ft					
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft		F 118 ft		F 128 ft				
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	18°	30°	18°		30°	18°	30°		
40	408																											40		
45	408	401		389																								45		
50	408	384	266	370	320		320			284																		50		
55	408	369	258	353	308	228	305	264		270	238			251			234											55		
60	408	356	251	338	296	221	292	253		259	228			239	208			222				211						60		
65	403	343	244	324	285	215	279	244	189	247	220			229	200			213	185			201						65		
70	388	332	239	311	276	209	268	236	173	237	212	157	219	192			203	178			192	168		159		153		149	70	
75	360	321	233	299	267	203	258	227	168	228	204	152	210	185	142	194	171	133			184	161		153		147		142	75	
80	334	311	227	288	258	197	248	220	164	219	197	148	202	179	137	187	165	129	176	155	123	147				141		136	80	
85	310	301	222	278	251	193	240	213	160	211	191	144	194	173	133	180	159	125	169	149	119	141	113			135		131	85	
90	287	286	218	268	244	183	231	207	155	203	185	141	187	167	130	173	154	121	162	144	116	136	110	130	105	125	100		90	
95	265	266	214	257	237	173	223	200	152	197	179	137	181	162	127	166	149	118	156	139	112	131	107	126	101	121	121	96.7	95	
100	246	247	210	245	230	169	216	195	148	190	174	134	175	157	123	160	144	115	151	135	109	127	104	121	98.3	117	93.6		100	
105	227	230	206	231	222	165	209	190	145	184	169	130	169	152	120	155	139	112	145	130	106	123	101	117	95.3	112	90.7		105	
110	213	214	202	215	213	161	203	185	142	178	165	128	164	148	117	150	135	109	140	126	103	119	98.2	113	92.5	108	88.2		110	
115	199	200	197	201	203	158	197	180	139	173	161	125	159	144	115	145	131	107	136	123	101	115	95.4	109	89.9	104	85.7		115	
120	186	188	189	189	191	155	190	176	136	168	156	122	154	140	112	141	128	104	131	119	98.3	112	92.9	106	87.4	101	83.1		120	
125	175	177	180	177	180	152	180	172	133	164	153	119	149	136	109	137	124	101	127	116	95.8	108	90.5	102	85.2	97.7	80.7		125	
130	164	166	169	166	169	150	170	167	130	159	149	117	145	133	107	133	121	99	123	112	93.6	105	88.6	99.4	83.3	94.3	78.5		130	
135	155	156	159	157	159	147	160	161	128	154	145	114	141	129	105	129	118	96.9	120	109	91.4	102	86.3	96.5	81.2	91.5	76.6		135	
140	146	147	150	148	150	144	151	153	126	149	142	112	137	126	103	125	115	94.8	116	106	89.3	99.1	84.2	93.8	79.1	88.7	74.5		140	
145	138	139	142	140	142	141	143	145	123	143	139	110	133	123	100	122	112	92.7	113	103	87.4	96.5	82.3	91	77.2	86.1	72.4		145	
150	130	131	134	133	135	136	135	137	121	136	136	108	130	121	98.4	118	109	90.7	110	101	85.4	94	80.4	88.5	75.4	83.6	70.6		150	
155	123	124	126	125	128	130	128	130	119	130	130	106	126	118	96.6	115	107	88.9	107	98.4	83.5	91.6	78.6	86	73.7	81.3	68.9		155	
160	117	118	120	119	121	124	122	123	117	123	125	105	123	116	94.9	112	104	87.2	104	96.1	81.7	89.2	76.7	83.8	71.9	79.1	67.3		160	
165	110	111	114	113	114	117	116	117	114	117	119	103	118	113	93.3	110	102	85.5	101	93.8	80	87	75.1	81.6	70.3	76.9	65.7		165	
170	105	105	108	107	109	111	110	111	111	111	113	101	113	110	91.7	107	99.9	84	98.5	91.5	78.5	84.9	73.6	79.6	68.8	74.8	64.3		170	
175	99.4	100	102	101	103	105	105	105	107	105	108	99.6	108	106	90.2	104	97.8	82.5	96.2	89.5	77.1	82.9	72.1	77.5	67.3	72.8	62.9		175	
180	94.2	94.7	96.5	96.2	97.6	99.8	99.3	100	103	100	102	98	103	102	88.8	100	95.9	81.2	93.9	87.6	75.6	81.1	70.7	75.5	66	71	61.5		180	
185	89.6	90	91.4	91.3	92.7	94.7	94.3	95	97.5	95.5	97.4	95.6	97.8	98.4	87.4	97.2	94	79.8	91.8	85.8	74.3	79.2	69.2	73.8	64.7	69.2	60.2		185	
190	85.1	85.4	86.7	86.7	87.9	89.8	89.7	90.4	92.5	90.7	92.6	92.4	93.3	94.3	86	93.6	92.1	78.5	89.6	84.1	73	77.4	67.9	72.1	63.5	67.6	58.9		190	
195	80.9	81.2	82.2	82.5	83.8	85.1	85.2	85.9	88	86.5	88.1	89	88.9	90	84.6	89.8	89.4	77.2	87.4	82.4	71.7	75.8	66.8	70.4	62.3	66	57.7		195	
200				78.4	79.7	80.8	81.1	81.6	83.4	82.4	84	85.3	84.7	85.6	83.3	85.6	86.2	75.8	84.8	80.7	70.5	74.2	65.6	68.9	61.1	64.4	56.6		200	
205				74.6	75.7	76.6	77.4	77.8	79.2	78.4	79.9	81.2	80.9	81.6	81.9	81.6	82.5	74.7	81.8	79	69.4	72.6	64.5	67.4	60	62.9	55.5		205	
210							73.7	74.1	75.2	74.8	76.1	77.2	77.3	77.9	79.3	77.9	78.8	73.8	78.8	77.2	68.3	71.1	63.3	65.9	59	61.5	54.5		210	
215								70.5	71.4	71.3	72.6	73.4	73.6	74.2	75.8	74.4	75.3	72.8	75.7	75.5	67.3	69.8	62.2	64.5	58	60	53.6		215	
220										67.8	69.2	69.8	70.3	70.7	72.1	71	71.9	70.9	72.6	73.2	66.4	68.5	61.3	63.3	57	58.7	52.7		220	
225											65.8	66.4	66.9	67.4	68.6	67.8	68.5	68.8	69.4	70.3	65.5	67.2	60.4	62.1	56.1	57.4	51.8		225	
230													63.8	64.2	65.2	64.9	65.4	66.5	66.3	67.2	64.6	65.5	59.5	61	55.2	56.2	50.9		230	
235														61.2	61.9	61.9	62.4	63.5	63.4	64.1	63.8	63.6	58.4	59.9	54.3	55.1	50.1		235	
240																59.1	59.4	60.5	60.7	61.3	62.7	61.6	57.7	58.8	53.4	54	49.3		240	
245																		57.5	57.9	58.6	59.8	59.4	57	57.8	52.7	53	48.6		245	
250																			55.4	55.9	57	56.8	56	56.8	52	52.1	47.8		250	
255																					54.3	54.3	54.8	51.4	51.2	47.2			255	
260																						51.7	52.6	50.7	50.2	46.7			260	
265																							50.3	50.4	50	49	46.1		265	
270																									48.2	49	47.7	45.5		270
275																										47.1	46.3	45		275
280																											44.3	44.3		280

SLF

SL 197 ft



ft	SL 197 ft																								ft							
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft		F 118 ft		F 128 ft						
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°		18°	30°	18°	30°	18°	30°	
45	408	405		392																											45	
50	408	389		375	323		323																								50	
55	408	375	260	359	312		309	265		273					253																55	
60	408	362	254	344	300	223	296	256		261	230				242				225			213									60	
65	403	350	248	331	290	217	284	247	190	251	222				232	202			215	187		203									65	
70	378	339	241	318	281	212	273	239	174	241	214	158	223	194				206	179		195	169		160							70	
75	348	328	236	306	272	206	264	232	170	232	207	154	214	188	142	198	173		187	163		187	163		154			148		143	75	
80	323	318	231	296	264	200	255	225	166	224	201	150	206	181	139	190	168	129	179	157		179	157		149			142		138	80	
85	300	302	226	286	256	196	246	218	162	216	195	146	196	176	135	183	161	126	172	152	120	144		144			137		132		85	
90	279	282	222	275	249	191	237	211	158	208	189	143	192	170	131	177	156	123	166	147	117	138	110	132	110	132	105	127			90	
95	261	263	217	261	242	176	230	206	154	202	183	139	185	165	128	170	152	120	160	142	114	134	107	128	102	123	102	123	97.3		95	
100	243	244	213	245	235	172	223	200	151	196	178	136	179	161	125	165	147	117	154	138	111	129	105	123	98.9	118	94.6	118	94.6		100	
105	226	227	210	228	224	169	216	194	148	190	174	133	174	156	122	160	143	114	149	133	108	125	102	119	96.3	114	91.5	114	91.5		105	
110	210	211	204	213	213	165	208	190	145	184	169	130	169	152	119	155	139	111	144	129	105	121	99.3	115	93.7	110	89	110	89		110	
115	195	197	197	199	201	162	199	185	142	179	165	127	164	148	117	150	135	108	140	126	103	118	96.6	112	91.3	107	86.6	112	86.6		115	
120	183	184	187	185	189	159	189	180	139	174	161	125	159	144	114	145	131	106	135	122	100	114	94.2	108	88.8	103	84.2	103	84.2		120	
125	171	173	177	174	177	156	177	174	136	169	156	122	154	140	112	141	128	103	131	118	97.7	111	91.9	105	86.5	99.9	81.9	125	81.9		125	
130	161	162	166	164	166	153	167	168	134	164	153	119	150	137	109	137	124	101	127	115	95.4	108	90	102	84.3	97	79.9	130	79.9		130	
135	151	152	156	153	157	151	157	159	131	158	149	117	146	133	107	133	121	98.9	123	112	93.2	105	87.7	99.3	82.4	94.1	77.9	135	77.9		135	
140	142	143	147	144	147	147	148	150	129	150	145	115	142	130	105	129	118	96.9	120	109	91.1	102	85.7	96.6	80.4	91.5	75.8	140	75.8		140	
145	135	135	138	136	139	141	140	141	126	141	141	113	138	127	103	126	115	94.9	117	107	89.3	99.6	83.9	93.9	78.7	88.9	74	145	74		145	
150	127	128	131	129	131	134	132	133	124	133	135	111	134	125	101	123	113	93	114	104	87.5	96.9	82.1	91.4	77	86.5	72.1	150	72.1		150	
155	120	121	124	122	124	127	125	126	122	126	129	109	129	122	99.1	120	110	91.1	111	102	85.7	94.5	80.4	88.9	75.3	84	70.4	155	70.4		155	
160	113	114	117	115	117	121	118	119	120	119	122	107	122	119	97.5	117	108	89.3	108	99.4	83.9	92.1	78.7	86.5	73.7	81.8	68.8	160	68.8		160	
165	107	108	110	109	111	114	112	113	115	113	116	106	116	116	95.8	114	105	87.8	105	97.1	82.2	89.9	77.2	84.4	72.1	79.5	67.3	165	67.3		165	
170	102	102	104	103	105	108	106	107	110	108	110	104	110	111	94.2	110	103	86.2	103	94.9	80.8	87.9	75.6	82.3	70.5	77.5	65.7	170	65.7		170	
175	95.9	96.5	98.9	97.8	99.5	102	101	102	105	102	105	102	105	106	92.7	105	101	84.8	100	93	79.4	85.8	74.2	80.4	69	75.5	64.3	175	64.3		175	
180	90.6	91.2	93.5	92.8	94.4	96.9	95.5	96.4	99.8	97.3	99.5	99.3	99.4	101	91.2	100	98.5	83.5	97.8	91	77.9	84	72.7	78.4	67.6	73.6	62.9	180	62.9		180	
185	86.1	86.6	88.5	87.7	89.5	92	90.7	91.6	94.4	92.1	94.4	95.2	94.7	96	89.5	95.5	95.5	82.2	95	89.1	76.5	82.3	71.3	76.6	66.3	71.8	61.7	185	61.7		185	
190	81.7	82.2	84	83.1	84.6	87.2	86.1	87	89.6	87.6	89.5	90.9	89.9	91.4	87.5	91.1	92.2	80.8	92.1	87.2	75.1	80.5	69.9	74.8	65	70.1	60.4	190	60.4		190	
195	77.4	77.9	79.6	78.9	80.4	82.7	81.6	82.6	85.1	83.3	85	86.7	85.5	86.9	85.2	86.6	88	79.5	88.1	85.1	73.9	78.7	68.6	73.2	63.9	68.5	59.3	195	59.3		195	
200	73.4	73.9	75.3	74.9	76.3	78.4	77.6	78.3	80.7	79.2	80.9	82.6	81.4	82.7	83	82.3	83.8	78.3	84	82.3	72.7	76.9	67.4	71.7	62.9	66.9	58.1	200	58.1		200	
205	69.5	70.1	71.4	71	72.2	74.3	73.8	74.4	76.5	75.1	76.8	78.5	77.6	78.8	80.2	78.3	79.7	77.2	80	79.5	71.5	75.2	66.3	70.2	61.8	65.4	57.1	205	57.1		205	
210	65.9	66.4	67.5	67.5	68.6	70.4	70	70.7	72.7	71.5	73	74.4	73.9	75	76.9	74.6	75.8	76.1	76.3	76.7	70.5	73.6	65.3	68.8	60.7	63.9	56.1	210	56.1		210	
215				64.1	65	66.6	66.5	67	68.9	67.9	69.4	70.7	70.3	71.2	73.1	71.1	72.3	73.8	72.7	73.7	69.5	72	64.3	67.3	59.7	62.6	55.1	215	55.1		215	
220				60.9	61.7	63	63.2	63.7	65.3	64.4	65.9	67.2	66.9	67.8	69.4	67.5	68.7	70.7	69.3	70.6	68.2	70	63.2	65.9	58.7	61.3	54.1	220	54.1		220	
225							60	60.4	61.9	61.3	62.6	63.7	63.6	64.5	66	64.4	65.3	67.3	66	67.2	66.6	67.6	62.2	64.4	57.9	60.1	53.1	225	53.1		225	
230							57.1	57.4	58.6	58.4	59.5	60.5	60.4	61.2	62.6	61.5	62.2	63.9	62.9	63.9	64.5	64.6	61	62.7	57	58.8	52.3	230	52.3		230	
235										55.5	56.5	57.5	57.6	58.2	59.4	58.5	59.2	60.8	60	61	62.3	61.6	59.8	60.7	56.2	57.5	51.4	235	51.4		235	
240										52.7	53.6	54.4	54.9	55.4	56.4	55.7	56.3	57.8	57.2	58.1	59.9	58.7	58.5	58.6	55.3	56.1	50.6	240	50.6		240	
245													52.2	52.7	53.6	53.1	53.6	54.8	54.4	55.4	57.2	56	57.1	56.5	54.5	54.7	49.8	245	49.8		245	
250													49.6	50	50.7	50.5	51	52.1	51.9	52.6	54.3	53.4	55.1	54.2	53.7	53.2	49.1	250	49.1		250	
255																47.9	48.5	49.5	49.6	50.2	51.5	50.8	52.8	51.9	52.8	51.5	48.5	255	48.5		255	
260																	46.1	46.9	47.2	47.9	49.1	48.4	50.3	49.5	51	49.6	47.8	260	47.8		260	
265																			44.9	45.5	46.6	46.1	47.8	47.1	48.8	47.4	46.8	265	46.8		265	
270																					43.2	44.2	43.9	45.4	44.9	46.5	45.2	45.5	270	45.5		270
275																						41.7	42.9	42.4	44.3	42.8	44.1	275	44.1		275	
280																							40.5	40.2	41.9	40.3	42.6	280	42.6		280	



ft	SL 217 ft																								ft							
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft		F 118 ft		F 128 ft						
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°		18°	30°	18°	30°	18°	30°	
45	408																														45	
50	408	392		379																											50	
55	408	379	262	363	314			311				275																			55	
60	408	367	255	349	303	223	299	258			264	232			244							227									60	
65	395	355	249	337	294	218	288	249	190	254	224			234	203							217									65	
70	366	345	244	324	285	213	278	242	181	245	217	159		226	196							209	181								70	
75	337	334	239	313	277	208	268	235	172	236	210	155	218	190	143	201	174					189	164			155			149		75	
80	312	316	234	303	269	203	259	228	167	227	203	151	210	184	139	193	169	130				182	159			150			144		80	
85	290	293	229	290	261	199	251	222	164	220	198	147	203	178	136	187	164	127	175	153	121	145				145			139		85	
90	270	273	225	271	254	194	243	215	160	213	192	144	196	173	133	180	159	124	169	149	117	140	111				134	105	129		90	
95	253	255	221	253	247	190	236	209	157	207	187	141	190	168	130	174	154	121	163	144	114	136	108	129	102	124	102	124	97.8		95	
100	236	239	217	237	237	176	229	204	153	201	182	138	183	164	126	168	150	118	157	139	112	131	105	125	99.7	120	99.7	120	94.9		100	
105	222	224	213	223	226	172	221	199	150	194	177	135	178	159	124	163	145	115	152	135	109	127	103	121	96.9	116	92.4	116	92.4		105	
110	207	209	205	209	212	168	212	195	147	189	173	132	173	155	121	158	141	112	147	132	106	124	100	118	94.4	112	89.7	112	89.7		110	
115	192	195	196	196	198	165	199	189	144	183	169	129	168	151	118	154	138	110	143	128	104	120	97.9	114	92.2	109	87.3	109	87.3		115	
120	179	181	186	183	186	162	186	182	142	178	165	127	163	147	116	149	134	108	139	125	102	117	95.5	111	89.9	105	85.1	105	85.1		120	
125	168	169	174	171	174	159	174	174	139	172	161	124	159	144	113	145	131	105	135	121	99	113	93.2	107	87.6	102	82.7	102	82.7		125	
130	158	159	163	160	163	157	164	166	137	164	156	122	155	140	111	141	127	103	131	118	97	111	91	104	85.6	99.1	80.9	80.9		130		
135	148	149	154	150	153	154	153	156	134	155	152	120	150	137	109	137	125	101	127	115	95	108	89.2	101	83.7	96.4	78.8	96.4	78.8		135	
140	139	140	145	141	144	148	145	147	132	146	146	117	145	134	107	134	122	98.9	124	112	93	105	87.1	98.5	81.7	93.7	77	93.7	77		140	
145	130	132	136	133	136	140	137	138	130	138	140	115	139	131	105	130	119	97	120	110	91.1	102	85.3	96	79.8	91.2	75.1	91.2	75.1		145	
150	123	124	128	125	128	132	129	131	127	130	133	113	133	128	103	127	116	95.2	117	107	89.3	99.8	83.6	93.6	78.1	88.8	73.5	88.8	73.5		150	
155	116	117	121	118	120	125	122	123	124	123	126	112	126	124	101	122	113	93.4	114	105	87.5	97.2	82.1	91.3	76.4	86.5	71.9	86.5	71.9		155	
160	110	111	114	112	114	117	115	116	120	116	119	110	119	119	99.5	118	111	91.6	112	102	85.8	94.9	80.6	88.9	74.8	84.2	70.4	84.2	70.4		160	
165	104	105	107	106	108	111	109	110	114	110	113	108	113	114	98	113	109	90	109	100	84.1	92.6	79.1	86.8	73.3	81.9	68.9	81.9	68.9		165	
170	98.3	99.1	102	100	102	105	103	104	108	104	107	106	107	109	96.5	108	106	88.5	106	97.8	82.6	90.6	77.6	84.7	71.9	79.8	67.4	79.8	67.4		170	
175	92.8	93.2	96.2	94.7	96.8	99.6	97.4	98.6	102	98.6	101	103	101	103	95	102	103	87.1	102	95.8	81.1	88.6	76.1	82.9	70.4	77.7	66	77.7	66		175	
180	87.7	88.3	90.7	89.5	91.7	94.4	92.5	93.5	97.2	93.5	96.2	98.5	96.2	97.8	93.5	97	98.1	85.6	97.9	93.7	79.8	86.6	74.7	81	69.2	75.9	64.6	75.9	64.6		180	
185	83.1	83.6	85.8	84.7	86.6	89.3	87.6	88.7	92.1	88.8	91.2	93.7	91.4	92.8	91.8	92.1	93.6	84.1	93.4	91.9	78.5	84.7	73.3	79.2	67.9	74	63.3	74	63.3		185	
190	78.4	79.1	81.2	80.2	82	84.4	82.8	84	87.3	84.3	86.8	88.9	86.8	88.2	88.7	87.5	89.1	83	89	89.7	77.2	82.9	72	77.4	66.7	72.3	62	72.3	62		190	
195	74.1	74.6	76.6	75.9	77.7	80	78.6	79.5	82.6	79.9	82.5	84.5	82.7	83.8	85.5	83.1	84.7	81.7	84.7	86.1	75.9	81.1	70.7	75.7	65.6	70.6	60.8	70.6	60.8		195	
200	70.2	70.7	72.5	71.7	73.4	75.8	74.7	75.4	78.2	75.7	78.1	80.2	78.6	79.7	82	79.2	80.5	80.3	80.5	82.2	74.6	79	69.5	74	64.4	69.1	59.6	69.1	59.6		200	
205	66.4	66.9	68.7	67.9	69.3	71.7	70.8	71.6	74.1	71.8	74.2	75.9	74.5	75.7	78.1	75.3	76.7	78.2	78.2	73.4	76.8	68.3	72.6	63.3	67.5	58.6	67.5	58.6		205		
210	62.6	63.2	65	64.4	65.7	67.9	67	67.8	70.2	68.2	70.4	72	70.8	71.8	74.1	71.5	72.9	75.4	73.2	74.6	72	74.3	67.2	71.1	62.2	66.2	57.5	66.2	57.5		210	
215	59.3	59.7	61.4	60.9	62.3	64.3	63.6	64.3	66.4	64.6	66.8	68.3	67.3	68.1	70.2	67.9	69.1	71.8	69.7	71.1	70.5	71.4	66.1	69.5	61.2	64.8	56.5	64.8	56.5		215	
220	56	56.4	57.9	57.5	58.9	60.8	60.3	61	63	61.2	63.2	64.7	63.8	64.8	66.7	64.5	65.7	68.1	66.3	67.7	68	68	64.9	67.4	60.2	63.5	55.6	63.5	55.6		220	
225	52.8	53.1	54.4	54.5	55.7	57.3	57.1	57.7	59.7	58.1	60	61.1	60.4	61.4	63.3	61.4	62.4	64.6	63	64.3	65.5	64.8	63.3	64.6	59.2	61.8	54.7	61.8	54.7		225	
230		50.2	51.3	51.5	52.5	54	54	54.5	56.4	55.1	56.9	58	57.4	58.2	60	58.2	59.3	61.3	60.1	61.2	62.9	61.6	61.4	61.9	58.2	59.7	53.8	59.7	53.8		230	
235				48.6	49.5	50.8	51.2	51.6	53.3	52.2	53.9	55	54.6	55.3	56.8	55.2	56.3	58.3	57.1	58.3	60.3	58.6	59.5	59.1	57	57.7	52.9	57.7	52.9		235	
240					47.8	48.4	48.4	48.7	50.2	49.4	50.9	52	51.8	52.5	53.9	52.5	53.4	55.2	54.2	55.4	57.5	55.8	57.5	56.5	55.9	55.6	52.1	55.6	52.1		240	
245						45.7	45.9	47.3	46.8	48.2	49.2	49	49.7	51	49.8	50.7	52.3	51.5	52.5	54.7	53.1	55.2	53.9	54.7	53.5	54.7	53.5	51.3	53.5	51.3		245
250								44.6	44.1	45.6	46.4	46.5	47	48.2	47.2	48	49.6	49	50	51.9	50.5	52.7	51.3	53.1	53.1	51.3	50.5	50.5			250	
255									41.7	43	43.7	44	44.5	45.6	44.7	45.4	46.9	46.4	47.5	49.2	48	50.1	48.8	51.1	48.9	49.4	49.4				255	
260											41.1	42	43	42.4	43	42.4	43.1	44.3	43.6	45	46.7	45.5	47.5	46.3	48.6	46.5	48.1	48.1				260
265														39.3	39.6	40.5	40.2	40.8	41.8	41.6	42.6	44.2	43.2	45.1	44.3	46.2	44.1	46.1	46.1		265	
270															38	38	38.5	39.5	39.5	40.3	41.7	40.9	42.4	41.6	43.6	41.6	43.8	43.8				270
275																35.9	36.4	37.2	37.5	38.2	39.4	38.7	40									



ft	SL 236 ft																								ft							
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft		F 118 ft		F 128 ft						
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°		18°	30°	18°	30°	18°	30°	
45	408																														45	
50	408	395		381																											50	
55	408	383	262	366	316		314																								55	
60	408	370	256	353	306		303	260		266				246																	60	
65	385	359	251	340	297	219	291	251		256	225		237	203		219					206										65	
70	354	348	246	329	288	215	281	244	181	247	218		228	197		210	181			198											70	
75	326	330	241	318	280	210	272	237	172	239	212	155	220	191		203	176			191	165			156		150					75	
80	302	305	236	302	272	205	264	230	169	231	206	152	212	186	140	196	170			184	160			151		144		139			80	
85	280	283	232	281	265	201	255	224	165	224	200	149	206	180	137	189	165	128	177	155			146		140		135				85	
90	261	264	228	261	258	197	248	219	162	217	195	145	199	175	134	183	160	125	172	150	118	141	112	135		130					90	
95	244	246	224	244	249	192	240	213	159	211	190	142	193	170	131	177	156	121	166	146	115	137	109	131	103	125	103	125	97.8		95	
100	228	230	219	229	233	186	231	208	156	205	185	140	187	166	128	172	152	119	160	141	112	133	106	127	100	121	100	121	95.2		100	
105	214	216	214	214	219	175	217	203	152	199	181	136	182	162	125	167	148	116	155	138	110	129	104	123	97.4	118	92.6	118	92.6	105		105
110	200	202	207	201	206	172	204	198	149	193	176	134	177	157	122	162	144	114	151	134	107	126	101	119	95.1	114	90.3	114	90.3	110		110
115	188	190	196	189	194	169	192	191	147	188	172	131	172	154	120	157	140	111	146	130	105	122	98.7	116	92.9	110	88.2	110	88.2	115		115
120	176	178	183	178	182	165	181	184	144	181	168	129	168	150	118	153	136	109	142	127	103	119	96.4	112	90.5	107	85.9	107	85.9	120		120
125	165	166	172	167	171	163	171	173	142	171	164	127	163	146	115	149	133	107	138	124	101	116	94.3	109	88.5	104	83.7	104	83.7	125		125
130	154	155	160	156	160	159	160	163	139	162	158	124	157	143	113	145	130	104	135	120	98.5	113	92.5	106	86.4	101	81.7	101	81.7	130		130
135	144	146	150	146	150	153	150	153	137	152	152	122	151	140	111	141	127	103	131	117	96.6	110	90.4	104	84.6	98.2	79.6	98.2	135		135	
140	135	137	141	137	140	145	141	144	134	143	145	120	145	137	109	137	124	100	128	115	94.4	107	88.5	101	82.8	95.6	77.8	95.6	140		140	
145	127	128	132	129	132	136	133	135	131	134	138	118	138	133	107	133	121	98.4	124	112	92.5	104	86.6	98.3	80.9	93	76	93	76	145		145
150	119	121	125	122	124	129	125	127	128	126	130	116	130	128	105	128	119	96.8	121	110	90.8	102	84.9	95.9	79.3	90.5	74.4	90.5	74.4	150		150
155	112	113	117	114	117	121	118	120	124	120	123	114	122	123	103	122	116	95	118	107	89.1	99.7	83.1	93.6	77.7	88.2	72.8	88.2	72.8	155		155
160	106	107	110	107	110	115	111	113	117	113	116	112	116	117	102	116	114	93.4	114	105	87.6	97.5	81.7	91.4	76.1	86	71.2	86	71.2	160		160
165	99.8	101	104	101	104	108	105	106	111	107	110	109	109	111	100	110	111	91.8	110	102	85.8	95.3	80.3	89.2	74.6	83.9	69.7	83.9	69.7	165		165
170	94.1	95.2	98.2	95.6	98.2	102	99	100	105	101	104	105	103	105	98.7	104	106	90.4	105	100	84.3	93.2	79	87.1	73.2	81.8	68.2	81.8	68.2	170		170
175	89	89.9	92.6	90.3	92.8	96.5	93.7	95	99.2	94.7	98.1	100	97.9	99.8	97.2	98.8	101	89	100	97.3	82.9	91.2	77.6	85	71.8	80	66.9	80	66.9	175		175
180	83.8	84.8	87.5	85.3	87.6	91.1	88.7	89.9	93.8	89.7	92.8	95.7	92.8	94.5	95	93.4	95.5	87.5	95	94.4	81.6	89.3	76.2	83.1	70.4	78.2	65.6	78.2	65.6	180		180
185	78.6	79.9	82.5	80.7	83	85.9	83.9	85.1	88.7	84.9	88	90.4	87.9	89.5	92.4	88.5	90.4	86	90	91	80.3	87.4	74.8	81.3	69.1	76.4	64.2	76.4	64.2	185		185
190	74.3	75.2	77.6	76.1	78.5	81.4	79.5	80.5	83.9	80.4	83.3	85.7	83.2	84.9	88	83.9	85.7	84.1	85.4	87.4	79	85.1	73.5	79.5	67.8	74.7	63	74.7	63	190		190
195	70.1	70.9	73.3	71.6	74.1	76.9	75.1	76.2	79.3	76.2	78.9	81.3	78.9	80.5	83.4	79.6	81.2	81.9	81	83	77.7	82.6	72.3	77.7	66.6	73	61.8	73	61.8	195		195
200	66.1	66.9	69.2	67.6	70	72.3	70.8	72	75.1	72.3	74.8	77.1	74.6	76.3	79.1	75.5	77	79.2	76.9	78.7	76.4	78.8	71.1	75.8	65.5	71.4	60.7	71.4	60.7	200		200
205	62.2	62.9	65.2	63.9	66	68.4	66.9	67.8	71	68.4	70.9	73.1	71	72.3	75	71.5	73.1	75.8	73	74.8	75.1	75	70	73.7	64.4	69.8	59.7	69.8	59.7	205		205
210	58.7	59.2	61.3	60.2	62.3	64.6	63.2	64	66.9	64.6	67.1	69.3	67.4	68.6	71	68	69.2	72.1	69.2	70.9	73.3	71.4	68.8	71.3	63.4	68.3	58.7	68.3	58.7	210		210
215	55.4	55.8	57.9	56.6	58.6	61	59.8	60.5	63.3	61.1	63.4	65.5	63.7	64.9	67.4	64.6	65.8	68.5	65.9	67.3	70.2	67.8	67.7	68.2	62.4	66.6	57.7	66.6	57.7	215		215
220	52.1	52.4	54.5	53.5	55.2	57.3	56.4	57.1	59.8	57.7	59.8	61.8	60.4	61.2	63.9	61.2	62.5	64.9	62.7	64	66.9	64.5	65.6	65.1	61.4	64.1	56.7	64.1	56.7	220		220
225	48.9	49.1	51.2	50.5	52	54.1	53.1	53.8	56.5	54.5	56.6	58.3	57.1	58	60.4	57.9	59.2	61.7	59.5	60.9	63.5	61.3	63.3	61.8	60.3	61.6	55.9	61.6	55.9	225		225
230	46.1	46.3	48	47.5	48.9	51	50.2	50.8	53.1	51.2	53.3	55.1	54	54.9	57.1	54.8	56	58.4	56.3	57.8	60.4	58.4	60.7	58.7	59.1	58.7	55	58.7	55	230		230
235	43.3	43.6	45	44.6	45.9	47.8	47.3	47.9	50.2	48.3	50.1	51.8	51	52	54	51.9	52.9	55.2	53.4	54.7	57.3	55.4	58.1	55.9	57.6	55.8	54.1	55.8	54.1	235		235
240	40.6	40.9	42	41.9	43.2	44.9	44.5	45.1	47.3	45.6	47.3	48.7	47.9	49.1	51	49.1	50.1	52.2	50.5	51.8	54.4	52.4	55.2	53.1	56.1	53.2	53.1	53.2	53.1	240		240
245	38.1	38.3	39.2	39.3	40.6	42.2	41.9	42.3	44.5	42.9	44.7	45.9	45.3	46.3	48.1	46.3	47.3	49.3	47.8	49.1	51.4	49.6	52.4	50.3	53.5	50.5	52	50.5	52	245		245
250				36.8	38	39.5	39.4	39.8	41.8	40.3	42	43.2	42.8	43.6	45.2	43.6	44.4	46.5	45.2	46.5	48.6	46.9	49.6	47.7	50.8	47.9	50.1	47.9	50.1	250		250
255				34.5	35.6	36.8	36.9	37.3	39.1	37.9	39.4	40.5	40.3	41.1	42.6	41.1	42	43.7	42.5	43.9	46	44.5	46.9	45.1	48.1	45.1	47.8	45.1	47.8	255		255
260							34.5	34.9	36.5	35.7	37	38	37.8	38.6	39.9	38.9	39.6	41.2	40.3	41.4	43.3	42	44.2	42.5	45.4	42.2	45.5	42.2	45.5	260		260
265							32.4	32.7	34	33.4	34.7	35.5	35.6	36.2	37.4	36.6	37.3	38.8	38.1	39.1	40.5	39.5	41.3	39.8	42.9	39.9	43.2	39.9	43.2			



ft	SL 276 ft																								ft								
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft		F 118 ft		F 128 ft							
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°		18°	30°	18°	30°	18°	30°		
50	408																														50		
55	399	385			368																										55		
60	376	371	262		308				304				266																		60		
65	353	350	258	343	299				295	258			258			238															65		
70	333	330	253	326	292	216	286	251		251	220			230	198					212				199							70		
75	309	311	248	308	284	212	277	245	174	243	214			223	192					205	177			192							75		
80	286	289	243	287	277	207	269	238	170	236	208	153	216	187						199	172			186	161			152		145		80	
85	266	269	240	266	269	203	262	232	167	229	203	150	209	183	137	192	167	128	180	156			148					148		141		135	85
90	247	250	236	248	254	200	250	227	164	223	198	147	204	178	135	187	163	125	175	152			143					143		136		131	90
95	231	234	232	232	237	196	235	222	161	217	193	144	198	174	132	182	159	123	169	148	116			139	109			132		127		123	95
100	216	219	226	217	222	192	220	217	158	211	189	142	192	174	132	182	159	123	165	144	113	135	106	128	100			125	100	127	95.2	100	
105	202	205	214	203	208	189	206	210	155	204	185	139	188	165	127	172	151	118	160	140	111	132	104	125	97.8	120			120	93	105	105	
110	190	192	201	191	196	177	194	199	153	194	181	136	183	162	125	167	147	115	156	136	109	128	102	121	95.6	116			116	90.7	110	110	
115	178	181	189	179	184	173	182	187	150	182	177	134	178	158	122	163	144	113	151	133	107	125	99.4	118	93.6	113			113	88.7	115	115	
120	168	170	178	169	173	169	172	177	147	172	173	131	173	155	120	158	140	111	147	130	104	122	97.5	115	91.7	110			110	86.6	120	120	
125	158	160	168	159	163	164	162	167	145	162	167	129	165	151	118	155	137	109	143	127	103	119	95.7	112	89.6	107			107	84.5	125	125	
130	149	151	159	150	154	159	153	158	143	153	158	127	156	148	116	150	134	107	139	124	101	116	93.5	110	87.8	104			104	82.8	130	130	
135	140	142	149	142	146	152	145	149	141	145	150	125	148	145	114	145	132	105	136	121	98.6	113	91.8	107	86.2	101			101	80.9	135	135	
140	132	134	140	134	137	143	137	141	138	137	142	123	140	141	112	139	129	103	133	119	96.6	111	90	104	84.2	98.8			98.8	79.2	140	140	
145	123	125	131	126	129	135	129	133	133	130	134	121	133	135	110	132	126	101	129	116	95	108	88.3	102	82.5	96.2			96.2	77.6	145	145	
150	116	118	124	118	121	127	122	126	127	123	127	119	126	128	109	125	122	99.7	125	114	93.2	106	86.6	99.5	80.9	94			94	75.9	150	150	
155	109	111	116	111	114	119	115	118	121	116	120	117	119	122	107	119	118	97.9	119	111	91.7	103	85.4	97.1	79.4	91.9			91.9	74.4	155	155	
160	102	104	110	104	107	112	108	112	115	109	113	113	112	115	105	113	113	96.3	113	109	90.2	101	83.9	94.9	77.7	89.8			89.8	72.9	160	160	
165	96	97.4	103	98.1	101	106	102	105	109	103	107	110	106	109	103	107	108	94.8	108	106	88.7	99	82.4	92.7	76.3	87.8			87.8	71.5	165	165	
170	90.4	91.5	96.9	92.2	95.3	99.9	95.8	99.3	103	97.1	101	105	100	103	101	101	103	93.3	102	103	87.2	96.6	80.9	90.7	74.9	85.8			85.8	70.2	170	170	
175	84.8	86	91.3	86.8	89.5	94.2	90.4	93.6	97	91.5	95.3	98.6	94.8	96.6	97.7	95.5	97.9	91.6	97	99.2	85.8	94.2	79.6	88.6	73.6			88.6	68.9	175	175		
180	80	81	85.9	81.7	84.4	88.6	85	88.2	91.5	86.4	89.8	93.3	89.5	91.5	93.6	90.4	92.2	89.8	91.7	94.1	84.4	91.2	78.4	86.5	72.3			86.5	67.7	180	180		
185	75.2	76.1	81	77.1	79.4	83.5	80.2	83.3	86.4	81.3	84.8	88.2	84.7	86.3	89.5	85.3	87.4	87.4	86.9	89	83.1	87.5	77.2	84.1	71.1	80.1			80.1	66.4	185	185	
190	70.8	71.7	76.3	72.6	75.1	78.5	75.6	78.6	81.5	76.8	79.9	83.4	79.9	81.7	85	80.7	82.6	85	82	84.5	81.9	83.7	75.9	81.7	69.9	78.5			78.5	65.2	190	190	
195	66.7	67.4	72	68.4	70.8	74.2	71.5	74.3	76.9	72.3	75.5	78.7	75.6	77.1	80.6	76.1	78.1	81.3	77.7	80	80.7	79.8	74.7	79	68.8	76.8			76.8	64	195	195	
200	62.8	63.6	67.8	64.2	66.8	69.9	67.5	70.1	72.5	68.4	71.2	74.3	71.4	73	76.3	71.9	73.8	77.6	73.3	75.7	78.1	75.8	73.6	75.5	67.7	74.3			74.3	62.7	200	200	
205	59	59.8	64	60.6	63	66	63.7	66.2	68.5	64.5	67.4	70	67.5	69	72	67.9	69.7	73.6	69.4	71.6	74.8	71.9	71.8	71.9	66.6	71.1			71.1	61.7	205	205	
210	55.2	56	60.2	57	59.4	62.2	60.1	62.3	64.6	61	63.7	66.2	63.8	65.3	68.2	64.2	65.9	69.4	65.7	67.6	71.3	68.1	69.6	68.4	65.4	67.9			67.9	60.7	210	210	
215	51.9	52.5	56.4	53.4	55.8	58.8	56.7	59	60.8	57.4	60.2	62.5	60.3	61.7	64.4	60.8	62.3	65.7	62.2	64	67.6	64.4	67.1	64.9	64	64.7			64.7	59.7	215	215	
220	48.7	49.2	53	50	52.3	55.3	53.4	55.7	57.5	54.3	56.8	59.1	56.9	58.3	61	57.5	59	62.1	58.9	60.5	64	61	64.2	61.5	62.6	61.5			61.5	58.8	220	220	
225	45.7	46.3	49.8	46.8	49.1	51.9	50	52.4	54.2	51.2	53.6	55.7	53.8	54.9	57.6	54.3	55.7	58.8	55.7	57.3	60.7	57.6	61.3	58.4	60.8	58.4			58.4	57.8	225	225	
230	42.7	43.3	46.7	43.9	46	48.8	47	49.2	51	48.1	50.5	52.7	50.8	52	54.4	51.3	52.6	55.5	52.6	54.1	57.5	54.5	58.1	55.3	59.1	55.3			55.3	56.8	230	230	
235	39.9	40.3	43.7	41.1	43.2	45.8	44	46.2	47.9	45	47.3	49.6	47.9	49	51.3	48.5	49.7	52.4	49.6	51.2	54.4	51.5	54.9	52.3	56.2	52.3			52.3	55.6	235	235	
240	37.3	37.8	40.8	38.3	40.4	42.9	41.3	43.4	44.9	42.3	44.4	46.5	44.9	46.1	48.4	45.6	46.9	49.4	47	48.3	51.3	48.7	52	49.4	53.2	49.5			49.5	53.3	240	240	
245	34.8	35.2	38.1	35.7	37.6	40.1	38.6	40.7	42.2	39.6	41.6	43.7	42.2	43.2	45.6	42.7	44.1	46.6	44.3	45.7	48.5	45.8	49.1	46.6	50.4	46.7			46.7	50.5	245	245	
250	32.3	32.8	35.6	33.3	35.1	37.4	35.9	38.1	39.5	37.1	39.2	40.9	39.5	40.6	42.7	40	41.3	43.9	41.6	43.1	45.5	43.1	46.4	43.9	47.6	43.7			43.7	47.9	250	250	
255	29.9	30.3	33.1	31.1	32.8	34.9	33.6	35.5	36.8	34.6	36.7	38.4	37.2	38.1	40.1	37.6	38.7	41.2	39	40.5	42.5	40.3	43.7	41.3	44.6	40.7			40.7	45.3	255	255	
260	27.8	28.1	30.6	28.8	30.4	32.5	31.4	33.2	34.3	32.2	34.2	35.9	34.7	35.7	37.5	35.3	36.3	38.5	36.7	37.9	40	38.2	41.1	38.7	41.5	38.5			38.5	42.6	260	260	
265	25.7	26	28.4	26.6	28.1	30.1	29.2	31	32	30.1	32	33.3	32.3	33.3	35.2	33.1	34.1	36.1	34.4	35.6	37.9	36.2	38.4	36.5	39	36.6			36.6	39.8	265	265	
270	23.6	23.9	26.2	24.6	26.1	27.8	27.1	28.8	29.8	28	29.8	31.1	30.1	30.9	32.8	30.8	31.8	33.7	32.3	33.3	35.7	34	36.4	34.5									




ft	SL 315 ft																				ft				
	F 39 ft			F 49 ft			F 59 ft			F 69 ft			F 79 ft			F 89 ft			F 98 ft			F 108 ft			
	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°	30°	12°	18°		30°	18°	30°	
55	293																							55	
60	287	269		256																				60	
65	281	263	235	250	234				226			207												65	
70	275	258	231	245	229	203			221	206		202	187		187				175					70	
75	269	253	227	239	224	199			216	202	171	197	183		183				171			162		75	
80	262	248	224	234	220	196			211	197	168	193	180		179	166			167	154		158		80	
85	253	243	220	229	216	193			207	194	165	189	176	147	175	162			163	151		155	143	85	
90	236	226	216	224	211	190			202	190	162	185	172	145	171	159	132		160	148		151	140	90	
95	220	223	212	220	207	186			198	186	160	181	169	142	167	156	130		156	145	120	148	137	95	
100	206	209	208	209	203	183			194	182	157	177	166	140	164	152	128		153	142	118	144	134	100	
105	193	195	201	196	197	179			190	179	155	173	162	138	160	150	126		149	139	116	141	131	105	
110	181	183	191	184	187	176			183	175	152	169	159	136	157	147	123		146	136	114	138	128	110	
115	170	172	179	173	176	173			174	171	150	166	156	133	153	144	121		143	134	112	135	126	115	
120	160	162	169	163	166	170			164	166	148	162	153	131	150	141	119		140	131	110	132	123	120	
125	150	152	159	154	156	161			155	158	146	155	150	129	147	138	118		137	128	108	129	121	125	
130	142	143	150	145	147	152			146	149	144	146	147	128	144	136	116		134	126	106	126	118	130	
135	134	135	141	137	139	143			138	140	141	138	141	126	139	133	114		131	123	105	124	116	135	
140	126	128	133	129	131	135			130	133	138	131	133	124	131	130	112		128	121	103	121	114	140	
145	119	121	126	122	124	128			123	126	130	124	126	122	124	126	111		123	119	102	119	111	145	
150	112	114	119	116	117	121			117	119	123	117	119	120	118	120	109		117	116	100	115	109	150	
155	106	108	113	109	111	115			111	112	117	111	113	116	111	114	108		111	113	98.6	111	107	155	
160	100	102	106	103	105	109			105	107	110	105	107	112	105	108	106		105	108	97.3	106	105	160	
165	94.3	95.7	100	97.5	99.3	103			99.1	101	105	99.5	102	106	100	102	104		99.6	102	95.9	100	102	165	
170	88.5	90	93.9	92	93.7	96.8			93.9	95.5	99.3	94.2	96.2	100	94.8	97.1	101		94.7	97	94.5	95.1	97.9	170	
175	83.2	84.3	88.5	86.7	88.4	91			88.6	90.3	93.8	89.3	91.1	95.2	89.8	92.1	96.3		89.7	92.1	92.3	90.4	92.9	175	
180	78.1	79.3	83.1	81.5	83.2	85.7			83.6	85.2	88.6	84.4	86.3	90.2	85.2	87.2	91.6		85	87.4	89.3	85.7	88.3	180	
185	73.2	74.1	78.3	76.8	78.2	80.7			78.6	80.3	83.3	79.7	81.4	85.3	80.6	82.8	86.9		80.6	82.8	85.9	81.3	83.8	185	
190	68.7	69.7	73.4	72	73.5	75.9			74	75.5	78.7	75.1	77	80.4	76.3	78.3	82.2		76.3	78.6	82.3	77.2	79.4	190	
195	64.4	65.3	69.1	67.8	69	71.4			69.5	71.1	74	70.7	72.5	75.7	72	74	77.6		72.3	74.4	78.6	73	75.4	195	
200	60.5	61.3	64.9	63.6	64.9	67			65.3	66.6	69.7	66.5	68.3	71.4	67.8	69.6	73		68.3	70.4	74.1	69.3	71.3	200	
205	56.6	57.4	61.1	59.7	60.8	63.1			61.5	62.8	65.4	62.4	64.2	67.1	63.8	65.6	69.1		64.5	66.5	69.7	65.6	67.6	205	
210	53	53.8	57.3	56	57.1	59.2			57.7	59	61.5	58.8	60.3	63.2	59.9	61.7	65.1		60.9	62.7	66	62	64	210	
215	49.5	50.2	53.7	52.5	53.5	55.6			54.3	55.5	57.9	55.2	56.7	59.3	56.4	58	61.4		57.2	59.1	62.5	58.6	60.5	215	
220	46.4	47	50.2	49.1	50.1	52			50.8	52	54.3	52	53.2	55.9	52.9	54.6	57.7		53.9	55.6	59.1	55.1	57.2	220	
225	43.3	44	47.1	46	46.8	48.7			47.6	48.8	51	48.7	50	52.4	49.8	51.2	54.3		50.6	52.3	55.8	51.9	53.9	225	
230	40.2	41	44	43.1	43.9	45.5			44.5	45.6	47.8	45.7	46.8	49.3	46.8	48.2	51		47.5	49	52.4	48.7	50.8	230	
235	37.2	37.9	40.9	40.2	41	42.7			41.8	42.6	44.7	42.7	43.9	46.2	43.8	45.2	47.9		44.6	45.8	49.3	45.6	47.7	235	
240	34.6	35.2	37.9	37.3	38.2	39.9			39.1	40	41.7	40	40.8	43.3	41	42.3	45		41.7	42.7	46.1	42.5	44.7	240	
245	32	32.5	35.2	34.6	35.4	37.1			36.4	37.3	39.1	37.4	38.3	40.4	38.3	39.6	42.1		39	39.8	43.1	39.6	41.7	245	
250	29.6	30.2	32.6	32	32.8	34.4			33.6	34.6	36.4	34.8	35.8	37.8	35.9	37	39.4		36.3	37.6	40.1	37.4	38.7	250	
255	27.3	27.8	30.2	29.7	30.3	31.8			31.2	32	33.8	32.2	33.3	35.3	33.5	34.6	36.7		34	35.3	37.5	35.2	36.5	255	
260	24.9	25.5	27.8	27.4	28	29.4			28.8	29.6	31.2	29.8	30.7	32.8	31	32.2	34.4		31.6	33	35.3	33.1	34.3	260	
265	22.8	23.2	25.4	25.1	25.7	27			26.7	27.4	28.8	27.5	28.4	30.2	28.6	29.8	32		29.3	30.7	33.1	30.9	32.2	265	
270	20.7	21.1	23.3	22.8	23.4	24.7			24.5	25.2	26.6	25.4	26.1	27.9	26.5	27.5	29.6		27	28.4	30.8	28.7	30	270	
275	18.7	19.1	21.2	20.9	21.4	22.4			22.3	23	24.4	23.3	24.1	25.6	24.3	25.3	27.2		24.9	26.1	28.5	26.5	27.9	275	
280	16.7	17.1	19.1	19	19.4	20.4			20.3	20.9	22.2	21.3	22.1	23.6	22.4	23.2	25.1		22.8	24	26.2	24.4	25.7	280	
285	14.7	15.1	17.1	17.1	17.5	18.4			18.5	19	20.1	19.3	20.1	21.6	20.5	21.4	23		20.9	21.9	24	22.4	23.6	285	
290	13.1	13.4	15.1	15.2	15.7	16.5			16.7	17.2	18.2	17.5	18.1	19.6	18.6	19.5	21.1		19.1	20	22	20.5	21.7	290	
295	11.4	11.7	13.4	13.4	13.8	14.6			14.9	15.4	16.4	15.7	16.4	17.6	16.7	17.6	19.2		17.3	18.2	20.1	18.7	19.8	295	
300			11.6	11.8	12.1	12.8			13.2	13.7	14.6	14	14.6	15.8	15	15.8	17.3		15.5	16.4	18.2	17	18.1	300	
305						11.1			11.6	11.9	12.9	12.3	12.9	14.1	13.4	14.1	15.5		13.8	14.6	16.4	15.2	16.3	305	
310											11.2		11.2	12.3	11.8	12.4	13.7			13	14.6	13.5	14.6	310	
315																	12.1			11.4	12.9	12	12.9	315	
320																					11.3		11.4	320	
325																						11.5		11.5	325

Lifting heights

Hauteurs de levage


SLF



Lifting heights

Hauteurs de levage

SLF




HSL3AF

HSL3 266 - 315 ft




ft	HSL3A 266 ft			HSL3A 276 ft		
	F 39 ft	F 49 ft	F 59 ft	F 39 ft	F 49 ft	F 59 ft
12°						
50	408			408		
55	408	376		408	377	
60	408	363	310	408	364	312
65	392	351	300	389	353	302
70	362	340	291	358	342	291
75	335	329	282	331	330	283
80	310	312	273	308	307	275
85	289	291	265	286	286	267
90	270	272	258	267	267	259
95	252	255	251	250	250	250
100	236	239	240	234	235	237
105	220	223	226	219	220	223
110	204	208	212	204	206	210
115	191	194	198	190	192	196
120	179	182	186	178	179	184
125	167	171	174	167	168	172
130	157	160	164	157	158	162
135	147	151	154	146	149	152
140	138	141	145	138	139	143
145	130	133	137	129	131	135
150	122	125	129	122	123	127
155	115	118	122	115	116	120
160	108	112	115	108	110	113
165	102	105	109	102	104	107
170	96.6	99.6	103	96	97.6	101
175	91.4	94.1	97.4	90.4	92.1	95.5
180	86.4	89.1	92.3	85.6	86.9	90.2
185	81.7	84.3	87.3	80.9	82.2	85.4
190	77.4	79.9	82.9	76.4	77.6	80.7
195	73.3	75.6	78.6	72.3	73.5	76.5
200	69.2	71.8	74.5	68.4	69.3	72.4
205	65.3	68	70.8	64.6	65.8	68.6
210	61.7	64.2	67.2	60.8	62.2	64.9
215	58.4	60.8	63.7	57.4	58.6	61.6
220	55.2	57.4	60.2	54.1	55.3	58.3
225	52	54.4	57.1	51.1	52.1	54.9
230	49.2	51.4	54	48.1	49.2	51.9
235	46.4	48.4	51.2	45.2	46.4	49
240	43.8	45.8	48.4	42.6	43.6	46.4
245	41.2	43.3	45.7	40.1	41	43.7
250	38.8	40.8	43.3	37.5	38.6	41
255	36.6	38.3	40.9	35	36.3	38.7
260	34.4	36.1	38.6	33	33.9	36.4
265	32.2	34	36.4	30.9	31.7	34.2
270	30.3	32	34.3	28.8	29.7	32
275		29.9	32.3	26.9	27.8	29.9
280		28.1	30.2		25.8	28.1
285			28.3		24	26.2
290			26.5			24.3
295						22.6



US3441

ft	HSL3A 305 ft			HSL3A 315 ft		
	F 39 ft	F 49 ft	F 59 ft	F 39 ft	F 49 ft	F 59 ft
12°						
55	408			408		
60	400	367		395	367	
65	367	356	304	364	357	304
70	338	339	295	335	335	296
75	312	315	287	310	310	287
80	289	292	279	287	288	280
85	269	272	271	267	267	270
90	251	254	257	249	249	253
95	234	237	240	233	233	236
100	219	222	225	218	218	222
105	205	208	211	204	205	208
110	193	196	199	192	192	196
115	181	184	188	180	181	184
120	169	173	177	169	170	174
125	158	162	166	158	160	164
130	148	151	156	148	150	154
135	138	142	146	138	140	144
140	130	133	137	130	131	135
145	121	125	129	121	123	127
150	113	117	121	113	116	120
155	106	110	114	106	108	113
160	99.7	103	107	99.5	102	106
165	93.7	96.9	101	93.5	95.3	99.2
170	87.9	91.4	94.8	87.8	89.4	93.4
175	82.5	85.8	89.5	82.4	84.1	87.7
180	77.3	80.8	84.3	77.3	78.9	82.7
185	72.5	75.7	79.4	72.4	74.2	77.7
190	68	71.2	74.7	67.9	69.4	73.2
195	63.9	66.8	70.3	63.6	65.2	68.6
200	59.9	62.9	66.2	59.7	61	64.5
205	56.1	59	62.2	55.9	57.3	60.6
210	52.5	55.4	58.7	52.3	53.6	56.9
215	49.3	51.9	55.1	48.8	50.2	53.5
220	46.1	48.7	51.8	45.8	46.8	50.1
225	42.9	45.7	48.6	42.8	43.8	46.9
230	39.9	42.7	45.7	39.8	41	43.8
235	37.1	39.7	42.9	36.8	38.1	41.2
240	34.5	37	40.1	34.1	35.3	38.5
245	32	34.3	37.3	31.5	32.7	35.8
250	29.5	31.9	34.7	29.1	30.1	33.1
255	27.1	29.6	32.3	26.8	27.8	30.7
260	25	27.3	30.1	24.4	25.6	28.3
265	22.9	25.1	27.9	22.3	23.4	26.2
270	20.9	23	25.6	20.2	21.1	24
275	18.9	21.1	23.6	18.3	19.2	21.9
280	17	19.2	21.7	16.4	17.3	19.9
285	15.3	17.2	19.8	14.4	15.5	18.1
290	13.7	15.5	18	12.8	13.8	16.3
295	12	13.9	16.1	11.2	12	14.5
300		12.2	14.5			12.8
305			13			11.2
310			11.4			



US3441


HSL3AF

HSL3 335 – 345 ft




ft	HSL3A 335 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
60	379		
65	350	344	
70	322	326	291
75	298	301	283
80	276	279	276
85	256	260	260
90	239	242	243
95	222	226	227
100	208	212	213
105	195	198	199
110	183	186	187
115	171	175	176
120	161	164	166
125	151	155	156
130	142	146	147
135	133	137	139
140	125	129	131
145	117	121	123
150	109	113	115
155	102	106	108
160	95.1	99.4	102
165	88.9	92.8	95.2
170	82.9	87	88.9
175	77.8	81.3	83.6
180	72.5	76.3	78.2
185	67.8	71.4	73.3
190	63.1	66.8	68.8
195	58.8	62.4	64.3
200	54.8	58.1	60.2
205	50.9	54.3	56.1
210	47.3	50.5	52.4
215	43.8	47.1	48.8
220	40.5	43.7	45.4
225	37.3	40.5	42.3
230	34.6	37.4	39.2
235	31.9	34.6	36.3
240	29.2	32	33.4
245	26.4	29.4	31
250	24	26.9	28.5
255	21.6	24.4	26.1
260	19.4	22.1	23.7
265	17.3	19.8	21.4
270	15.2	17.8	19.2
275	13.1	15.8	17.2
280	11.2	13.7	15.2
285		11.8	13.3
290			11.3

ft	HSL3A 345 ft	
	F 39 ft	F 49 ft
	12°	
60	359	
65	344	332
70	319	321
75	295	298
80	273	277
85	254	257
90	236	240
95	221	224
100	206	210
105	193	197
110	181	184
115	170	173
120	159	163
125	150	153
130	141	144
135	132	136
140	123	127
145	115	119
150	108	112
155	101	105
160	93.9	98.4
165	87.9	91.9
170	82.1	86
175	76.6	80.6
180	71.7	75.2
185	66.7	70.5
190	62.3	65.9
195	57.8	61.5
200	53.8	57.4
205	50	53.3
210	46.3	49.7
215	43	46.1
220	39.7	42.9
225	36.6	39.8
230	33.6	36.8
235	31	33.9
240	28.4	31.1
245	25.9	28.7
250	23.3	26.2
255	20.9	23.8
260	18.6	21.4
265	16.5	19.2
270	14.5	16.9
275	12.5	15
280		13.1



US3441




US3441

Lifting heights

Hauteurs de levage


HSL3AF



Lifting heights

Hauteurs de levage

HSL3AF



HSL2AZDFBV

HSL2 472 - 502 ft



BV	661,400 - 881,850 lb
	330,700 - 659,200 lb
	110,000 - 328,500 lb

ft	HSL2 472 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
75	361		
80	358	320	
85	356	320	274
90	352	318	269
95	348	314	263
100	343	309	258
105	338	304	254
110	333	299	249
115	328	294	244
120	322	289	240
125	317	284	236
130	310	279	232
135	304	274	228
140	298	270	224
145	292	266	221
150	286	261	217
155	280	256	214
160	274	251	211
165	269	246	208
170	264	241	204
175	258	236	202
180	253	232	199
185	248	227	196
190	243	223	193
195	238	218	191
200	233	214	188
205	229	210	186
210	224	206	183
215	220	202	181
220	216	199	179
225	212	195	176
230	207	192	174
235	203	188	172
240	199	185	170
245	195	182	167
250	191	179	165
255	187	176	162
260	182	173	160
265	178	170	157
270	174	167	155
275	169	165	152
280	164	162	150
285	160	159	148
290	155	155	145
295	150	152	143
300	146	148	141
305	142	144	139
310	138	140	137
315	134	137	135
320	130	133	132
325	126	129	129
330	122	125	125
335	118	122	122
340	115	118	119
345	111	114	115
350	108	111	112
355	105	108	109
360	101	104	105
365	98.1	101	102
370	94.9	98.2	99.4
375	91.9	95	96.4
380	89	92	93.4
385	86.1	89.1	90.4
390	83.2	86.3	87.6
395	80.3	83.5	84.9
400	77.5	80.8	82.1
405	74.6	78	79.5
410	72.1	75.3	76.9
415	69.7	72.5	74.2
420	67.2	70.2	71.6
425	64.8	67.7	69.1
430	62.4	65.3	66.7
435	60.1	62.9	64.4
440	57.9	60.5	62.1
445	55.8	58.2	59.7
450		56.1	57.5
455		54	55.3
460			53.3
465			51.3
470			

ft	HSL2 482 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
346			
344		308	
341	307		272
338	304		267
334	300		262
330	296		257
326	292		252
321	288		248
316	284		243
311	279		239
306	274		235
301	270		231
295	265		227
290	260		224
284	255		220
279	251		217
273	246		213
267	241		210
262	237		207
256	232		204
251	228		201
246	223		198
240	219		196
236	215		193
231	211		190
227	207		187
222	203		185
217	199		182
213	195		179
210	191		176
206	188		173
202	185		170
199	182		168
195	179		165
192	176		162
188	173		159
185	170		157
181	167		154
177	164		152
172	161		149
168	159		147
163	156		145
158	154		143
154	151		140
149	147		138
145	144		136
140	140		134
136	136		132
132	133		130
129	129		128
125	125		126
121	122		122
117	118		119
113	115		115
110	111		112
106	108		109
103	104		105
100	101		102
97.1	98		99.1
94	95		96.1
90.8	92		93.2
87.8	89		90.3
85	86		87.4
82.1	83.2		84.6
79.3	80.5		81.7
76.4	77.8		79.1
73.7	75.2		76.5
70.9	72.5		73.9
68.2	69.9		71.4
65.9	67.3		68.9
63.5	64.8		66.4
61.2	62.5		63.9
58.8	60.1		61.6
56.6	57.8		59.4
54.3	55.5		57.1
	53.3		54.9
	51.1		52.6
	49.2		50.6
			46.8

ft	HSL2 492 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
75			
80	329		
85	326	294	264
90	323	291	265
95	319	287	260
100	316	284	255
105	311	280	251
110	307	276	246
115	302	272	242
120	298	268	238
125	293	263	234
130	288	259	230
135	283	254	226
140	278	250	223
145	272	246	219
150	267	241	216
155	261	237	212
160	256	232	209
165	251	228	206
170	246	223	203
175	241	219	200
180	236	215	197
185	231	211	194
190	226	206	190
195	222	202	187
200	217	199	183
205	213	195	180
210	209	191	177
215	205	188	174
220	201	184	171
225	198	181	168
230	194	178	165
235	191	175	162
240	187	172	159
245	184	169	156
250	181	166	154
255	178	163	151
260	175	161	149
265	172	158	146
270	168	156	144
275	164	153	142
280	160	151	140
285	155	149	138
290	151	146	136
295	147	143	134
300	142	140	132
305	138	137	130
310	134	133	128
315	130	130	126
320	126	126	124
325	122	123	122
330	119	119	120
335	115	116	117
340	111	112	113
345	108	109	110
350	105	105	107
355	101	102	103
360	98	98.8	100
365	95	95.6	97
370	91.9	92.7	93.9
375	88.9	89.8	90.8
380	85.9	86.9	88.1
385	82.9	84.1	85.3
390	80.2	81.2	82.6
395	77.4	78.4	79.8
400	74.7	75.8	77
405	72.1	73.1	74.5
410	69.4	70.6	72
415	66.8	68	69.5
420	64.1	65.4	67.1
425	61.8	62.9	64.7
430	59.5	60.3	62.3
435	57.2	58.2	59.9
440	54.9	56	57.5
445	52.7	53.8	55.4
450	50.6	51.6	53.2
455	48.6	49.5	51.1
460	46.8	47.5	48.9
465		45.6	46.9
470		44	45
475			43.3
480			41.8
485			
490			

ft	HSL2 502 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
314			
311	281		
308	278		257
305	275		254
301	272		251
298	268		248
294	264		244
289	261		241
285	257		238
281	253		234
276	249		231
271	245		227
266	240		223
261	236		219
256	232		216
251	227		212
246	223		208
241	219		204
236	214		201
231	210		197
227	206		193
222	202		190
217	198		186
213	194		183
209	191		180
205	187		176
201	184		173
197	181		170
193	177		167
190	174		164
187	171		162
184	168		159
180	166		156
177	163		154
174	160		151
171	158		149
168	155		147
165	153		144
162	150		142
158	148		140
154	146		138
151	143		136
147	141		134
143	139		132
138	136		130
134	133		128
130	130		126
126	127		124
122	123		122
119	119		120
115	116		118
112	112		116
108	109		113
105	106		109
101	102		106
97.9	98.9		103
94.6	95.6		99.6
91.5	92.5		96.3
88.6	89.4		93.3
85.7	86.5		90.3
82.8	83.7		87.2
79.9	80.9		84.5
77	78.2		81.9
74.4	75.4		79.1
71.8	72.7		76.5
69.2	70.1		73.8
66.7	67.6		71.2
64.1	65.1		68.7
61.7	62.7		66.2
59.2	60.2		63.8
56.7	57.8		61.5
54.5	55.4		59.1
52.3	53.1		56.8
50.1	51.1		54.4
47.8	49.1		52.3
45.8	47.1		50.3
43.8			


HSL2AZDFBV

HSL2 532 - 551 ft




BV	661,400 - 881,850 lb
	330,700 - 659,200 lb
	110,000 - 328,500 lb

ft	HSL2 532 ft			HSL2 541 ft		
	F 39 ft	F 49 ft	F 59 ft	F 39 ft	F 49 ft	F 59 ft
	12°			12°		
85	270		224	253		
90	268	245	224	249	227	
95	265	242	223	246	224	207
100	263	240	221	243	221	204
105	260	237	218	239	217	201
110	257	235	216	235	214	197
115	254	232	213	231	210	194
120	250	229	210	227	207	191
125	246	226	208	223	203	188
130	242	222	205	219	199	184
135	238	219	202	215	196	181
140	234	215	199	211	192	178
145	230	211	195	207	189	175
150	225	208	192	203	185	172
155	221	204	188	199	182	169
160	217	200	185	196	179	166
165	213	196	182	192	175	163
170	209	193	179	188	172	160
175	205	189	175	185	169	157
180	201	186	172	181	166	154
185	197	183	169	178	163	151
190	193	179	166	175	160	148
195	190	176	163	171	157	146
200	186	173	161	168	154	144
205	183	170	158	165	152	141
210	179	167	155	162	149	138
215	176	164	152	159	146	136
220	173	161	150	157	144	134
225	170	159	147	154	141	131
230	167	156	145	151	139	129
235	164	153	143	148	137	127
240	161	151	140	146	134	125
245	159	148	138	144	132	123
250	156	146	136	141	130	121
255	153	144	134	139	128	119
260	151	141	132	137	126	117
265	148	139	130	135	124	116
270	145	137	128	132	122	114
275	142	135	126	130	120	112
280	139	133	124	128	118	110
285	137	131	122	126	116	109
290	134	129	120	124	115	107
295	131	127	118	122	113	105
300	128	126	117	121	111	104
305	125	124	115	119	110	102
310	122	122	114	117	108	101
315	119	119	112	114	107	99.4
320	115	117	110	112	105	98
325	111	114	109	109	103	96.6
330	108	111	107	106	102	95.3
335	104	108	105	103	99.8	94
340	101	104	103	99.9	98	92.7
345	97.9	101	101	96.9	96.2	91.5
350	94.7	98.2	98.6	93.9	94.1	90.3
355	91.6	95.2	95.8	90.9	91.3	89.1
360	88.5	92.1	93	87.9	88.5	87
365	85.4	89.1	90.1	84.9	85.7	84.6
370	82.4	86.1	87.3	81.9	82.8	82.2
375	79.5	83	84.4	79	79.9	79.8
380	76.5	80.2	81.5	76.2	77	77.3
385	73.8	77.3	78.7	73.3	74.2	74.8
390	71.2	74.4	75.9	70.5	71.5	72.3
395	68.7	71.9	73.2	68	68.7	69.8
400	66.1	69.4	70.5	65.5	66.1	67.4
405	63.5	66.9	68.1	63	63.7	64.9
410	60.9	64.5	65.7	60.5	61.3	62.6
415	58.6	62	63.3	57.9	58.9	60.3
420	56.3	59.4	60.9	55.5	56.5	58
425	53.9	57.2	58.5	53.4	54	55.7
430	51.8	55	56.2	51.1	51.9	53.5
435	49.6	52.8	54.1	49.1	49.8	51.1
440	47.4	50.7	51.9	47.1	47.7	49.2
445	45.3	48.6	49.9	45.1	45.9	47.2
450	43.1	46.5	48	43.2	44.1	45.2
455	41.4	44.4	46	41.2	42.3	43.5
460	39.9	42.3	44.1	39.3	40.5	41.8
465	38.3	40.7	42.2	37.7	38.7	40.1
470	36.8	39.1	40.3	36.1	37	38.4
475	35.2	37.5	38.7	34.5	35.4	36.6
480	33.7	36	37.2	32.9	33.7	35
485	32.1	34.4	35.7	31.3	32.1	33.4
490	30.6	32.9	34.2	29.7	30.5	31.8
495	29.1	31.3	32.7	28.1	28.9	30.2
500		29.8	31.2	26.5	27.3	28.5
505		28.4	29.7		25.7	26.9
510			28.2		24.1	25.4
515			26.7			23.8
520						22.3




ft	HSL2 551 ft		
	F 39 ft	F 49 ft	F 59 ft
	12°		
85	235		
90	232	213	
95	229	210	193
100	226	207	190
105	224	204	187
110	221	200	184
115	217	197	181
120	214	194	178
125	210	190	175
130	206	187	171
135	203	183	168
140	199	180	165
145	195	176	162
150	191	173	159
155	187	170	156
160	184	167	153
165	180	163	150
170	177	160	148
175	173	157	145
180	170	154	142
185	167	152	140
190	164	149	137
195	161	146	135
200	158	144	132
205	155	141	130
210	152	138	128
215	149	136	125
220	147	134	123
225	144	131	121
230	142	129	119
235	139	127	117
240	137	125	115
245	135	123	114
250	133	121	112
255	131	119	110
260	129	117	108
265	127	116	107
270	125	114	105
275	123	112	104
280	121	111	102
285	120	109	101
290	118	108	99.2
295	116	106	97.9
300	115	105	96.5
305	113	103	95.2
310	112	102	93.8
315	110	100	92.6
320	108	99.2	91.4
325	107	97.9	90.2
330	105	96.7	89.1
335	103	95.4	88
340	102	94.2	86.9
345	99.9	93	85.8
350	97.4	91.9	84.8
355	94.6	90.5	83.8
360	91.8	88.3	82.7
365	88.9	86.1	81.3
370	86	83.9	79.7
375	83.1	81.6	78.1
380	80.2	79.3	76.4
385	77.5	77	74.8
390	74.7	74.7	73.1
395	71.9	72.4	71.4
400	69.5	70.1	69.7
405	67.1	67.7	67.9
410	64.7	65.4	66.1
415	62.3	63.1	64
420	59.9	60.8	61.9
425	57.5	58.5	59.6
430	55.4	56.2	57.5
435	53.2	54	55.3
440	51.1	52	53.1
445	49.2	49.9	51.1
450	47.2	48	49.1
455	45.3	46.2	47.2
460	43.3	44.5	45.5
465	41.3	42.7	43.8
470	39.7	40.9	42.1
475	38.2	39.1	40.5
480	36.7	37.6	38.8
485	35.2	36.1	37.2
490	33.7	34.5	35.7
495	32.3	33	34.1
500	30.8	31.5	32.6
505	29.3	30.1	31.1
510	27.8	28.5	29.6
515		27.1	28.1
520		25.6	26.6
525			25.1
530			23.7




HSL2AZDFBV

HSL2 561 ft




HSL2 561 ft			
ft	F 39 ft	F 49 ft	F 59 ft
	12°		
85	225		
90	223	206	
95	221	204	188
100	218	201	186
105	216	199	183
110	213	196	180
115	211	193	177
120	208	190	175
125	205	187	172
130	202	184	169
135	199	181	166
140	196	177	163
145	192	174	160
150	189	171	158
155	186	168	155
160	182	165	152
165	179	162	149
170	175	159	147
175	172	156	144
180	169	154	141
185	166	151	139
190	163	148	137
195	160	146	134
200	157	143	132
205	155	141	130
210	152	138	128
215	149	136	125
220	147	133	123
225	144	131	121
230	142	129	119
235	140	127	117
240	137	125	115
245	135	123	114
250	133	121	112
255	131	119	110
260	129	118	108
265	127	116	107
270	125	114	105
275	123	112	104
280	121	111	102
285	119	109	101
290	117	108	99.5
295	115	106	98.1
300	113	105	96.8
305	112	104	95.6
310	110	102	94.3
315	108	101	93
320	106	99.2	91.8
325	104	97.7	90.6
330	102	96.2	89.5
335	99.7	94.7	88.3
340	97.6	93.2	87.1
345	95.6	91.7	86
350	93.5	90.1	84.8
355	91	88.6	83.6
360	88.3	86.9	82.4
365	85.5	84.6	81.1
370	82.8	82.2	79.5
375	80	79.7	77.5
380	77.2	77.3	75.6
385	74.4	74.8	73.6
390	71.7	72.2	71.5
395	69	69.7	69.4
400	66.3	67.3	67.3
405	63.9	64.8	65.2
410	61.6	62.3	63.1
415	59.3	60.1	61
420	57	57.8	58.9
425	54.7	55.5	56.8
430	52.4	53.3	54.6
435	50.3	51.1	52.5
440	48.4	48.8	50.4
445	46.4	46.9	48.3
450	44.6	45	46.2
455	42.9	43.1	44.4
460	41.2	41.6	42.6
465	39.5	40	40.9
470	37.7	38.5	39.4
475	36	36.9	37.9
480	34.4	35.4	36.3
485	32.8	33.8	34.8
490	31.2	32.2	33.3
495	29.6	30.6	31.8
500	28	29	30.2
505	26.4	27.3	28.6
510	24.8	25.7	27
515	23.3	24.1	25.4
520	21.9	22.5	23.8
525		21.1	22.3
530		19.7	20.7
535			19.4
540			17.9



Lifting heights
































Hauteurs de levage

HSL2AZDFBV



Description of symbols

Explication des symboles

	Max. capacity Capacité max.		No. of lines Brins
	Max. boom length Longueur maxi. de la fleche principale		No. of sheaves Poulies
	Max. boom system length Longueur maxi. du systeme de fleche		Radius Portée
	Counterweight Contrepoids		Main boom SL Flèche principale SL
	Central ballast Contrepoids central		Main boom, heavy/light Flèche principale, lourde/légère
	Width crawler chassis Largeur du train de chenilles		Main boom S Flèche principale S
	Hoist gear Treuil de levage		Main boom, heavy Flèche principale, lourde
	Working speeds Vitesses		Derrick system D Système derrick D
	Max. single line pull Effort au brin maxi.		Luffin fly jib, heavy Flèche à bras, lourde
	Rope diameter Diamètre		Fixed lattice jib F Flèche à treillis fixe F
	Rope length Longueur du câble		Adapter A Pièce d'adaptateur A
	Slewing speeds Vitesses d'orientation		Additional guying support Chevalet tendeur
	Driving speed Vitesse de translation		Counterweight frame B Palette de lest B
	Load Forces de levage		Suspended ballast V-frame® V-frame® de contrepoids suspendu
	Hookblock/Capacity Moufle à crochet/Capacité de charge		Counterweight trailer M-Wagon Remorque à contrepoids M-Wagon
	Weight Poids		

Remarks

1. The lifting capacities do not exceed 75 % of the tipping load according to ASME B 30.5. The crane's structural steelwork is in accordance with EN 13000 and ASME B 30.5.
2. For the calculation of the load charts at least a wind speed of 29 ft/s (9 m/s, 20.1 miles/hour) and regarding the load a sail area of 1 m² per ton load and a wind resistance coefficient of 1.2 on the load have been taken into account. For lifting of loads with large sail areas and/or high wind resistance coefficients the maximum wind speed as stated in the load charts has to be reduced.
3. The lifting capacities stated are valid for lifting operation only (corresponding with crane classification according to ISO 4301-1, crane group A1).
4. Lifting capacities are given in kips.
5. The weight of the hook blocks and hooks is part of the load and therefore it must be deducted from the lifting capacities.
6. The working radii are measured from the slewing centerline.
7. The subsoil must be even and of good bearing capacity.
8. Subject to modification of lifting capacities.
9. The data of this brochure serves only for general information. All information is provided without warranty. Instructions for the correct commissioning of the crane can be found in the operation manual and the load chart book.
10. The illustrations in this brochure may feature accessories and special equipment not included in the standard scope of delivery.

Remarques

1. La capacité de charge ne doit pas dépasser 75 % de la charge de basculement conformément à ASME B 30.5. La structure métallique de la grue est conforme à EN 13000 et ASME B 30.5.
2. Une vitesse de vent de 29 ft/s (9 m/s, 20.1 miles/hour) minimum, une surface de prise au vent de 1 m² par tonne ainsi qu'un coefficient de résistance au vent de la charge 1,2 sont pris en compte pour le calcul des tableaux de charge. Lorsque des charges ayant une surface de prise au vent et/ou un coefficient de résistance au vent plus élevé(e)s sont levées, la vitesse de vent maximale indiquée dans les tableaux de charge doit être réduite.
3. Forces de levage pour application de grue de montage (correspond à la classification de grues selon ISO 4301-1, groupe de grues A1).
4. Les charges sont indiquées en kips.
5. Le poids du crochet de levage resp. de la moufle à crochet est une partie de la charge et doit donc être déduit de la capacité de charge.
6. Les portées sont prises à partir de l'axe de rotation de la partie tournante.
7. Le sol doit être plat et résistant.
8. Charges données sous réserve de modification.
9. Les données de cette brochure sont données à titre informatif. Ces renseignements sont sans garantie. Les consignes relatives à la bonne mise en service de la grue sont disponibles dans le manuel d'utilisation et le manuel de tableaux de charge.
10. Les figures contiennent également des accessoires et des équipements spéciaux non inclus de série dans la livraison.

Customer Service

Personal. Competent. Reliable.
Personnalisé. Compétent. Fiable.



To ensure your Liebherr remains a Liebherr.

- Commission and training by experienced service technicians
- Worldwide service network with over 80 branches
- 24/7 technical support worldwide
- Fast availability of spare parts
- Attractive packages for maintenance and service

De sorte que votre Liebherr reste une Liebherr.

- Mise en route et formation effectuées par des techniciens qualifiés
- Service-Après-Vente Mondial représenté par plus de 80 correspondants
- Assistance Technique 24/24 et 7/7 jours
- Rapide disponibilité des pièces de rechanges
- Kits d'entretiens pour révisions et maintenances à un prix attractif

Proposition 65



WARNING: This product can expose you to chemicals, including exhaust emissions, including lead and lead compounds, which are known to the State of California to cause cancer, birth defects or other reproductive harm.
For more information see: www.P65warnings.ca.gov/diesel

Get Your
Contact



Germany | 31
2-01-us11-2021